

1023400000 Information

Heisener.com

Part Number 1023400000 **Manufacturer** Weidmuller

Category Connectors, Interconnects

Terminal Blocks - Din Rail, Channel

Description CONN TERM BLK FEED THRU 12-26AWG

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









1023400000 Specifications

Manufacturer Part Number 1023400000 Manufacturer Weidmuller Category Connectors, Interconnects Terminal Blocks - Din Rail, Channel Package - Series W Type Feed Through Disconnect Type - Number of Positions 4 Number of Levels 2; Connected Terminal - Width 5.1mm Termination Style Screw Current - IEC 10A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features Diode Color Beige		
Category Connectors, Interconnects Terminal Blocks - Din Rail, Channel Package - Series W Type Feed Through Disconnect Type - Number of Positions 4 Number of Levels 2; Connected Terminal - Width 5.1mm Termination Style Screw Current - IEC 10A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features Diode	Manufacturer Part Number	1023400000
Terminal Blocks - Din Rail, Channel Package Series W Type Feed Through Disconnect Type - Number of Positions 4 Number of Levels 2; Connected Terminal - Width 5.1mm Termination Style Screw Current - IEC 10A Voltage - IEC 400V Current - UL Voltage - UL Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features Diode	Manufacturer	Weidmuller
Package - Series W Type Feed Through Disconnect Type - Number of Positions 4 Number of Levels 2; Connected Terminal - Width 5.1 mm Termination Style Screw Current - IEC 10A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4 mm² Features Diode	Category	Connectors, Interconnects
Series W Type Feed Through Disconnect Type - Number of Positions 4 Number of Levels 2; Connected Terminal - Width 5.1mm Termination Style Screw Current - IEC 10A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features Diode		Terminal Blocks - Din Rail, Channel
Type Feed Through Disconnect Type - Number of Positions 4 Number of Levels 2; Connected Terminal - Width 5.1mm Termination Style Screw Current - IEC 10A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features Diode	Package	-
Disconnect Type - Number of Positions 4 Number of Levels 2; Connected Terminal - Width 5.1mm Termination Style Screw Current - IEC 10A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features Diode	Series	W
Number of Positions 4 Number of Levels 2; Connected Terminal - Width 5.1mm Termination Style Screw Current - IEC 10A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features Diode	Туре	Feed Through
Number of Levels2; ConnectedTerminal - Width5.1mmTermination StyleScrewCurrent - IEC10AVoltage - IEC400VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG12-26 AWGWire Gauge or Range - mm²0.5-4mm²FeaturesDiode	Disconnect Type	-
Terminal - Width Termination Style Current - IEC 10A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features 5.1mm 5.1mm 5.1mm 5.1mm 10A Voltage 400V 10A 10A 10A Voltage - UL 300V Diode	Number of Positions	4
Termination Style Current - IEC 10A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features Screw 10A 400V 400V 10A 10A 10A 10A 10-26 AWG Diode	Number of Levels	2; Connected
Current - IEC 10A Voltage - IEC 400V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features Diode	Terminal - Width	5.1mm
Voltage - IEC400VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG12-26 AWGWire Gauge or Range - mm²0.5-4mm²FeaturesDiode	Termination Style	Screw
Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features Diode	Current - IEC	10A
Voltage - UL Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features Diode	Voltage - IEC	400V
Wire Gauge or Range - AWG Wire Gauge or Range - mm² Diode 12-26 AWG 0.5-4mm² Diode	Current - UL	10A
Wire Gauge or Range - mm ² Features 0.5-4mm ² Diode	Voltage - UL	300V
Features Diode	Wire Gauge or Range - AWG	12-26 AWG
	Wire Gauge or Range - mm ²	0.5-4mm ²
Color Beige	Features	Diode
	Color	Beige
Report errors?		Report errors?

1023400000 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

1023400000 Payment Methods



















1023400000 Shipping Methods













If you have any question about 1023400000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com