

106990027 Information



For Reference Only

Part Number 106990027

Manufacturer Seeed Technology Co., Ltd

Category Power Supplies - External/Internal (Off-Board)

AC DC Desktop, Wall Adapters

Description AC/DC WALL MOUNT ADAPTER 5V 13W

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









106990027 Specifications

Manufacturer Part Number 106990027 Manufacturer Seeed Technology Co., Ltd Category Power Supplies - External/Internal (Off-Board) AC DC Desktop, Wall Adapters Package - Series - Region Utilized Europe Form Wall Mount Input Type Fixed Blade Voltage - Input 110 ~ 240 VAC Voltage - Output 5V Current - Output (Max) 2.5A Power (Watts) 13W No Load Power Consumption - Polarization - Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector USB A Receptacle Size / Dimension - Report errors?		
Category Power Supplies - External/Internal (Off-Board) AC DC Desktop, Wall Adapters Package - Series - Region Utilized Europe Form Wall Mount Input Type Fixed Blade Voltage - Input 110 ~ 240 VAC Voltage - Output (Max) 2.5A Power (Watts) 13W No Load Power Consumption - Polarization - Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector USB A Receptacle Size / Dimension -	Manufacturer Part Number	106990027
Package - Series - Region Utilized Europe Form Wall Mount Input Type Fixed Blade Voltage - Input 110 ~ 240 VAC Voltage - Output (Max) 2.5A Power (Watts) 13W No Load Power Consumption - Polarization - Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector USB A Receptacle Size / Dimension -	Manufacturer	Seeed Technology Co., Ltd
Package - Series - Region Utilized Europe Form Wall Mount Input Type Fixed Blade Voltage - Input 110 ~ 240 VAC Voltage - Output 5V Current - Output (Max) 2.5A Power (Watts) 13W No Load Power Consumption - Polarization - Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector USB A Receptacle Size / Dimension -	Category	Power Supplies - External/Internal (Off-Board)
Series-Region UtilizedEuropeFormWall MountInput TypeFixed BladeVoltage - Input110 ~ 240 VACVoltage - Output5VCurrent - Output (Max)2.5APower (Watts)13WNo Load Power Consumption-Polarization-ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorUSB A ReceptacleSize / Dimension-		AC DC Desktop, Wall Adapters
Region UtilizedEuropeFormWall MountInput TypeFixed BladeVoltage - Input110 ~ 240 VACVoltage - Output5VCurrent - Output (Max)2.5APower (Watts)13WNo Load Power Consumption-Polarization-ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorUSB A ReceptacleSize / Dimension-	Package	-
Form Wall Mount Input Type Fixed Blade Voltage - Input 110 ~ 240 VAC Voltage - Output 5V Current - Output (Max) 2.5A Power (Watts) 13W No Load Power Consumption - Polarization - Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector USB A Receptacle Size / Dimension -	Series	-
Input Type Fixed Blade Voltage - Input 110 ~ 240 VAC Voltage - Output 5V Current - Output (Max) 2.5A Power (Watts) 13W No Load Power Consumption - Polarization Applications ITE (Commercial) Efficiency Operating Temperature Output Connector Size / Dimension Fixed Blade 100 ~ 240 VAC VAC VAC VAC SV USB A Receptacle Size / Dimension	Region Utilized	Europe
Voltage - Input Voltage - Output SV Current - Output (Max) Power (Watts) No Load Power Consumption Polarization Applications ITE (Commercial) Efficiency Operating Temperature Output Connector Size / Dimension 110 ~ 240 VAC 5V Current - Qup VAC 5V Current - Output (Max) 13W	Form	Wall Mount
Voltage - Output (Max) 2.5A Power (Watts) 13W No Load Power Consumption - Polarization - Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector USB A Receptacle Size / Dimension -	Input Type	Fixed Blade
Current - Output (Max) Power (Watts) No Load Power Consumption Polarization Applications ITE (Commercial) Efficiency Operating Temperature Output Connector USB A Receptacle Size / Dimension 2.5A 13W Current - Output (Max) - Consumption USB A Receptacle Size / Dimension	Voltage - Input	110 ~ 240 VAC
Power (Watts) No Load Power Consumption Polarization Applications ITE (Commercial) Efficiency Operating Temperature Output Connector USB A Receptacle Size / Dimension 13W	Voltage - Output	5V
No Load Power Consumption Polarization Applications ITE (Commercial) Efficiency Operating Temperature Output Connector USB A Receptacle Size / Dimension	Current - Output (Max)	2.5A
Polarization - Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector USB A Receptacle Size / Dimension -	Power (Watts)	13W
Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector USB A Receptacle Size / Dimension -	No Load Power Consumption	-
Efficiency - Operating Temperature - Output Connector USB A Receptacle Size / Dimension -	Polarization	-
Operating Temperature - Output Connector USB A Receptacle Size / Dimension -	Applications	ITE (Commercial)
Output Connector USB A Receptacle Size / Dimension -	Efficiency	-
Size / Dimension -	Operating Temperature	-
	Output Connector	USB A Receptacle
Report errors?	Size / Dimension	-
report errors.		Report errors?

106990027 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

106990027 Payment Methods



















106990027 Shipping Methods













If you have any question about 106990027, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com