

1105810000 Information

Heisener.com

Part Number 1105810000 Manufacturer Weidmuller

Category Power Supplies - External/Internal (Off-Board)

AC DC Converters

Description AC/DC CONVERTER 24V 180W

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









1105810000 Specifications

Manufacturer Part Number 1105810000 Manufacturer Weidmuller Category Power Supplies - External/Internal (Off-Board) AC DC Converters Package - Series Pro-H Type Enclosed Number of Outputs 1 Voltage - Input 85 ~ 264 VAC Voltage - Output 1 24V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 7.5A Power (Watts) 180W Applications ITE (Commercial) Voltage - Isolation 4kV (4000V) Efficiency 88% Operating Temperature -25°C ~ 70°C Features Adjustable Output, Load Sharing, Remote On/Off, Universal Input	•	
Category Power Supplies - External/Internal (Off-Board) AC DC Converters Package - Series Pro-H Type Enclosed Number of Outputs 1 Voltage - Input 85 ~ 264 VAC Voltage - Output 1 24V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 7.5A Power (Watts) 180W Applications ITE (Commercial) Voltage - Isolation 4kV (4000V) Efficiency 88% Operating Temperature -25°C ~ 70°C	Manufacturer Part Number	1105810000
Package - Series Pro-H Type Enclosed Number of Outputs 1 Voltage - Input 85 ~ 264 VAC Voltage - Output 1 24V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 7.5A Power (Watts) 180W Applications ITE (Commercial) Voltage - Isolation 4kV (4000V) Efficiency 88% Operating Temperature -25°C ~ 70°C	Manufacturer	Weidmuller
Package - Series Pro-H Type Enclosed Number of Outputs 1 Voltage - Input 85 ~ 264 VAC Voltage - Output 1 24V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 7.5A Power (Watts) 180W Applications ITE (Commercial) Voltage - Isolation 4kV (4000V) Efficiency 88% Operating Temperature -25°C ~ 70°C	Category	Power Supplies - External/Internal (Off-Board)
Series Pro-H Type Enclosed Number of Outputs 1 Voltage - Input 85 ~ 264 VAC Voltage - Output 1 24V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 7.5A Power (Watts) 180W Applications ITE (Commercial) Voltage - Isolation 4kV (4000V) Efficiency 88% Operating Temperature -25°C ~ 70°C		AC DC Converters
TypeEnclosedNumber of Outputs1Voltage - Input $85 \sim 264 \text{ VAC}$ Voltage - Output 1 24V Voltage - Output 2-Voltage - Output 3-Voltage - Output 4-Current - Output (Max) 7.5A Power (Watts) 180W ApplicationsITE (Commercial)Voltage - Isolation 4kV (4000V)Efficiency 88% Operating Temperature $-25^{\circ}\text{C} \sim 70^{\circ}\text{C}$	Package	-
Number of Outputs 1 Voltage - Input 85 ~ 264 VAC Voltage - Output 1 24V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 7.5A Power (Watts) 180W Applications ITE (Commercial) Voltage - Isolation 4kV (4000V) Efficiency 88% Operating Temperature -25°C ~ 70°C	Series	Pro-H
Voltage - Input 85 ~ 264 VAC Voltage - Output 1 24V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 7.5A Power (Watts) 180W Applications ITE (Commercial) Voltage - Isolation 4kV (4000V) Efficiency 88% Operating Temperature -25°C ~ 70°C	Type	Enclosed
Voltage - Output 1 24V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 7.5A Power (Watts) 180W Applications ITE (Commercial) Voltage - Isolation 4kV (4000V) Efficiency 88% Operating Temperature -25°C ~ 70°C	Number of Outputs	1
Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 7.5A Power (Watts) 180W Applications ITE (Commercial) Voltage - Isolation 4kV (4000V) Efficiency 88% Operating Temperature -25°C ~ 70°C	Voltage - Input	85 ~ 264 VAC
Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 7.5A Power (Watts) 180W Applications ITE (Commercial) Voltage - Isolation 4kV (4000V) Efficiency 88% Operating Temperature -25°C ~ 70°C	Voltage - Output 1	24V
Voltage - Output 4-Current - Output (Max) $7.5A$ Power (Watts) $180W$ ApplicationsITE (Commercial)Voltage - Isolation $4kV$ ($4000V$)Efficiency 88% Operating Temperature $-25^{\circ}C \sim 70^{\circ}C$	Voltage - Output 2	-
Current - Output (Max) $7.5A$ Power (Watts) $180W$ ApplicationsITE (Commercial)Voltage - Isolation $4kV$ ($4000V$)Efficiency 88% Operating Temperature $-25^{\circ}C \sim 70^{\circ}C$	Voltage - Output 3	-
Power (Watts) $180W$ ApplicationsITE (Commercial)Voltage - Isolation $4kV$ ($4000V$)Efficiency 88% Operating Temperature $-25^{\circ}C \sim 70^{\circ}C$	Voltage - Output 4	-
Applications ITE (Commercial) Voltage - Isolation $4kV$ (4000V) Efficiency 88% Operating Temperature $-25^{\circ}\text{C} \sim 70^{\circ}\text{C}$	Current - Output (Max)	7.5A
Voltage - Isolation $4kV$ (4000V) Efficiency 88% Operating Temperature $-25^{\circ}\text{C} \sim 70^{\circ}\text{C}$	Power (Watts)	180W
Efficiency 88% Operating Temperature $-25^{\circ}\text{C} \sim 70^{\circ}\text{C}$	Applications	ITE (Commercial)
Operating Temperature $-25^{\circ}\text{C} \sim 70^{\circ}\text{C}$	Voltage - Isolation	4kV (4000V)
	Efficiency	88%
Features Adjustable Output, Load Sharing, Remote On/Off, Universal Input	Operating Temperature	-25°C ~ 70°C
	Features	Adjustable Output, Load Sharing, Remote On/Off, Universal Input
Mounting Type DIN Rail	Mounting Type	DIN Rail
Size / Dimension 4.33" L x 2.13" W x 4.33" H (110.0mm x 54.0mm x 110.0mm)	Size / Dimension	4.33" L x 2.13" W x 4.33" H (110.0mm x 54.0mm x 110.0mm)
Report errors		Report errors?

1105810000 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

1105810000 Payment Methods



















1105810000 Shipping Methods













If you have any question about 1105810000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com