

12ET Information

www.heisener.com

For Reference Only

Part Number 12ET **Manufacturer** Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE 12A 690V BS88

Package Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









12ET Specifications

Manufacturer Part Number 12ET Manufacturer Eaton Category Circuit Protection Electrical, Specialty Fuses Package Cylindrical, Blade Terminal (Bolt) Series ET Fuse Type - Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)		
CategoryCircuit Protection Electrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesETFuse Type-Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBoltPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Manufacturer Part Number	12ET
Package Cylindrical, Blade Terminal (Bolt) Series ET Fuse Type - Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension Electrical, Specialty Fuses Cylindrical, Blade Terminal (Bolt) Eacting Service - Cylindrical, Blade Terminal (Bolt) Size / Dimension Cylindrical, Blade Terminal (Bolt)	Manufacturer	Eaton
Package Cylindrical, Blade Terminal (Bolt) Series ET Fuse Type - Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Category	Circuit Protection
SeriesETFuse Type-Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBoltPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.673" Dia x 1.890" L (17.10mm x 48.00mm)		Electrical, Specialty Fuses
Fuse Type Current Rating Current Rating Current Rating Collage Rating - AC Collage Rating - DC Response Time Current Rating Current Rating - DC Class Class Class Class Class Class Current Rating Capacity @ Rated Voltage Current Rating Capacity Cap	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBoltPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Series	ET
Voltage Rating - AC Voltage Rating - DC Response Time - Applications Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Package / Case Size / Dimension - Class - Cylindrical, Blade Terminal (Bolt) Size / Dimension - Class	Fuse Type	-
Voltage Rating - DC Response Time - Applications - Features - Class - Approvals - Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Class - Cla	Current Rating	-
Response Time Applications - Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Class - Class	Voltage Rating - AC	-
Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Voltage Rating - DC	-
Features - Class - Class - Coperating Temperature - Capacity @ Rated Voltage - Capacity @ Rated Voltage - Coperating Type Bolt - Cylindrical, Blade Terminal (Bolt) Size / Dimension - Coperating Type Coperating Type Coperating Type Cylindrical, Blade Terminal (Bolt) - Cylindrical, Blade Terminal (Bolt) - Cylindrical, Blade Type Coperation - Cylindrical, Blade Type	Response Time	-
Class - Approvals - Coperating Temperature - Seraking Capacity @ Rated Voltage - Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Applications	-
Approvals - Operating Temperature - Streaking Capacity @ Rated Voltage - Bolt Mounting Type Bolt Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Features	-
Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Class	-
Breaking Capacity @ Rated Voltage - Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Approvals	-
Mounting Type Bolt Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Breaking Capacity @ Rated Voltage	-
Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Mounting Type	Bolt
· · · · · · · · · · · · · · · · · · ·	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	0.673" Dia x 1.890" L (17.10mm x 48.00mm)
		Report errors?

12ET Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

12ET Payment Methods



















12ET Shipping Methods













If you have any question about 12ET, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com