



#### 136PC15A2L Information



For Reference Only

Part Number 136PC15A2L

Manufacturer Honeywell Sensing and Productivity Solutions

Category Sensors, Transducers

Pressure Sensors, Transducers

**Description** SENSOR ABSOLUTE GAUGE 45 PSI MAX

Package 4-SIP Module

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## 136PC15A2L Specifications

Manufacturer Part Number     136PC15A2L       Manufacturer     Honeywell Sensing and Productivity Solutions       Category     Sensors, Transducers       Package     4-SIP Module       Series     -       Pressure Type     Absolute       Operating Pressure     15 PSI (103.42 kPa)       Output Type     Wheatstone Bridge       Output     -40 mV ~ 0 mV       Accuracy     ±0.25%       Voltage - Supply     16V       Port Size     Male - 0.27" (6.91mm) Tube       Port Style     Barbless       Features     Temperature Compensated       Termination Style     PC Pin       Maximum Pressure     45 PSI (310.26 kPa)       Operating Temperature     -40°C ~ 85°C       Package / Case     4-SIP Module       Supplier Device Package     -		
CategorySensors, TransducersPackage4-SIP ModuleSeries-Pressure TypeAbsoluteOperating Pressure15 PSI (103.42 kPa)Output TypeWheatstone BridgeOutput-40 mV ~ 0 mVAccuracy±0.25%Voltage - Supply16VPort SizeMale - 0.27" (6.91mm) TubePort StyleBarblessFeaturesTemperature CompensatedTermination StylePC PinMaximum Pressure45 PSI (310.26 kPa)Operating Temperature-40°C ~ 85°CPackage / Case4-SIP ModuleSupplier Device Package-	Manufacturer Part Number	136PC15A2L
Package 4-SIP Module Series - Pressure Type Absolute Operating Pressure Output Type Wheatstone Bridge Output 4-40 mV ~ 0 mV Accuracy ±0.25% Voltage - Supply 16V Port Size Male - 0.27" (6.91mm) Tube Port Style Barbless Features Tempination Style PC Pin Maximum Pressure 45 PSI (310.26 kPa) Operating Temperature 40° C ~ 85° C Package / Case 4-SIP Module Supplier Device Package	Manufacturer	Honeywell Sensing and Productivity Solutions
Package4-SIP ModuleSeries-Pressure TypeAbsoluteOperating Pressure15 PSI (103.42 kPa)Output TypeWheatstone BridgeOutput-40 mV ~ 0 mVAccuracy±0.25%Voltage - Supply16VPort SizeMale - 0.27" (6.91mm) TubePort StyleBarblessFeaturesTemperature CompensatedTermination StylePC PinMaximum Pressure45 PSI (310.26 kPa)Operating Temperature-40°C ~ 85°CPackage / Case4-SIP ModuleSupplier Device Package-	Category	Sensors, Transducers
Series-Pressure TypeAbsoluteOperating Pressure15 PSI (103.42 kPa)Output TypeWheatstone BridgeOutput-40 mV ~ 0 mVAccuracy±0.25%Voltage - Supply16VPort SizeMale - 0.27" (6.91mm) TubePort StyleBarblessFeaturesTemperature CompensatedTermination StylePC PinMaximum Pressure45 PSI (310.26 kPa)Operating Temperature-40°C ~ 85°CPackage / Case4-SIP ModuleSupplier Device Package-		Pressure Sensors, Transducers
Pressure Type Operating Pressure 15 PSI (103.42 kPa) Output Type Wheatstone Bridge Output 40 mV ~ 0 mV Accuracy ±0.25% Voltage - Supply 16V Port Size Male - 0.27" (6.91mm) Tube Port Style Barbless Features Temperature Compensated Termination Style PC Pin Maximum Pressure 45 PSI (310.26 kPa) Operating Temperature -40°C ~ 85°C Package / Case 4-SIP Module Supplier Device Package	Package	4-SIP Module
Operating Pressure  Output Type  Wheatstone Bridge  Output  -40 mV ~ 0 mV  Accuracy  ±0.25%  Voltage - Supply  16V  Port Size  Male - 0.27" (6.91mm) Tube  Port Style  Barbless  Features  Temperature Compensated  Termination Style  PC Pin  Maximum Pressure  45 PSI (310.26 kPa)  Operating Temperature  -40° C ~ 85° C  Package / Case  Supplier Device Package  -  15 PSI (103.42 kPa)  Wheatstone Bridge  Wheatstone Bridge  (40 PC  Wheatstone Bridge  Wheatstone Bridge  -40 RD  Wheatstone Bridge  Wheatstone Bridge  -40 RD  Wheatstone Bridge -40 RD  Wheatstone Bridge -40 RD  Wheatstone Bridge -40 RD  Wheatstone Bridge	Series	-
Output TypeWheatstone BridgeOutput-40 mV ~ 0 mVAccuracy±0.25%Voltage - Supply16VPort SizeMale - 0.27" (6.91mm) TubePort StyleBarblessFeaturesTemperature CompensatedTermination StylePC PinMaximum Pressure45 PSI (310.26 kPa)Operating Temperature-40°C ~ 85°CPackage / Case4-SIP ModuleSupplier Device Package-	Pressure Type	Absolute
Output -40 mV ~ 0 mV  Accuracy ±0.25%  Voltage - Supply 16V  Port Size Male - 0.27" (6.91mm) Tube  Port Style Barbless  Features Temperature Compensated  Termination Style PC Pin  Maximum Pressure 45 PSI (310.26 kPa)  Operating Temperature -40°C ~ 85°C  Package / Case 4-SIP Module  Supplier Device Package	Operating Pressure	15 PSI (103.42 kPa)
Accuracy ±0.25%  Voltage - Supply 16V  Port Size Male - 0.27" (6.91mm) Tube  Port Style Barbless  Features Temperature Compensated  Termination Style PC Pin  Maximum Pressure 45 PSI (310.26 kPa)  Operating Temperature -40°C ~ 85°C  Package / Case 4-SIP Module  Supplier Device Package	Output Type	Wheatstone Bridge
Voltage - Supply16VPort SizeMale - 0.27" (6.91mm) TubePort StyleBarblessFeaturesTemperature CompensatedTermination StylePC PinMaximum Pressure45 PSI (310.26 kPa)Operating Temperature-40°C ~ 85°CPackage / Case4-SIP ModuleSupplier Device Package-	Output	$-40 \text{ mV} \sim 0 \text{ mV}$
Port Size Male - 0.27" (6.91mm) Tube  Port Style Barbless  Features Temperature Compensated  Termination Style PC Pin  Maximum Pressure 45 PSI (310.26 kPa)  Operating Temperature -40°C ~ 85°C  Package / Case 4-SIP Module  Supplier Device Package -	Accuracy	±0.25%
Port Style Barbless Features Temperature Compensated  Termination Style PC Pin  Maximum Pressure 45 PSI (310.26 kPa)  Operating Temperature -40°C ~ 85°C  Package / Case 4-SIP Module  Supplier Device Package	Voltage - Supply	16V
Features Temperature Compensated  Termination Style PC Pin  Maximum Pressure 45 PSI (310.26 kPa)  Operating Temperature -40°C ~ 85°C  Package / Case 4-SIP Module  Supplier Device Package -	Port Size	Male - 0.27" (6.91mm) Tube
Termination Style PC Pin  Maximum Pressure 45 PSI (310.26 kPa)  Operating Temperature -40°C ~ 85°C  Package / Case 4-SIP Module  Supplier Device Package -	Port Style	Barbless
Maximum Pressure 45 PSI (310.26 kPa)  Operating Temperature -40°C ~ 85°C  Package / Case 4-SIP Module  Supplier Device Package -	Features	Temperature Compensated
Operating Temperature -40°C ~ 85°C  Package / Case 4-SIP Module  Supplier Device Package -	Termination Style	PC Pin
Package / Case 4-SIP Module Supplier Device Package -	Maximum Pressure	45 PSI (310.26 kPa)
Supplier Device Package -	Operating Temperature	-40°C ~ 85°C
	Package / Case	4-SIP Module
Report errors?	Supplier Device Package	-
•		Report errors?

#### 136PC15A2L Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 136PC15A2L Payment Methods



















## 136PC15A2L Shipping Methods













If you have any question about 136PC15A2L, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com