

### 1445641-3 Information

Heisener.com

1445641-3 Part Number

Manufacturer TE Connectivity AMP Connectors

Category Connectors, Interconnects

**Circular Connectors** 

**Description** CONN RCPT CPC 6POS FREE SLD CUP

**Package** 

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# 1445641-3 Specifications

Manufacturer Part Number1445641-3ManufacturerTE Connectivity AMP ConnectorsCategoryConnectors, InterconnectsPackage-SeriesMicro CPCConnector TypeReceptacle, Male PinsNumber of Positions6Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A		
CategoryConnectors, InterconnectsPackage-SeriesMicro CPCConnector TypeReceptacle, Male PinsNumber of Positions6Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A	Manufacturer Part Number	1445641-3
Circular Connectors  Package - Series Micro CPC Connector Type Receptacle, Male Pins Number of Positions 6 Shell Size - Insert M9.5 Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Gold Features - Voltage - Rated 250V Current Rating 2A	Manufacturer	TE Connectivity AMP Connectors
Package-SeriesMicro CPCConnector TypeReceptacle, Male PinsNumber of Positions6Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A	Category	Connectors, Interconnects
SeriesMicro CPCConnector TypeReceptacle, Male PinsNumber of Positions6Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A		Circular Connectors
Connector TypeReceptacle, Male PinsNumber of Positions6Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A	Package	-
Number of Positions6Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A	Series	Micro CPC
Shell Size - InsertM9.5Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A	Connector Type	Receptacle, Male Pins
Shell Size, MIL  Mounting Type Free Hanging (In-Line)  Termination Solder Cup  Fastening Type Latch Lock Orientation Keyed  Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold  Features - Voltage - Rated Current Rating 2A	Number of Positions	6
Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A	Shell Size - Insert	M9.5
Termination Solder Cup Fastening Type Latch Lock Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features - Voltage - Rated 250V Current Rating 2A	Shell Size, MIL	-
Fastening Type  Crientation  Keyed  Ingress Protection  IP65 - Dust Tight, Water Resistant  Thermoplastic  Contact Finish  Gold  Features  -  Voltage - Rated  Current Rating  Latch Lock  Active  Latch Lock  Lat	Mounting Type	Free Hanging (In-Line)
Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features - Voltage - Rated 250V Current Rating 2A	Termination	Solder Cup
Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features - Voltage - Rated 250V Current Rating 2A	Fastening Type	Latch Lock
Shell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A	Orientation	Keyed
Contact Finish Gold Features - Voltage - Rated 250V Current Rating 2A	Ingress Protection	IP65 - Dust Tight, Water Resistant
Features - Voltage - Rated 250V Current Rating 2A	Shell Material, Finish	Thermoplastic
Voltage - Rated 250V Current Rating 2A	Contact Finish	Gold
Current Rating 2A	Features	-
-	Voltage - Rated	250V
Report errors?	Current Rating	2A
		Report errors?

### **1445641-3 Guarantees**



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# 1445641-3 Payment Methods



















## 1445641-3 Shipping Methods













If you have any question about 1445641-3, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com