

1445778-4 Information

Heisener.com

1445778-4 Part Number

Manufacturer TE Connectivity AMP Connectors

Category Connectors, Interconnects

Circular Connectors

Description CONN RCPT CPC 18POS PANL SLDTAIL

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









1445778-4 Specifications

Manufacturer Part Number Manufacturer TE Connectivity AMP Connectors Category Connectors, Interconnects Circular Connectors Package - Series Micro CPC Connector Type Receptacle, Male Pins Number of Positions 18 Shell Size - Insert M13.5 Shell Size, MIL - Mounting Type Panel Mount Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection Ingress Protection Shell Material, Finish Contact Finish Gold Features - Voltage - Rated 250V Current Rating		
CategoryConnectors, InterconnectsPackage-SeriesMicro CPCConnector TypeReceptacle, Male PinsNumber of Positions18Shell Size - InsertM13.5Shell Size, MIL-Mounting TypePanel MountTerminationSolderFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A	Manufacturer Part Number	1445778-4
Package-SeriesMicro CPCConnector TypeReceptacle, Male PinsNumber of Positions18Shell Size - InsertM13.5Shell Size, MIL-Mounting TypePanel MountTerminationSolderFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A	Manufacturer	TE Connectivity AMP Connectors
Package - Series Micro CPC Connector Type Receptacle, Male Pins Number of Positions 18 Shell Size - Insert M13.5 Shell Size, MIL - Mounting Type Panel Mount Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Gold Features - Voltage - Rated 250V Current Rating 2A	Category	Connectors, Interconnects
Series Micro CPC Connector Type Receptacle, Male Pins Number of Positions 18 Shell Size - Insert M13.5 Shell Size, MIL - Mounting Type Panel Mount Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Gold Features - Voltage - Rated 250V Current Rating 2A		Circular Connectors
Connector TypeReceptacle, Male PinsNumber of Positions18Shell Size - InsertM13.5Shell Size, MIL-Mounting TypePanel MountTerminationSolderFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A	Package	-
Number of Positions Shell Size - Insert M13.5 Shell Size, MIL - Mounting Type Panel Mount Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features - Voltage - Rated 250V Current Rating 2A	Series	Micro CPC
Shell Size - Insert Shell Size, MIL Mounting Type Panel Mount Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features - Voltage - Rated Current Rating M13.5 M13.5 All Material Formoplastic All Material All Material	Connector Type	Receptacle, Male Pins
Shell Size, MIL Mounting Type Panel Mount Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features - Voltage - Rated Current Rating 2A	Number of Positions	18
Mounting TypePanel MountTerminationSolderFastening TypeLatch LockOrientationKeyedIngress ProtectionIP65 - Dust Tight, Water ResistantShell Material, FinishThermoplasticContact FinishGoldFeatures-Voltage - Rated250VCurrent Rating2A	Shell Size - Insert	M13.5
Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features - Voltage - Rated 250V Current Rating 2A	Shell Size, MIL	-
Fastening Type Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Thermoplastic Contact Finish Gold Features - Voltage - Rated Current Rating Latch Lock Keyed IP65 - Dust Tight, Water Resistant Thermoplastic 250V 2A	Mounting Type	Panel Mount
Orientation Keyed Ingress Protection IP65 - Dust Tight, Water Resistant Shell Material, Finish Thermoplastic Contact Finish Gold Features - Voltage - Rated 250V Current Rating 2A	Termination	Solder
Ingress Protection IP65 - Dust Tight, Water Resistant Thermoplastic Contact Finish Gold Features - Voltage - Rated Current Rating IP65 - Dust Tight, Water Resistant Thermoplastic 250V 2A	Fastening Type	Latch Lock
Shell Material, Finish Contact Finish Gold Features - Voltage - Rated Current Rating Thermoplastic 250V 2A	Orientation	Keyed
Contact Finish Gold Features - Voltage - Rated 250V Current Rating 2A	Ingress Protection	IP65 - Dust Tight, Water Resistant
Features - Voltage - Rated 250V Current Rating 2A	Shell Material, Finish	Thermoplastic
Voltage - Rated 250V Current Rating 2A	Contact Finish	Gold
Current Rating 2A	Features	-
-	Voltage - Rated	250V
D	Current Rating	2A
Report errors?		Report errors?

1445778-4 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

1445778-4 Payment Methods



















1445778-4 Shipping Methods













If you have any question about 1445778-4, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com