



15.50EFMA40 Information

Heisener.com

15.50EFMA40 Part Number

Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE 15.5KV 40AMP 2.5" OIL

Package Cartridge, Non-Standard

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









15.50EFMA40 Specifications

Manufacturer Part Number 15.50EFMA40 Manufacturer Eaton Category Circuit Protection Electrical, Specialty Fuses Package Cartridge, Non-Standard Series * Fuse Type - Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension 2.500" Dia x 10.000" L (63.50mm x 254.00mm)		
CategoryCircuit Protection Electrical, Specialty FusesPackageCartridge, Non-StandardSeries*Fuse Type-Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseCartridge, Non-Standard	Manufacturer Part Number	15.50EFMA40
Package Cartridge, Non-Standard Series * Fuse Type - Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case - Cartridge, Non-Standard Electrical, Specialty Fuses Cartridge, Non-Standard	Manufacturer	Eaton
PackageCartridge, Non-StandardSeries*Fuse Type-Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseCartridge, Non-Standard	Category	Circuit Protection
Series*Fuse Type-Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseCartridge, Non-Standard		Electrical, Specialty Fuses
Fuse Type - Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case - Carrent Rating - Capacity - Cap	Package	Cartridge, Non-Standard
Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseCartridge, Non-Standard	Series	*
Voltage Rating - AC Voltage Rating - DC Response Time - Applications - Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Package / Case - Catridge, Non-Standard	Fuse Type	-
Voltage Rating - DC Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case - Cartridge, Non-Standard	Current Rating	-
Response Time Applications - Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case - Cartridge, Non-Standard	Voltage Rating - AC	-
Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Cartridge, Non-Standard	Voltage Rating - DC	-
Features - Class - Class - Component of the Component of	Response Time	-
Class - Approvals - Character	Applications	-
Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Cartridge, Non-Standard	Features	-
Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Cartridge, Non-Standard	Class	-
Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Cartridge, Non-Standard	Approvals	-
Mounting Type Holder Package / Case Cartridge, Non-Standard	Operating Temperature	-
Package / Case Cartridge, Non-Standard	Breaking Capacity @ Rated Voltage	-
	Mounting Type	Holder
Size / Dimension 2.500" Dia x 10.000" L (63.50mm x 254.00mm)	Package / Case	Cartridge, Non-Standard
	Size / Dimension	2.500" Dia x 10.000" L (63.50mm x 254.00mm)
Report errors?		Report errors?

15.50EFMA40 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

15.50EFMA40 Payment Methods





















15.50EFMA40 Shipping Methods













If you have any question about 15.50EFMA40, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com