

### **150080SS75000 Information**



For Reference Only

Part Number 150080SS75000 Manufacturer Wurth Electronics Inc.

**Category** Optoelectronics

LED Indication - Discrete

DescriptionLED RED CLEAR 0805 SMDPackage0805 (2012 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# 150080SS75000 Specifications

Manufacturer Part Number         150080SS75000           Manufacturer         Wurth Electronics Inc.           Category         Optoelectronics           ED Indication - Discrete           Package         0805 (2012 Metric)           Series         WL-SMCW           Color         Red           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         60mcd           Lens Style/Size         Rectangle with Flat Top, 1.40mm x 1.25mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         140°           Mounting Type         Surface Mount           Wavelength - Dominant         630nm           Wavelength - Peak         645mm           Peatures         -           Peakage / Case         0805 (2012 Metric)           Supplier Device Package         0805           Size / Dimension         2.00mm L x 1.25mm W           Height (Max)         0.80mm	•		
Category         Optoelectronics           LED Indication - Discrete           Package         0805 (2012 Metric)           Series         WL-SMCW           Color         Red           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         60mcd           Lens Style/Size         Rectangle with Flat Top, 1.40mm x 1.25mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         140°           Mounting Type         Surface Mount           Wavelength - Dominant         630nm           Wavelength - Peak         645nm           Features         -           Package / Case         0805 (2012 Metric)           Supplier Device Package         0805           Size / Dimension         2.00mm L x 1.25mm W           Height (Max)         0.80mm	Manufacturer Part Number	150080SS75000	
Package         0805 (2012 Metric)           Series         WL-SMCW           Color         Red           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         60mcd           Lens Style/Size         Rectangle with Flat Top, 1.40mm x 1.25mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         140°           Mounting Type         Surface Mount           Wavelength - Dominant         630nm           Wavelength - Peak         645nm           Features         -           Package / Case         0805 (2012 Metric)           Supplier Device Package         0805           Size / Dimension         2.00mm L x 1.25mm W           Height (Max)         0.80mm	Manufacturer	Wurth Electronics Inc.	
Package         0805 (2012 Metric)           Series         WL-SMCW           Color         Red           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         60mcd           Lens Style/Size         Rectangle with Flat Top, 1.40mm x 1.25mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         140°           Mounting Type         Surface Mount           Wavelength - Dominant         630nm           Wavelength - Peak         645nm           Features         -           Package / Case         0805 (2012 Metric)           Supplier Device Package         0805           Size / Dimension         2.00mm L x 1.25mm W           Height (Max)         0.80mm	Category	Optoelectronics	
Series         WL-SMCW           Color         Red           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         60mcd           Lens Style/Size         Rectangle with Flat Top, 1.40mm x 1.25mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         140°           Mounting Type         Surface Mount           Wavelength - Dominant         630nm           Wavelength - Peak         645nm           Features         -           Package / Case         0805 (2012 Metric)           Supplier Device Package         0805           Size / Dimension         2.00mm L x 1.25mm W           Height (Max)         0.80mm		LED Indication - Discrete	
Color         Red           Configuration         -           Lens Color         Colorless           Lens Transparency         Clear           Millicandela Rating         60mcd           Lens Style/Size         Rectangle with Flat Top, 1.40mm x 1.25mm           Voltage - Forward (Vf) (Typ)         1.9V           Current - Test         20mA           Viewing Angle         140°           Mounting Type         Surface Mount           Wavelength - Dominant         630nm           Wavelength - Peak         645nm           Features         -           Package / Case         0805 (2012 Metric)           Supplier Device Package         0805           Size / Dimension         2.00mm L x 1.25mm W           Height (Max)         0.80mm	Package	0805 (2012 Metric)	
Configuration-Lens ColorColorlessLens TransparencyClearMillicandela Rating60mcdLens Style/SizeRectangle with Flat Top, 1.40mm x 1.25mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant630nmWavelength - Peak645nmFeatures-Package / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension2.00mm L x 1.25mm WHeight (Max)0.80mm	Series	WL-SMCW	
Lens ColorColorlessLens TransparencyClearMillicandela Rating60mcdLens Style/SizeRectangle with Flat Top, 1.40mm x 1.25mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant630nmWavelength - Peak645nmFeatures-Package / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension2.00mm L x 1.25mm WHeight (Max)0.80mm	Color	Red	
Lens TransparencyClearMillicandela Rating60mcdLens Style/SizeRectangle with Flat Top, 1.40mm x 1.25mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant630nmWavelength - Peak645nmFeatures-Package / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension2.00mm L x 1.25mm WHeight (Max)0.80mm	Configuration	-	
Millicandela Rating  Lens Style/Size  Rectangle with Flat Top, 1.40mm x 1.25mm  Voltage - Forward (Vf) (Typ)  1.9V  Current - Test  20mA  Viewing Angle  140°  Mounting Type  Surface Mount  Wavelength - Dominant  630nm  Wavelength - Peak  645nm  Features  - Package / Case  0805 (2012 Metric)  Supplier Device Package  Size / Dimension  400mc  800mc  60mcd  800mc  1.9V  20mA  1.9V  20mA  1.40°  8urface Mount  630nm  630nm  645nm  645nm  Features  - Package / Case  0805 (2012 Metric)  Supplier Device Package  0805  Size / Dimension  2.00mm L x 1.25mm W  Height (Max)  0.80mm	Lens Color	Colorless	
Lens Style/Size Rectangle with Flat Top, 1.40mm x 1.25mm  Voltage - Forward (Vf) (Typ) 1.9V  Current - Test 20mA  Viewing Angle 140°  Mounting Type Surface Mount  Wavelength - Dominant 630nm  Wavelength - Peak 645nm  Features - Package / Case 0805 (2012 Metric)  Supplier Device Package 0805  Size / Dimension 2.00mm L x 1.25mm W  Height (Max) 0.80mm	Lens Transparency	Clear	
Voltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant630nmWavelength - Peak645nmFeatures-Package / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension2.00mm L x 1.25mm WHeight (Max)0.80mm	Millicandela Rating	60mcd	
Current - Test20mAViewing Angle140°Mounting TypeSurface MountWavelength - Dominant630nmWavelength - Peak645nmFeatures-Package / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension2.00mm L x 1.25mm WHeight (Max)0.80mm	Lens Style/Size	Rectangle with Flat Top, 1.40mm x 1.25mm	
Viewing Angle140°Mounting TypeSurface MountWavelength - Dominant630nmWavelength - Peak645nmFeatures-Package / Case0805 (2012 Metric)Supplier Device Package0805Size / Dimension2.00mm L x 1.25mm WHeight (Max)0.80mm	Voltage - Forward (Vf) (Typ)	1.9V	
Mounting Type Surface Mount  Wavelength - Dominant 630nm  Wavelength - Peak 645nm  Features - Package / Case 0805 (2012 Metric)  Supplier Device Package 0805  Size / Dimension 2.00mm L x 1.25mm W  Height (Max) 0.80mm	Current - Test	20mA	
Wavelength - Dominant       630nm         Wavelength - Peak       645nm         Features       -         Package / Case       0805 (2012 Metric)         Supplier Device Package       0805         Size / Dimension       2.00mm L x 1.25mm W         Height (Max)       0.80mm	Viewing Angle	140°	
Wavelength - Peak       645nm         Features       -         Package / Case       0805 (2012 Metric)         Supplier Device Package       0805         Size / Dimension       2.00mm L x 1.25mm W         Height (Max)       0.80mm	Mounting Type	Surface Mount	
Features - Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.80mm	Wavelength - Dominant	630nm	
Package / Case 0805 (2012 Metric) Supplier Device Package 0805 Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.80mm	Wavelength - Peak	645nm	
Supplier Device Package 0805 Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.80mm	Features	-	
Size / Dimension 2.00mm L x 1.25mm W Height (Max) 0.80mm	Package / Case	0805 (2012 Metric)	
Height (Max) 0.80mm	Supplier Device Package	0805	
	Size / Dimension	2.00mm L x 1.25mm W	
Report errors?	Height (Max)	0.80mm	
			Report errors?

### **150080SS75000 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### 150080SS75000 Payment Methods



















## 150080SS75000 Shipping Methods













If you have any question about 150080SS75000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com