

1595950000 Information

Heisener.com

Part Number 1595950000 **Manufacturer** Weidmuller

Category Connectors, Interconnects

Terminal Blocks - Din Rail, Channel

Description CONN TERM BLK FEED THRU 12-26AWG

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









1595950000 Specifications

Manufacturer Part Number 1595950000 Manufacturer Weidmuller Category Connectors, Interconnects Terminal Blocks - Din Rail, Channel Package - Series SAK Type Feed Through, Isolated Disconnect Type - Number of Positions 5 Number of Levels 3; 1 Grounded Terminal - Width 6.0mm Termination Style Screw Current - IEC 17.5A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige		
Category Connectors, Interconnects Terminal Blocks - Din Rail, Channel Package - Series SAK Type Feed Through, Isolated Disconnect Type - Number of Positions 5 Number of Levels 3; 1 Grounded Terminal - Width 6.0mm Termination Style Screw Current - IEC 17.5A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Manufacturer Part Number	1595950000
Package - Series SAK Type Feed Through, Isolated Disconnect Type - Number of Positions 5 Number of Levels 3; 1 Grounded Terminal - Width 6.0mm Termination Style Screw Current - IEC 17.5A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Manufacturer	Weidmuller
Package - Series SAK Type Feed Through, Isolated Disconnect Type - Number of Positions 5 Number of Levels 3; 1 Grounded Terminal - Width 6.0mm Termination Style Screw Current - IEC 17.5A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Category	Connectors, Interconnects
Series SAK Type Feed Through, Isolated Disconnect Type - Number of Positions 5 Number of Levels 3; 1 Grounded Terminal - Width 6.0mm Termination Style Screw Current - IEC 17.5A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige		Terminal Blocks - Din Rail, Channel
Type Feed Through, Isolated Disconnect Type - Number of Positions 5 Number of Levels 3; 1 Grounded Terminal - Width 6.0mm Termination Style Screw Current - IEC 17.5A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Package	-
Disconnect Type - Number of Positions 5 Number of Levels 3; 1 Grounded Terminal - Width 6.0mm Termination Style Screw Current - IEC 17.5A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Series	SAK
Number of Positions5Number of Levels3; 1 GroundedTerminal - Width6.0mmTermination StyleScrewCurrent - IEC17.5AVoltage - IEC250VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG12-26 AWGWire Gauge or Range - mm²0.5-4mm²Features-ColorBeige	Туре	Feed Through, Isolated
Number of Levels 3; 1 Grounded Terminal - Width 6.0mm Termination Style Screw Current - IEC 17.5A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Disconnect Type	-
Terminal - Width 6.0mm Termination Style Screw Current - IEC 17.5A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Number of Positions	5
Termination Style Current - IEC 17.5A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features - Color Screw 17.5A 250V 250V 250V 0.5-4mm² 6.5-4mm² 8eige	Number of Levels	3; 1 Grounded
Current - IEC 17.5A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Terminal - Width	6.0mm
Voltage - IEC Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features Color 250V 10A 300V 300V 12-26 AWG 0.5-4mm² - Beige	Termination Style	Screw
Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 12-26 AWG Wire Gauge or Range - mm² 0.5-4mm² Features - Color Beige	Current - IEC	17.5A
Voltage - UL300VWire Gauge or Range - AWG12-26 AWGWire Gauge or Range - mm²0.5-4mm²Features-ColorBeige	Voltage - IEC	250V
Wire Gauge or Range - AWG Wire Gauge or Range - mm² O.5-4mm² Features Color Beige	Current - UL	10A
Wire Gauge or Range - mm² Features Color Beige	Voltage - UL	300V
Features - Color Beige	Wire Gauge or Range - AWG	12-26 AWG
Color Beige	Wire Gauge or Range - mm ²	0.5-4mm ²
	Features	-
Donort orrors?	Color	Beige
Report errors?		Report errors?

1595950000 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

1595950000 Payment Methods





















1595950000 Shipping Methods













If you have any question about 1595950000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com