

### 15E1C38.0 Information

Heisener.com

For Reference Only

Part Number 15E1C38.0

Manufacturer Littelfuse Inc.

Category Circuit Protection

Electrical, Specialty Fuses

**Description** FUSE CRTRDGE 15A 38KVAC NON STD

Package Cartridge, Non-Standard

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









### 15E1C38.0 Specifications

Manufacturer Part Number15EIC38.0ManufacturerLittelfuse Inc.CategoryCircuit ProtectionPackageCartridge, Non-StandardSeriesPOWR-GARD?Fuse TypeCartridgeCurrent Rating15AVoltage Rating - AC38000V (38kV)Voltage Rating - DC-Response Time-ApplicationsTransformer ProtectionFeaturesIndicatingClassEApprovals-Operating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeHolderPackage / CaseCartridge, Non-StandardSize / Dimension3.000" Dia x 30.875" L (76.20mm x 784.23mm)Report errors?		
CategoryCircuit ProtectionPackageCartridge, Non-StandardSeriesPOWR-GARD?Fuse TypeCartridgeCurrent Rating15AVoltage Rating - AC38000V (38kV)Voltage Rating - DC-Response Time-ApplicationsTransformer ProtectionFeaturesIndicatingClassEApprovals-Operating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeHolderPackage / CaseCartridge, Non-StandardSize / Dimension3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Manufacturer Part Number	15E1C38.0
Electrical, Specialty Fuses  Package Cartridge, Non-Standard  Series POWR-GARD?  Fuse Type Cartridge  Current Rating 15A  Voltage Rating - AC 38000V (38kV)  Voltage Rating - DC -  Response Time -  Applications Transformer Protection  Features Indicating  Class E  Approvals -  Operating Temperature -  Breaking Capacity @ Rated Voltage 80kA  Mounting Type Holder  Package / Case Cartridge, Non-Standard  Size / Dimension 38000V (38kV)	Manufacturer	Littelfuse Inc.
PackageCartridge, Non-StandardSeriesPOWR-GARD?Fuse TypeCartridgeCurrent Rating15AVoltage Rating - AC38000V (38kV)Voltage Rating - DC-Response Time-ApplicationsTransformer ProtectionFeaturesIndicatingClassEApprovals-Operating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeHolderPackage / CaseCartridge, Non-StandardSize / Dimension3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Category	Circuit Protection
SeriesPOWR-GARD?Fuse TypeCartridgeCurrent Rating15AVoltage Rating - AC38000V (38kV)Voltage Rating - DC-Response Time-ApplicationsTransformer ProtectionFeaturesIndicatingClassEApprovals-Operating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeHolderPackage / CaseCartridge, Non-StandardSize / Dimension3.000" Dia x 30.875" L (76.20mm x 784.23mm)		Electrical, Specialty Fuses
Fuse TypeCartridgeCurrent Rating15AVoltage Rating - AC38000V (38kV)Voltage Rating - DC-Response Time-ApplicationsTransformer ProtectionFeaturesIndicatingClassEApprovals-Operating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeHolderPackage / CaseCartridge, Non-StandardSize / Dimension3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Package	Cartridge, Non-Standard
Current Rating Voltage Rating - AC 38000V (38kV)  Voltage Rating - DC	Series	POWR-GARD?
Voltage Rating - AC  Voltage Rating - DC  Response Time  Applications  Transformer Protection  Features  Indicating  Class  E  Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Holder  Package / Case  Size / Dimension  38000V (38kV)  -  04000	Fuse Type	Cartridge
Voltage Rating - DC  Response Time  Applications  Transformer Protection  Features  Indicating  Class  E  Approvals  -  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Holder  Package / Case  Size / Dimension  -  Case  Size / Dimension  -  Case  -  Cartridge, Non-Standard  Size / Dimension  -  Case  Size / Dimension  -  Case  Case  Size / Dimension  -  Case  Case	Current Rating	15A
Response Time - Applications Transformer Protection Features Indicating Class E Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension 3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Voltage Rating - AC	38000V (38kV)
Applications Features Indicating Class E Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Size / Dimension Transformer Protection Indicating Beaking Capacity E Approvals - Capacity Approv	Voltage Rating - DC	-
Features Indicating  Class E  Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 80kA  Mounting Type Holder  Package / Case Cartridge, Non-Standard Size / Dimension 3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Response Time	-
Class E Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension 3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Applications	Transformer Protection
Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension 3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Features	Indicating
Operating Temperature  Breaking Capacity @ Rated Voltage  80kA  Mounting Type  Holder  Package / Case  Cartridge, Non-Standard  Size / Dimension  3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Class	E
Breaking Capacity @ Rated Voltage 80kA  Mounting Type Holder  Package / Case Cartridge, Non-Standard  Size / Dimension 3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Approvals	-
Mounting Type Holder Package / Case Cartridge, Non-Standard Size / Dimension 3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Operating Temperature	-
Package / Case Cartridge, Non-Standard Size / Dimension 3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Breaking Capacity @ Rated Voltage	80kA
Size / Dimension 3.000" Dia x 30.875" L (76.20mm x 784.23mm)	Mounting Type	Holder
	Package / Case	Cartridge, Non-Standard
Report errors?	Size / Dimension	3.000" Dia x 30.875" L (76.20mm x 784.23mm)
		Report errors?

### 15E1C38.0 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# 15E1C38.0 Payment Methods





















## 15E1C38.0 Shipping Methods













If you have any question about 15E1C38.0, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com