

## **161D10 Information**

Heisener.com

Part Number 161D10

Manufacturer Hammond Manufacturing

**Category** Transformers

**Power Transformers** 

**Description** XFRMR LAMINATED 1VA THRU HOLE

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









1/1D10	C
101710	<b>Specifications</b>

Manufacturer Part Number161D10ManufacturerHammond ManufacturingCategoryTransformersPower TransformersPackage-Series161TypeLaminated CoreVoltage - Primary115VVoltage - Secondary (Full Load)Parallel 5V, Series 10VCurrent - Output (Max)Parallel 180mA, Series 90mAPrimary Winding(s)SingleSecondary Winding(s)Single, Multiple TapsCenter TapNoPower - Max1 VAMounting TypeThrough HoleTermination StylePC Pin		
Category Transformers  Power Transformers  Package - Series 161  Type Laminated Core  Voltage - Primary 115V  Voltage - Secondary (Full Load) Parallel 5V, Series 10V  Current - Output (Max) Primary Winding(s) Single Secondary Winding(s) Single, Multiple Taps  Center Tap No  Power - Max Nounting Type Through Hole	Manufacturer Part Number	161D10
Package - Series 161 Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) Parallel 5V, Series 10V Current - Output (Max) Parallel 180mA, Series 90mA Primary Winding(s) Single Secondary Winding(s) Single, Multiple Taps Center Tap No Power - Max 1 VA Mounting Type Through Hole	Manufacturer	Hammond Manufacturing
Package - Series 161  Type Laminated Core  Voltage - Primary 115V  Voltage - Secondary (Full Load) Parallel 5V, Series 10V  Current - Output (Max) Parallel 180mA, Series 90mA  Primary Winding(s) Single  Secondary Winding(s) Single, Multiple Taps  Center Tap No  Power - Max 1 VA  Mounting Type Through Hole	Category	Transformers
Series 161 Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) Parallel 5V, Series 10V Current - Output (Max) Parallel 180mA, Series 90mA Primary Winding(s) Single Secondary Winding(s) Single, Multiple Taps Center Tap No Power - Max 1 VA Mounting Type Through Hole		Power Transformers
Type Voltage - Primary 115V Voltage - Secondary (Full Load) Parallel 5V, Series 10V Current - Output (Max) Primary Winding(s) Secondary Winding(s) Secondary Winding(s) Secondary Winding(s) Center Tap No Power - Max 1 VA Mounting Type Laminated Core Laminated Core Laminated Core Laminated Core Laminated Core Stript Laminated Core  No Parallel 5V, Series 10V  Parallel 180mA, Series 90mA Single Single No I VA Through Hole	Package	-
Voltage - Primary  Voltage - Secondary (Full Load)  Current - Output (Max)  Primary Winding(s)  Secondary Winding(s)  Secondary Winding(s)  Center Tap  No  Power - Max  Mounting Type  115V  Parallel 5V, Series 10V  Parallel 180mA, Series 90mA  Single  Single  Single  No  Through Hole	Series	161
Voltage - Secondary (Full Load)Parallel 5V, Series 10VCurrent - Output (Max)Parallel 180mA, Series 90mAPrimary Winding(s)SingleSecondary Winding(s)Single, Multiple TapsCenter TapNoPower - Max1 VAMounting TypeThrough Hole	Type	Laminated Core
Current - Output (Max) Primary Winding(s) Secondary Winding(s) Secondary Winding(s) Secondary Winding(s) Center Tap No Power - Max 1 VA Mounting Type Through Hole	Voltage - Primary	115V
Primary Winding(s) Secondary Winding(s) Single, Multiple Taps Center Tap No Power - Max 1 VA Mounting Type Through Hole	Voltage - Secondary (Full Load)	Parallel 5V, Series 10V
Secondary Winding(s)Single, Multiple TapsCenter TapNoPower - Max1 VAMounting TypeThrough Hole	Current - Output (Max)	Parallel 180mA, Series 90mA
Center TapNoPower - Max1 VAMounting TypeThrough Hole	Primary Winding(s)	Single
Power - Max 1 VA  Mounting Type Through Hole	Secondary Winding(s)	Single, Multiple Taps
Mounting Type Through Hole	Center Tap	No
	Power - Max	1 VA
Termination Style PC Pin	Mounting Type	Through Hole
	Termination Style	PC Pin
Size / Dimension 25.40mm L x 35.05mm W	Size / Dimension	25.40mm L x 35.05mm W
Height - Seated (Max) 21.08mm	Height - Seated (Max)	21.08mm
Voltage - Isolation 2000Vrms	Voltage - Isolation	2000Vrms
Weight 0.12 lb (54.43g)	Weight	0.12 lb (54.43g)
Report errors?		Report errors?

### 161D10 Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **161D10 Payment Methods**





















# 161D10 Shipping Methods













If you have any question about 161D10, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com