

### 161K12 Information



For Reference Only

Part Number 161K12

Manufacturer Hammond Manufacturing

**Category** Transformers

**Power Transformers** 

**Description** XFRMR LAMINATED 10VA THRU HOLE

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **161K12 Specifications**

| Manufacturer Part Number  Manufacturer  Hammond Manufacturing  Transformers  Power Transformers  Package  - Series  161  Type  Laminated Core  Voltage - Primary  Voltage - Secondary (Full Load)  Parallel 6.3V, Series 12.6V  Current - Output (Max)  Primary Winding(s)  Secondary Winding(s)  Single  Secondary Winding(s)  Single, Multiple Taps |
|---|
| Category  Transformers  Power Transformers  Package  - Series  161  Type  Laminated Core  Voltage - Primary  115V  Voltage - Secondary (Full Load)  Parallel 6.3V, Series 12.6V  Current - Output (Max)  Primary Winding(s)  Single   |
| Package - 161 Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) Parallel 6.3V, Series 12.6V Current - Output (Max) Parallel 1.6A, Series 800mA Primary Winding(s) Single   |
| Package - Series 161  Type Laminated Core  Voltage - Primary 115V  Voltage - Secondary (Full Load) Parallel 6.3V, Series 12.6V  Current - Output (Max) Parallel 1.6A, Series 800mA  Primary Winding(s) Single   |
| Series 161  Type Laminated Core  Voltage - Primary 115V  Voltage - Secondary (Full Load) Parallel 6.3V, Series 12.6V  Current - Output (Max) Parallel 1.6A, Series 800mA  Primary Winding(s) Single   |
| Type Laminated Core  Voltage - Primary 115V  Voltage - Secondary (Full Load) Parallel 6.3V, Series 12.6V  Current - Output (Max) Parallel 1.6A, Series 800mA  Primary Winding(s) Single   |
| Voltage - Primary  Voltage - Secondary (Full Load)  Parallel 6.3V, Series 12.6V  Current - Output (Max)  Primary Winding(s)  Primary Winding(s)  Single   |
| Voltage - Secondary (Full Load)  Current - Output (Max)  Primary Winding(s)  Parallel 6.3V, Series 12.6V  Parallel 1.6A, Series 800mA  Single   |
| Current - Output (Max) Primary Winding(s) Parallel 1.6A, Series 800mA Single  |
| Primary Winding(s) Single   |
|   |
| Secondary Winding(s) Single, Multiple Taps  |
|   |
| Center Tap No   |
| Power - Max 10 VA   |
| Mounting Type Through Hole  |
| Termination Style PC Pin  |
| Size / Dimension 49.28mm L x 36.58mm W  |
| Height - Seated (Max) 42.93mm   |
| Voltage - Isolation 2000Vrms  |
| Weight 0.58 lb (263.08g)  |
| Report errors?  |

#### **161K12 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### 161K12 Payment Methods



















### 161K12 Shipping Methods













If you have any question about 161K12, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com