

170M3983 Information

Heisener.com

Part Number 170M3983 Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

DescriptionFUSE 80A 1000V**Package**Rectangular, Blade


For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com





Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









170M3983	Specifications
1/01/13/03	Specifications

Manufacturer Part Number 170M3983 Manufacturer Eaton Category Circuit Protection Package Rectangular, Blade Series * Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)			
CategoryCircuit ProtectionPackageRectangular, BladeSeries*Fuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	Manufacturer Part Number	170M3983	
Package Rectangular, Blade Series * Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	Manufacturer	Eaton	
Package Rectangular, Blade Series * Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	Category	Circuit Protection	
Series * Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Bolt Mount Package / Case Rectangular, Blade Rectangular, Blade Size / Dimension 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)		Electrical, Specialty Fuses	
Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension Square Square Squa	Package	Rectangular, Blade	
Current Rating Voltage Rating - AC Voltage Rating - DC Response Time - Applications Features - Class Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension - Class Rectangular, Blade Size / Dimension - Class - Class Rectangular, Blade Size / Dimension - Class - Class Rectangular, Blade Size / Dimension - Class Rectangular, Blade Size / Dimension - Class Rectangular, Blade Size / Dimension - Class - Class Rectangular, Blade Size / Dimension - Class	Series	*	
Voltage Rating - AC Voltage Rating - DC Response Time Applications Features - Class Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension - Voltage Rating - AC - - - - - - - - - - - - -	Fuse Type	Square	
Voltage Rating - DC Response Time - Applications - Features - Class - Approvals - Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension - Size / Dimension - Size / Dimension - Class - Cl	Current Rating	-	
Response Time Applications - Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension - Size / Dimension - Class - Response Time - Bolt Mount - Response Time - Re	Voltage Rating - AC	-	
Applications - Geatures - Glass - Class - Clas	Voltage Rating - DC	-	
Features - Class - Approvals - Coperating Temperature - Streaking Capacity @ Rated Voltage - Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	Response Time	-	
Class - Approvals - Class - Coperating Temperature - Coperating Capacity @ Rated Voltage - Coperating Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	Applications	-	
Approvals Operating Temperature - Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension - 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	Features	-	
Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	Class	-	
Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	Approvals	-	
Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	Operating Temperature	-	
Package / Case Rectangular, Blade Size / Dimension 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	Breaking Capacity @ Rated Voltage	-	
Size / Dimension 3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	Mounting Type	Bolt Mount	
	Package / Case	Rectangular, Blade	
Report errors?	Size / Dimension	3.150" L x 1.693" W x 2.402" H (80.00mm x 43.00mm x 61.00mm)	
		Report errors?	

170M3983 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

170M3983 Payment Methods



















170M3983 Shipping Methods













If you have any question about 170M3983, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com