

170M4980 Information

Heisener.com

170M4980 Part Number Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE 160A 1000V 1TN/110 AR

Package Rectangular, Blade

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only E-mail: salesdept@heisener.com





Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









170M4980 Specifications	
Manufacturer Part Number	

Manufacturer Part Number 170M4980 Manufacturer Eaton Category Circuit Protection Electrical, Specialty Fuses Package Rectangular, Blade Series * Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm) Report errors?		
CategoryCircuit ProtectionPackageRectangular, BladeSeries*Fuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting Type-Package / CaseRectangular, BladeSize / Dimension3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Manufacturer Part Number	170M4980
Package Rectangular, Blade Series * Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Manufacturer	Eaton
Package Rectangular, Blade Series * Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Category	Circuit Protection
Series * Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)		Electrical, Specialty Fuses
Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension Square Square	Package	Rectangular, Blade
Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting Type-Package / CaseRectangular, BladeSize / Dimension3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Series	*
Voltage Rating - AC Voltage Rating - DC Response Time Applications Features - Class Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Package / Case Size / Dimension - Voltage Rating - AC	Fuse Type	Square
Voltage Rating - DC Response Time - Applications - Features - Class - Approvals - Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Package / Case Size / Dimension - Size / Dimension - Response Time -	Current Rating	-
Response Time Applications - Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type - Package / Case Rectangular, Blade Size / Dimension - Size / Dimension Size / Size / Dimension	Voltage Rating - AC	-
Applications - Geatures - Glass - Class - Clas	Voltage Rating - DC	-
Features - Class - Approvals - Coperating Temperature - Streaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension - Streaking Capacity @ Rated Voltage - Rectangular, Blade - Case Rectangular, Blade - Case - C	Response Time	-
Class - Approvals - Class - Coperating Temperature - Coperating Capacity @ Rated Voltage - Coperating Type - Case Rectangular, Blade - Case Rectangular, Blade - Case Size / Dimension - Capacity @ Rated Voltage - Case Rectangular, Blade - Case Rectangular, Blade - Case - Capacity - Capa	Applications	-
Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Features	-
Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Class	-
Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Approvals	-
Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Operating Temperature	-
Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Breaking Capacity @ Rated Voltage	-
Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Mounting Type	-
` '	Package / Case	Rectangular, Blade
Report errors?	Size / Dimension	3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)
		Report errors?

170M4980 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

170M4980 Payment Methods





















170M4980 Shipping Methods













If you have any question about 170M4980, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com