

170M4982 Information

Heisener.com

Part Number 170M4982 Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE 250A 1000V 1TN/110 AR

Package Rectangular, Blade

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









170M4982 Specifications

Manufacturer Part Number 170M4982 Manufacturer Eaton Category Circuit Protection Package Rectangular, Blade Series * Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)		
CategoryCircuit ProtectionPackageRectangular, BladeSeries*Fuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Package / CaseRectangular, BladeSize / Dimension3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Manufacturer Part Number	170M4982
PackageRectangular, BladeSeries*Fuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting Type-Package / CaseRectangular, BladeSize / Dimension3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Manufacturer	Eaton
Package Rectangular, Blade Series * Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Category	Circuit Protection
Series * Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Breaking Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)		Electrical, Specialty Fuses
Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension Square Square Square Square Aquate - Square -	Package	Rectangular, Blade
Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting Type-Package / CaseRectangular, BladeSize / Dimension3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Series	*
Voltage Rating - AC Voltage Rating - DC Response Time Applications Features - Class Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Package / Case Size / Dimension - Voltage Rating - AC	Fuse Type	Square
Voltage Rating - DC Response Time - Applications - Features - Class - Approvals - Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Package / Case Size / Dimension - Size / Dimension - Response Time - Breaking Capacity @ Rated Voltage Rectangular, Blade Size / Dimension - Size / Dimension - Size / Dimension - Capacity @ Rated Voltage Response Time - Response	Current Rating	-
Response Time Applications - Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type - Package / Case Rectangular, Blade Size / Dimension - Size / Dimension Size / Size / Dimension	Voltage Rating - AC	-
Applications - Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Voltage Rating - DC	-
Features - Class - Approvals - Coperating Temperature - Streaking Capacity @ Rated Voltage - Mounting Type - Rectangular, Blade Size / Dimension - Size / Dimension - Size / Dimension - Size /	Response Time	-
Class - Approvals - Class - Coperating Temperature - Coperating Capacity @ Rated Voltage - Coperating Type - Capacity @ Rectangular, Blade - Capacity @ Rectan	Applications	-
Approvals - Operating Temperature - Streaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Features	-
Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Class	-
Breaking Capacity @ Rated Voltage - Mounting Type - Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Approvals	-
Mounting Type Package / Case Rectangular, Blade Size / Dimension Rectangular, Blade 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Operating Temperature	-
Package / Case Rectangular, Blade Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Breaking Capacity @ Rated Voltage	-
Size / Dimension 3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)	Mounting Type	-
	Package / Case	Rectangular, Blade
Report errors?	Size / Dimension	3.150" L x 2.007" W x 2.717" H (80.00mm x 51.00mm x 69.00mm)
		Report errors?

170M4982 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

170M4982 Payment Methods





















170M4982 Shipping Methods













If you have any question about 170M4982, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com