

# 170M5975

equest a Quote

#### 170M5975 Information

For Reference Only	Part Number	170M5975
	Manufacturer	Eaton
	Category	Circuit Protection Electrical, Specialty Fuses
	Description	FUSE 800A 1000V 2KN/110 AR UR
	Package	Rectangular, Blade
		For the pricing/inventory/lead time, please contact us
		Website: https://www.heisener.com E-mail: salesdept@heisener.com

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### 170M5975 Specifications

Manufacturer Part NumberI70M5975ManufacturerEatonCategoryCircuit ProtectionPackageRectanglary FusesPackageRectangulary BladeSeriesSquareFuse TypeSquareCurrent Rating-Voltage Rating + DC-Voltage Rating + DC-Spose Time-Applications-Caters-Caters-Caters-Caters-Caters-Approvals-Operating Temperature-Mouning TypeBit MountPackage / CaseSciengulary BladeSpose Times-Approvals-Stating Caters-Spose Times-Stating Caters-Spose Times-Spose Times-Spose Times-Stating Caters-Spose Times-Spose Times-Stating Caters-Spose Times-Spose Times<			
CategoryCircuit Protection Electrical, Specialty FusesPackageRectangular, BladeSeries*Fuse TypeSquareFuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Applications-Fatures-Clarss-Approvals-Operating Temperature-Operating Capacity @ Rated Voltage-Approvals-Operating Temperature-Apont Temperature-Autoning Type-Mounting TypeBot MountFackage / CaseScieng Unit Scieng Uni	Manufacturer Part Number	170M5975	
PackageElectrical, Specialty FusesPackageRectangular, BladeSeries*Fuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Operating Temperature-Operating Capacity @ Rated Voltage-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseSi150" L x 2.323" W x 3.032" H (80.00mm x 59.00mm x 77.00mm)	Manufacturer	Eaton	
PackageRectangular, BladeSeries*Fuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Operating Temperature-Derating Capacity @ Rated Voltage-Mounting Type-Braking Capacity @ Rated Voltage-Store J Type-Store	Category	Circuit Protection	
Series*Fuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseStor" L x 2,323" W x 3,032" H (80.00mm x 57.00mm)		Electrical, Specialty Fuses	
Status Square   Fuse Type Square   Current Rating -   Voltage Rating - AC -   Voltage Rating - DC -   Applications -   Applications -   Features -   Approvals -   Operating Temperature -   Mounting Type -   Package / Case Bolt Mount   Size / Dimension 3.150" L x 2.323" W x 3.032" H (80.00mm x 59.00mm x 77.00mm)	Package	Rectangular, Blade	
Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Applications-Features-Class-Approvals-Operating Temperature-Beaking Capacity @ Rated Voltage-Nouting Type-Package / Capacity-Size / Dimension-Size / Dimension <td>Series</td> <td>*</td>	Series	*	
Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangulandeSize / Dimension3.150" L x 2.323" W x 3.032" H (80.00mm x 59.00mm x 77.00mm)	Fuse Type	Square	
Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Nounting TypeBolt MountPackage / CaseRectangulandeSize / Dimension3.150" L x 2.323" W x 3.032" H (80.00m x 70.00m x 70.0	Current Rating	-	
Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.150" L x 2.323" W x 3.032" H (80.00mm x 59.00mm x 77.00mm)	Voltage Rating - AC	-	
Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.150" L x 2.323" W x 3.032" H (80.00m x 59.00m x 77.00mm)	Voltage Rating - DC	-	
Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.150" L x 2.323" W x 3.032" H (80.00m x 59.00m x 77.00mm)	Response Time	-	
Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.150" L x 2.323" W x 3.032" H (80.00m x 59.00m x 77.00mm)	Applications	-	
Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.150" L x 2.323" W x 3.032" H (80.00mm x 79.00mm x 79.00mm)	Features	-	
Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.150" L x 2.323" W x 3.032" H (80.00mm x 59.00mm x 77.00mm)	Class	-	
Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.150" L x 2.323" W x 3.032" H (80.00mm x 59.00mm x 77.00mm)	Approvals	-	
Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.150" L x 2.323" W x 3.032" H (80.00mm x 59.00mm x 77.00mm)	Operating Temperature	-	
Package / CaseRectangular, BladeSize / Dimension3.150" L x 2.323" W x 3.032" H (80.00mm x 59.00mm x 77.00mm)	Breaking Capacity @ Rated Voltage	-	
Size / Dimension 3.150" L x 2.323" W x 3.032" H (80.00mm x 59.00mm x 77.00mm)	Mounting Type	Bolt Mount	
	Package / Case	Rectangular, Blade	
Report errors?	Size / Dimension	3.150" L x 2.323" W x 3.032" H (80.00mm x 59.00mm x 77.00mm)	
		Report errors?	

#### 170M5975 Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE GUARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about 170M5975, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com