

### 170M6199 Information



For Reference Only

Part Number 170M6199 Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

**Description** FUSE SQ 1.1KA 1.3KVAC RECTANGLR

Package Rectangular, Blade

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









### 170M6199 Specifications

Manufacturer Part Number170M6199ManufacturerEatonCategoryCircuit Protection Electrical, Specialty FusesPackageRectangular, BladeSeries-Fuse TypeSquareCurrent Rating1.1kAVoltage Rating - AC1300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)		
Category Circuit Protection Electrical, Specialty Fuses  Package Rectangular, Blade Series - Fuse Type Square Current Rating 1.1kA Voltage Rating - AC 1300V (1.3kV) Voltage Rating - DC Response Time - Applications Electrical, Industrial Features Indicating Class - Approvals CSA, UR Operating Temperature Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension  Square  1.1kA	Manufacturer Part Number	170M6199
Electrical, Specialty Fuses  Package Rectangular, Blade  Series - Fuse Type Square Current Rating 1.1kA  Voltage Rating - AC 1300V (1.3kV)  Voltage Rating - DC - Response Time - Applications Electrical, Industrial Features Indicating Class - Approvals CSA, UR  Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension  Electrical, Specialty Fuses Indications  Electrical, Industrial Indicating Indi	Manufacturer	Eaton
PackageRectangular, BladeSeries-Fuse TypeSquareCurrent Rating1.1kAVoltage Rating - AC1300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Category	Circuit Protection
Fuse Type Square Current Rating 1.1kA  Voltage Rating - AC 1300V (1.3kV)  Voltage Rating - DC - Response Time - Applications Electrical, Industrial Features Indicating  Class - Approvals CSA, UR  Operating Temperature - Breaking Capacity @ Rated Voltage 100kA  Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 1.1kA  Voltage Rating - AC 1300V (1.3kV)  Voltage Rating - DC Response Time - Applications Electrical, Industrial Features Indicating Class - Approvals CSA, UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension Square 1300V (1.3kV) - L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Package	Rectangular, Blade
Current Rating Voltage Rating - AC 1300V (1.3kV)  Voltage Rating - DC - Response Time - Applications Electrical, Industrial Features Indicating  Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension  1.1kA 1.1kA 1.300V (1.3kV)  C- 1.300V (1.3kV)  Features Color  Features Flectrical, Industrial Features Flectrical, Industrial Features Flectrical, Industrial	Series	-
Voltage Rating - AC  Voltage Rating - DC  Response Time  Applications  Electrical, Industrial  Features  Indicating  Class  -  Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Size / Dimension  1300V (1.3kV)  -  CSA, UR  CHART CASE  100kA  Rectangular, Blade  Size / Dimension  1300V (1.3kV)  -  Response Time  -  Blectrical, Industrial  Indicating  -  CSA, UR  C	Fuse Type	Square
Voltage Rating - DC  Response Time  Applications  Electrical, Industrial  Features  Indicating  Class  - Approvals  CSA, UR  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Size / Dimension  -  Response Time  - Blectrical, Industrial  CSA, UR  -  Breaking Capacity  Bull Response  -  Rectangular, Blade  Size / Dimension  -  3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Current Rating	1.1kA
Response Time Applications Electrical, Industrial Features Indicating Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension  - Breaking Capacity @ Rated Voltage Response Time - Breaking Capacity Indicating CSA, UR - CSA, UR - Breaking Capacity @ Rated Voltage Bolt Mount -	Voltage Rating - AC	1300V (1.3kV)
Applications Electrical, Industrial Features Indicating Class - Approvals CSA, UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Voltage Rating - DC	-
Features Indicating  Class -  Approvals CSA, UR  Operating Temperature -  Breaking Capacity @ Rated Voltage 100kA  Mounting Type Bolt Mount  Package / Case Rectangular, Blade  Size / Dimension 3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Response Time	-
Class - CSA, UR  Operating Temperature - Breaking Capacity @ Rated Voltage 100kA  Mounting Type Bolt Mount  Package / Case Rectangular, Blade  Size / Dimension 3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Applications	Electrical, Industrial
Approvals  CSA, UR  Operating Temperature  - Breaking Capacity @ Rated Voltage  100kA  Mounting Type  Bolt Mount  Package / Case  Rectangular, Blade  Size / Dimension  3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Features	Indicating
Operating Temperature  Breaking Capacity @ Rated Voltage  100kA  Mounting Type  Bolt Mount  Package / Case  Rectangular, Blade  Size / Dimension  3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Class	-
Breaking Capacity @ Rated Voltage 100kA  Mounting Type Bolt Mount  Package / Case Rectangular, Blade  Size / Dimension 3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Approvals	CSA, UR
Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Operating Temperature	-
Package / Case         Rectangular, Blade           Size / Dimension         3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Breaking Capacity @ Rated Voltage	100kA
Size / Dimension 3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)	Mounting Type	Bolt Mount
	Package / Case	Rectangular, Blade
Report errors?	Size / Dimension	3.189" L x 2.992" W x 3.543" H (81.00mm x 76.00mm x 90.00mm)
		Report errors?

### 170M6199 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### 170M6199 Payment Methods



















## 170M6199 Shipping Methods













If you have any question about 170M6199, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com