

## 170M6246 Information



For Reference Only

Part Number 170M6246 Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

**Description** FUSE SQ 800A 1.3KVAC RECTANGULAR

Package Rectangular, Blade

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# 170M6246 Specifications

Manufacturer Part Number         170M6246           Manufacturer         Eaton           Category         Circuit Protection           Package         Rectangular, Blade           Series         -           Fuse Type         Square           Current Rating         800A           Voltage Rating - AC         1300V (1.3kV)           Voltage Rating - DC         -           Response Time         -           Applications         Electrical, Industrial           Features         Indicating           Class         -           Approvals         CSA, UR           Operating Temperature         -           Breaking Capacity @ Rated Voltage         100kA           Mounting Type         Bolt Mount           Package / Case         Rectangular, Blade           Size / Dimension         3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)    Report errors?		
CategoryCircuit Protection Electrical, Specialty FusesPackageRectangular, BladeSeries-Fuse TypeSquareCurrent Rating800AVoltage Rating - AC1300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Manufacturer Part Number	170M6246
PackageRectangular, BladeSeries-Fuse TypeSquareCurrent Rating800AVoltage Rating - AC1300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Manufacturer	Eaton
PackageRectangular, BladeSeries-Fuse TypeSquareCurrent Rating800AVoltage Rating - AC1300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Category	Circuit Protection
Series-Fuse TypeSquareCurrent Rating800AVoltage Rating - AC1300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)		Electrical, Specialty Fuses
Fuse TypeSquareCurrent Rating800AVoltage Rating - AC1300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Package	Rectangular, Blade
Current Rating 800A  Voltage Rating - AC 1300V (1.3kV)  Voltage Rating - DC -  Response Time -  Applications Electrical, Industrial  Features Indicating  Class -  Approvals CSA, UR  Operating Temperature -  Breaking Capacity @ Rated Voltage 100kA  Mounting Type Bolt Mount  Package / Case Rectangular, Blade  Size / Dimension 3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Series	-
Voltage Rating - AC  Voltage Rating - DC  Response Time  Applications  Electrical, Industrial  Indicating  Class  Approvals  CSA, UR  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Size / Dimension  1300V (1.3kV)  -  CSA, UR  -  Breaking Capacity @ Rated Voltage  Bolt Mount  Rectangular, Blade  Size / Dimension  1300V (1.3kV)  -  Blade  100kA  100kA  Rectangular, Blade  3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Fuse Type	Square
Voltage Rating - DC  Response Time  Applications  Electrical, Industrial  Features  Indicating  Class  - Approvals  CSA, UR  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Size / Dimension  -  100kA  Rectangular, Blade  Size / Dimension  -  Size / Dimension  -  Size / Dimension  -  Size / Dimension  -  CSA, UR  CSA,	Current Rating	800A
Response Time  Applications Electrical, Industrial  Features Indicating Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension  - Blectrical, Industrial Industrial  Indicating Class -  Bolt Mount  CSA, UR -  Bolt Mount -  Bolt Mount Bolt Mount -  Bolt Mount	Voltage Rating - AC	1300V (1.3kV)
Applications Electrical, Industrial Features Indicating Class - Approvals CSA, UR Operating Temperature - Breaking Capacity @ Rated Voltage 100kA Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Voltage Rating - DC	-
Features Indicating  Class - Approvals CSA, UR  Operating Temperature - Breaking Capacity @ Rated Voltage 100kA  Mounting Type Bolt Mount  Package / Case Rectangular, Blade  Size / Dimension 3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Response Time	-
Class - CSA, UR  Operating Temperature - Breaking Capacity @ Rated Voltage 100kA  Mounting Type Bolt Mount  Package / Case Rectangular, Blade Size / Dimension 3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Applications	Electrical, Industrial
Approvals  CSA, UR  Operating Temperature  - Breaking Capacity @ Rated Voltage  Bolt Mount  Package / Case  Rectangular, Blade  Size / Dimension  CSA, UR  - Bolt Mount  100kA  Bolt Mount  Rectangular, Blade  3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Features	Indicating
Operating Temperature  Breaking Capacity @ Rated Voltage  100kA  Mounting Type  Bolt Mount  Package / Case  Rectangular, Blade  Size / Dimension  3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Class	-
Breaking Capacity @ Rated Voltage 100kA  Mounting Type Bolt Mount  Package / Case Rectangular, Blade  Size / Dimension 3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Approvals	CSA, UR
Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Operating Temperature	-
Package / Case         Rectangular, Blade           Size / Dimension         3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Breaking Capacity @ Rated Voltage	100kA
Size / Dimension 3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)	Mounting Type	Bolt Mount
	Package / Case	Rectangular, Blade
Report errors?	Size / Dimension	3.189" L x 2.992" W x 3.622" H (81.00mm x 76.00mm x 92.00mm)
		Report errors?

### 170M6246 Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 170M6246 Payment Methods





















# 170M6246 Shipping Methods













If you have any question about 170M6246, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com