

170M6701

170M6701 Information



For Reference Only

Part Number	170M6701	
Manufacturer	Eaton	
Category	Circuit Protection Electrical, Specialty Fuses	
Description	FUSE SQ 1.4KA 1.3KVAC RECTANGLR	
Package	Rectangular, Blade	
	For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com	



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



170M6701 Specifications

Manufacturer Part Number170M6701ManufacturerEatonCategoryCircuit ProtectionBelectrical, Specialty FusesPackageRectangular, BladeSeries-Fuse TypeSquareOurrent Rating1.4kAVoltage Rating + DC-Voltage Rating + DC-Specialty Fuses-Stating + DC-Voltage Rating + DC-Series-Stating + DC-Specialty Fuse-Specialty Fu		
CategoryCircuit Protection Electrical, Specialty FusesPackageRectangular, BladePackage-Stries-Fuse TypeSquareCurrent Rating1.4kAVoltage Rating - AC300V (1.3kV)Voltage Rating - DC-ApplicationsElectrical, IndustrialResponse Time-ApplicationsElectrical, IndustrialPatersIndicatingOperating TemperatureSA, UROperating Temperature100kABreaking Capacity @ Rated Voltage100kAMounting TypeBetangular, BladePackage / CaseSecangular, BladeSize / Dimension2.913" L x 2.992" W x 3.622" H (74.00mm x 76.00mm x 92.00mm)	Manufacturer Part Number	170M6701
File of the second se	Manufacturer	Eaton
PackageRectangular, BladeSeries-Fuse TypeSquareCurrent Rating1.4kAVoltage Rating - AC1300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension2.93" L x 2.992" W x 3.622" H (74.00mm x 76.00mm x 92.00mm)	Category	Circuit Protection
Series-Fuse TypeSquareCurrent Rating1.4kAVoltage Rating - AC1.300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature100kABreaking Capacity @ Rated VoltageBolt MountPockage / CaseRectangulan, BladeSize / Dimension2.913" L x 2.992" W x 3.622" H (74.00mm x 92.00mm)		Electrical, Specialty Fuses
Fuse TypeSquareFuse TypeSquareCurrent Rating1.4kAVoltage Rating - AC1300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature100kABreaking Capacity @ Rated Voltage100kAPockage / CaseRectangulandeSize / Dimension2.913" L x 2.992" W x 3.622" H (74.00mm x 76.00mm x 92.00mm)	Package	Rectangular, Blade
Current Rating1.4kAVoltage Rating - AC1300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature100kABreaking Capacity @ Rated VoltageBolt MountMounting TypeBolt MountFackage / Case.Size / Dimension2.913" L x 2.992" W x 3.622" H (74.00mm x 76.00mm x 92.00mm)	Series	-
Voltage Rating - AC1300V (1.3kV)Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature100kABreaking Capacity @ Rated VoltageBolt MountMounting TypeBolt MountPackage / Case.2013" L x 2.992" W x 3.622" H (74.00mm x 92.00mm)	Fuse Type	Square
Voltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature00KAHounting TypeBolt MountPackage / CaseRectangulatedSize / Dimension2.913" L x 2.992" W x 3.652" H (74.00mm x 90.00mm	Current Rating	1.4kA
Response Time-ApplicationsElectrical, IndustrialFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension2913" L x 2.992" W x 3.622" H (74.00m x 92.00m m)	Voltage Rating - AC	1300V (1.3kV)
ApplicationsElectrical, IndustrialApplicationsIndicatingFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension2,913" L x 2,992" W x 3,622" H (74,00mm x 76,00mm x 92,00mm)	Voltage Rating - DC	-
FeaturesIndicatingFeaturesIndicatingClass-ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension2.913" L x 2.992" W x 3.622" H (74.00mm x 76.00mm x 92.00mm)	Response Time	-
Class-ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension2.913" L x 2.992" W x 3.622" H (74.00mm x 92.00mm)	Applications	Electrical, Industrial
ApprovalsCSA, UROperating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension2,913" L x 2.992" W x 3.622" H (74.00mm x 92.00mm)	Features	Indicating
Operating Temperature-Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension2.913" L x 2.992" W x 3.622" H (74.00mm x 76.00mm x 92.00mm)	Class	-
Breaking Capacity @ Rated Voltage100kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension2.913" L x 2.992" W x 3.622" H (74.00mm x 76.00mm x 92.00mm)	Approvals	CSA, UR
Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension2.913" L x 2.992" W x 3.622" H (74.00mm x 76.00mm x 92.00mm)	Operating Temperature	-
Package / CaseRectangular, BladeSize / Dimension2.913" L x 2.992" W x 3.622" H (74.00mm x 76.00mm x 92.00mm)	Breaking Capacity @ Rated Voltage	100kA
Size / Dimension 2.913" L x 2.992" W x 3.622" H (74.00mm x 76.00mm x 92.00mm)	Mounting Type	Bolt Mount
	Package / Case	Rectangular, Blade
Report errors?	Size / Dimension	2.913" L x 2.992" W x 3.622" H (74.00mm x 76.00mm x 92.00mm)
		Report errors?

170M6701 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about 170M6701, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com