

170M8614

170M8614 Information

Heisener.com	Part Number	170M8614
	Manufacturer	Eaton
	Category	Circuit Protection Electrical, Specialty Fuses
	Description	FUSE 315A 1000V 3KN/110 AR UR
	Package	Rectangular, Blade
For Reference Only		For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com
		E-mail: salesdept@heisener.com

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



Request a Quote

170M8614 Specifications

<table-row><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-container><table-row><table-row><table-row><table-container><table-container><table-container><table-row><table-row><table-row><table-row><table-container><table-container><table-container><table-row><table-row><table-row><table-row></table-row></table-row></table-row></table-row></table-container></table-container></table-container></table-row></table-row></table-row></table-row></table-container></table-container></table-container></table-row></table-row></table-row></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-container></table-row>			
CategoryCircuit Protection Electrical, Specialty FusesPackageRectangular, BladeSeries*Fuse TypeSquareFuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Applications-Factures-Carsent-Applications-Parters-Operating Temperature-Approvals-Operating Capacity @ Rated Voltage-Nouting Type-Automating Capacity @ Rated Voltage-Starey Capacity @ Starey Cap	Manufacturer Part Number	170M8614	
FunctionElectrical, Specialty FusesPackageRectangular, BladeSeries*Fuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.913" W x 3.622" H (80.00mm x 74.00mm x 92.00mm)	Manufacturer	Eaton	
PackageRectangular, BladeSeries*Fuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Operating Temperature-Operating Temperature-Munting Type-Automating Temperature-Stack of Case-Stack of Case-<	Category	Circuit Protection	
Series*Fuse TypeSquareCurrent Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseStall & Stall &		Electrical, Specialty Fuses	
Series Series Fuse Type Square Current Rating - Voltage Rating - AC - Voltage Rating - DC - Response Time - Applications - Features - Class - Approvals - Operating Temperature - Mounting Type - Package / Case Rectangulare, Blade Size / Dimension 3.188" L x 2.913" W x 3.622" H (80.00mm x 74.00mm x 92.00mm)	Package	Rectangular, Blade	
Curren Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Nouting Type-Package / Case-Size / Dimension-Size / Dimension <td>Series</td> <td colspan="2">*</td>	Series	*	
Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangulandeSize / Dimension3.189" L x 2.913" W x 3.622" H (80.00mm x 74.00mm x 92.00mm)	Fuse Type	Square	
Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Nounting TypeBolt MountPackage / CaseRectangulandSize / Dimension3.189" L x 2.913" W x 3.622" H (80.00m x 74.00m x 92.00m x 92.00m x 74.00m x 92.00m x 92.00	Current Rating	-	
Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.913" W x 3.622" H (80.00m x 74.00m x 92.00m m)	Voltage Rating - AC	-	
Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.913" W x 3.622" H (80.00m x 74.00m x 92.00m m)	Voltage Rating - DC	-	
Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.913" W x 3.622" H (80.000m x 74.000m x 92.000m	Response Time	-	
Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.913" W x 3.622" H (80.00m x 74.00m x 92.00m m)	Applications	-	
Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.913" W x 3.622" H (80.00mm x 74.00mm x 92.00mm)	Features	-	
Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.913" W x 3.622" H (80.00mm x 74.00mm x 92.00mm)	Class	-	
Breaking Capacity @ Rated Voltage-Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.913" W x 3.622" H (80.00mm x 74.00mm x 92.00mm)	Approvals	-	
Mounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension3.189" L x 2.913" W x 3.622" H (80.00mm x 74.00mm x 92.00mm)	Operating Temperature	-	
Package / CaseRectangular, BladeSize / Dimension3.189" L x 2.913" W x 3.622" H (80.00mm x 74.00mm x 92.00mm)	Breaking Capacity @ Rated Voltage	-	
Size / Dimension 3.189" L x 2.913" W x 3.622" H (80.00mm x 74.00mm x 92.00mm)	Mounting Type	Bolt Mount	
	Package / Case	Rectangular, Blade	
Report errors?	Size / Dimension	3.189" L x 2.913" W x 3.622" H (80.00mm x 74.00mm x 92.00mm)	
		Report errors?	

170M8614 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about 170M8614, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com