

1808J0630273KDR

1808J0630273KDR Information

Heisener.com	Part Number Manufacturer Category Description Package	1808J0630273KDR Knowles Syfer Capacitors Ceramic Capacitors CAP CER 0.027UF 63V X7R 1808 1808 (4520 Metric) For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



1808J0630273KDR Specifications

AnufacturerKnowles SyferCatagoryCapacitorsCeramic CapacitorsPackage1808 (4520 Metric)Package-Capacitance0.027µFColerance±10%Voltage - Rated63VOperating Temperature-55°C ~ 125°CPeaturesHigh TemperaturePackage-Ratings-ApplicationsHigh Reliability	Manufacturer Part Number Manufacturer Category Package Series Capacitance Folerance
CategoryCapacitorsCackage1808 (4520 Metric)Package1808 (4520 Metric)Package-Capacitance0.027μFColerance±10%Yoltage - Rated63VCemperature CoefficientX7ROperating Temperature-55°C ~ 125°CPactaresHigh TemperatureRatings-ApplicationsHigh Reliability	Category Package Series Capacitance
Ceramic CapacitorsPackage1808 (4520 Metric)Package-Capacitance0.027μFColerance±10%Yoltage - Rated63VPerperature CoefficientX7ROperating Temperature-55°C ~ 125°CPactaresHigh TemperatureRatings-ApplicationsHigh Reliability	Package Series Capacitance
Package1808 (4520 Metric)Series-Capacitance0.027μFColerance±10%Yoltage - Rated63VCemperature CoefficientX7ROperating Temperature-55°C ~ 125°CSeaturesHigh TemperatureRatings-ApplicationsHigh Reliability	Series Capacitance
Action-Capacitance0.027μFColerance±10%Voltage - Rated63VVoltage - RatedX7RDeperature Coefficient×5°C ~ 125°CDeperaturesHigh TemperatureRatings-ApplicationsHigh Reliability	Series Capacitance
Capacitance0.027μFColerance±10%Voltage - Rated63VComperature CoefficientX7ROperating Temperature-55°C ~ 125°CSeaturesHigh TemperatureRatings-ApplicationsHigh Reliability	Capacitance
Folerance±10%Voltage - Rated63VVoltage - RatedX7RDeperature Coefficient-55°C ~ 125°CDeperaturesHigh TemperatureRatings-ApplicationsHigh Reliability	
Yoltage - Rated63VYemperature CoefficientX7ROperating Temperature-55°C ~ 125°CYeaturesHigh TemperatureRatings-ApplicationsHigh Reliability	Folerance
Cemperature CoefficientX7ROperating Temperature-55°C ~ 125°CGeaturesHigh TemperatureRatings-ApplicationsHigh Reliability	
Operating Temperature-55°C ~ 125°CGeaturesHigh TemperatureRatings-ApplicationsHigh Reliability	Voltage - Rated
GeaturesHigh TemperatureRatings-ApplicationsHigh Reliability	Temperature Coefficient
Ratings - Applications High Reliability	Operating Temperature
Applications High Reliability	Features
	Ratings
ailure Rate	Applications
	Failure Rate
Aounting Type Surface Mount, MLCC	Mounting Type
Package / Case 1808 (4520 Metric)	Package / Case
Bize / Dimension 0.177" L x 0.079" W (4.50mm x 2.00mm)	Size / Dimension
Height - Seated (Max) -	Height - Seated (Max)
Chickness (Max) 0.079" (2.00mm)	Thickness (Max)
	Lead Spacing
	Lead Style
Report erro	

1808J0630273KDR Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

1808J0630273KDR Payment Methods





If you have any question about 1808J0630273KDR, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com