



1812J0160682FCR Information

Heisener.com

1812J0160682FCR Part Number Manufacturer Knowles Syfer Category Capacitors

Ceramic Capacitors

Description CAP CER 6800PF 16V C0G/NP0 1812

Package 1812 (4532 Metric)

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









1812J0160682FCR Specifications

Manufacturer Knowles Syfer Category Capacitors Package 1812 (4532 Metric) Series - Capacitance 6800pF Tolerance ±1% Voltage - Rated 16V Temperature Coefficient C0G, NPO Operating Temperature -55°C ~ 125°C Features Epoxy Mountable Ratings -		
Category Capacitors Package 1812 (4532 Metric) Series - Capacitance 6800pF Tolerance ±1% Voltage - Rated 16V Temperature Coefficient C0G, NP0 Operating Temperature -55°C ~ 125°C Features Epoxy Mountable Ratings -	Manufacturer Part Number	1812J0160682FCR
Ceramic Capacitors Package 1812 (4532 Metric) Series - Capacitance 6800pF Folerance ±1% Voltage - Rated 16V Temperature Coefficient C0G, NPO Operating Temperature -55°C ~ 125°C Features Epoxy Mountable Ratings -	Manufacturer	Knowles Syfer
Package 1812 (4532 Metric) Series - Capacitance 6800pF Tolerance ±1% Voltage - Rated 16V Temperature Coefficient COG, NPO Operating Temperature -55°C ~ 125°C Features Epoxy Mountable Ratings -	Category	Capacitors
Features Geries - Capacitance 6800pF ±1% Voltage - Rated 16V Cog, NP0 Operating Temperature -55°C ~ 125°C Features Epoxy Mountable Ratings - Capacitance - Capacitance - Cog, NP0 - Co		Ceramic Capacitors
Capacitance $6800 pF$ Folerance $\pm 1\%$ Voltage - Rated $16V$ Temperature Coefficient $C0G$, NP0 Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$ Features Epoxy Mountable Ratings $-$	Package	1812 (4532 Metric)
Folerance $\pm 1\%$ Voltage - Rated 16V Cog, NP0 Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Features Epoxy Mountable Ratings -	Series	-
Voltage - Rated 16V Temperature Coefficient Cog, NP0 Operating Temperature -55°C ~ 125°C Epoxy Mountable Ratings -	Capacitance	6800pF
Temperature Coefficient COG, NP0 Operating Temperature -55°C ~ 125°C Features Epoxy Mountable Ratings -	Tolerance	$\pm 1\%$
Operating Temperature -55°C ~ 125°C Features Epoxy Mountable Ratings -	Voltage - Rated	16V
Features Epoxy Mountable -	Temperature Coefficient	COG, NPO
Ratings -	Operating Temperature	-55°C ~ 125°C
	Features	Epoxy Mountable
Applications General Purpose	Ratings	-
*	Applications	General Purpose
Failure Rate -	Failure Rate	-
Mounting Type Surface Mount, MLCC	Mounting Type	Surface Mount, MLCC
Package / Case 1812 (4532 Metric)	Package / Case	1812 (4532 Metric)
Size / Dimension 0.177" L x 0.126" W (4.50mm x 3.20mm)	Size / Dimension	0.177" L x 0.126" W (4.50mm x 3.20mm)
Height - Seated (Max) -	Height - Seated (Max)	-
Thickness (Max) 0.098" (2.50mm)	Thickness (Max)	0.098" (2.50mm)
Lead Spacing -	Lead Spacing	-
Lead Style -	Lead Style	-
Report error		Report errors?

1812J0160682FCR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

1812J0160682FCR Payment Methods



















1812J0160682FCR Shipping Methods













If you have any question about 1812J0160682FCR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com