



1812J0630153KDT Information

Heisener.com

Part Number 1812J0630153KDT

Manufacturer Knowles Syfer

Category Capacitors

Ceramic Capacitors

Description CAP CER 0.015UF 63V X7R 1812

Package 1812 (4532 Metric)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com





Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









1812J0630153KDT Specifications

Manufacturer Part Number1812J0630153KDTManufacturerKnowles SyferCategoryCapacitorsCeramic CapacitorsPackage1812 (4532 Metric)Series-Capacitance0.015μFTolerance±10%Voltage - Rated63VTemperature CoefficientX7ROperating Temperature-55°C ~ 125°CFeaturesHigh Temperature		
Category Capacitors Ceramic Capacitors Package $1812 (4532 \text{ Metric})$ Series - Capacitance $0.015\mu\text{F}$ Tolerance $\pm 10\%$ Voltage - Rated $63V$ Temperature Coefficient X7R Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$	acturer Part Number	1812J0630153KDT
Ceramic Capacitors Package $1812 (4532 \text{ Metric})$ Series - Capacitance $0.015 \mu F$ Tolerance $\pm 10\%$ Voltage - Rated $63V$ Temperature Coefficient $X7R$ Operating Temperature -55 °C ~ 125 °C	acturer	Knowles Syfer
Package $1812 (4532 \text{Metric})$ Series-Capacitance $0.015 \mu \text{F}$ Tolerance $\pm 10\%$ Voltage - Rated 63V Temperature CoefficientX7ROperating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$	ory	Capacitors
Series - Capacitance $0.015\mu F$ Tolerance $\pm 10\%$ Voltage - Rated $63V$ Temperature Coefficient $X7R$ Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$		Ceramic Capacitors
Capacitance $0.015\mu F$ Tolerance $\pm 10\%$ Voltage - Rated $63V$ Temperature Coefficient X7R Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$	ge	1812 (4532 Metric)
Tolerance $\pm 10\%$ Voltage - Rated $63V$ Temperature Coefficient $X7R$ Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$		-
Voltage - Rated 63V Temperature Coefficient X7R Operating Temperature -55°C ~ 125°C	tance	0.015μF
Temperature Coefficient X7R Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$	nce	±10%
Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$	e - Rated	63V
	rature Coefficient	X7R
Features High Temperature	ing Temperature	-55°C ~ 125°C
	es	High Temperature
Ratings -	s	-
Applications High Reliability	ations	High Reliability
Failure Rate -	Rate	-
Mounting Type Surface Mount, MLCC	ing Type	Surface Mount, MLCC
Package / Case 1812 (4532 Metric)	ge / Case	1812 (4532 Metric)
Size / Dimension 0.177" L x 0.126" W (4.50mm x 3.20mm)	Dimension	0.177" L x 0.126" W (4.50mm x 3.20mm)
Height - Seated (Max) -	- Seated (Max)	-
Thickness (Max) 0.098" (2.50mm)	iess (Max)	0.098" (2.50mm)
Lead Spacing -	pacing	-
Lead Style -	tyle	-
Report erro		Report errors?

1812J0630153KDT Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

1812J0630153KDT Payment Methods



















1812J0630153KDT Shipping Methods













If you have any question about 1812J0630153KDT, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com