

182Q60

## 182Q60 Information

Containance com	Part Number Manufacturer Category Description Package	182Q60 Hammond Manufacturing Transformers Power Transformers XFRMR TOROIDAL 750VA CHAS MOUNT - For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

## **Certified Quality**


Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## **182Q60 Specifications**

Manufacturer Part Number I82Q60   Manufacturing Hammond Manufacturing   Category Transformers   Package -   Package 182   Stries 182   Type Toroidal   Voltage - Primary Toroidal   Voltage - Secondary (Full Load) Parallel 60V, Series 120V   Current - Output (Max) Parallel 12.5A, Series 6.25A   Primary Winding(s) Dual   Secondary Winding(s) Dual   Power - Max So VA   Mounting Type Chasis Mount   Size / Dimension -   Size / Dimension So VA   Voltage - Isolation Mounterset		
CategoryTransformersPower TransformersPackage-Series182TypeToroidalVoltage - Primary117V, 234VVoltage - Secondary (Full Load)Parallel 60V, Series 120VCurrent - Output (Max)Parallel 12.5A, Series 6.25APrimary Winding(s)DualSecondary Winding(s)DualPower - Max750 VAPower - MaxSolutionPouring TypeChassis MountSter / Dimension-Ster / Dimension-Ster / Dimension874mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Manufacturer Part Number	182Q60
Power TransformersPackage-Series182TypeToroidalVoltage Primary117V, 234VVoltage Secondary (Full Load)Parallel 60V, Series 120VCurrent - Output (Max)Parallel 12.5A, Series 6.25APrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max750 VAMounting TypeChasis MountSize / Dimension-Size / Dimension87.4mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Manufacturer	Hammond Manufacturing
Package-Series182TypeToroidalVoltage - Primary117V, 234VVoltage - Secondary (Full Load)Parallel 00V, Series 120VCurrent - Output (Max)Parallel 12.5A, Series 6.25APrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max750 VAMounting TypeChasis MountSize / Dimension-Size / Dimension9.74Height - Seated (Max)9.74Voltage - Isolation9.74Weight14 bs (6.4kg)	Category	Transformers
Series182TypeToroidalVoltage - Primary117V, 234VVoltage - Secondary (Full Load)Parallel 60V, Series 120VCurrent - Output (Max)Parallel 12.5A, Series 6.25APrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max750 VAMounting TypeChasis MountTermination StyleWire LeadsSize / Dimension-Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)		Power Transformers
TypeToroidalVoltage - Primary117V, 234VVoltage - Secondary (Full Load)Parallel 60V, Series 120VCurrent - Output (Max)Parallel 12.5A, Series 6.25APrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max750 VAMounting TypeChasis MountTermination StyleVire LeadsSize / Dimension-Height - Seated (Max)874mmVoltage - Isolation4000VrmsWieght14 Ibs (6.4kg)	Package	-
A117V, 234VVoltage - Primary117V, 234VVoltage - Secondary (Full Load)Parallel 60V, Series 120VCurrent - Output (Max)Parallel 12.5A, Series 6.25APrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max750 VAMounting TypeChassis MountTermination StyleWire LeadsSize / Dimension-Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Series	182
Voltage - Secondary (Full Load)Parallel 60V, Series 120VCurrent - Output (Max)Parallel 12.5A, Series 6.25APrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max750 VAMounting TypeChassis MountTermination StyleWire LeadsSize / Dimension-Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Туре	Toroidal
Current - Output (Max)Parallel 12.5A, Series 6.25APrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max750 VAMounting TypeChasis MountTermination StyleWire LeadsSize / Dimension-Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Voltage - Primary	117V, 234V
Primary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max750 VAMounting TypeChassis MountTermination StyleWire LeadsSize / Dimension-Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Voltage - Secondary (Full Load)	Parallel 60V, Series 120V
Secondary Winding(s)DualCenter TapNoPower - Max750 VAMounting TypeChassis MountTermination StyleWire LeadsSize / Dimension-Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Current - Output (Max)	Parallel 12.5A, Series 6.25A
Center TapNoPower - Max750 VAMounting TypeChassis MountTermination StyleWire LeadsSize / Dimension-Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Primary Winding(s)	Dual
Power - Max750 VAMounting TypeChassis MountTermination StyleWire LeadsSize / Dimension-Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Secondary Winding(s)	Dual
Mounting TypeChassis MountTermination StyleWire LeadsSize / Dimension-Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Center Tap	No
Termination StyleWire LeadsSize / Dimension-Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Power - Max	750 VA
Size / Dimension-Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Mounting Type	Chassis Mount
Height - Seated (Max)78.74mmVoltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Termination Style	Wire Leads
Voltage - Isolation4000VrmsWeight14 lbs (6.4kg)	Size / Dimension	-
Weight 14 lbs (6.4kg)	Height - Seated (Max)	78.74mm
	Voltage - Isolation	4000Vrms
Report errors?	Weight	14 lbs (6.4kg)
		Report errors?

## **182Q60** Guarantees



If you have any question about 182Q60, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com