

183H24 Information

Heisener.com

For Reference Only

Part Number 183H24

Manufacturer Hammond Manufacturing

Category Transformers

Power Transformers

Description XFRMR LAMINATED 20VA THRU HOLE

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









183H24 Specifications

Manufacturer Part Number Manufacturer Hammond Manufacturing Transformers Power Transformers Package Series 183 Type Laminated Core Voltage - Primary Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Primary Winding(s) Secondary Winding(s) Dual Center Tap No		
Category Transformers Power Transformers Package - Series 183 Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Primary Winding(s) Secondary Winding(s) Dual Secondary Winding(s) Dual	Manufacturer Part Number	183H24
Package - Series 183 Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual	Manufacturer	Hammond Manufacturing
Package - Series 183 Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 1.66A, Series 830mA Primary Winding(s) Dual Secondary Winding(s) Dual	Category	Transformers
Series 183 Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 1.66A, Series 830mA Primary Winding(s) Dual Secondary Winding(s) Dual		Power Transformers
Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 1.66A, Series 830mA Primary Winding(s) Dual Secondary Winding(s) Dual	Package	-
Voltage - Primary Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual	Series	183
Voltage - Secondary (Full Load) Current - Output (Max) Parallel 12V, Series 24V Parallel 1.66A, Series 830mA Primary Winding(s) Dual Secondary Winding(s) Dual	Type	Laminated Core
Current - Output (Max) Primary Winding(s) Pual Secondary Winding(s) Dual Dual	Voltage - Primary	115V, 230V
Primary Winding(s) Secondary Winding(s) Dual Dual	Voltage - Secondary (Full Load)	Parallel 12V, Series 24V
Secondary Winding(s) Dual	Current - Output (Max)	Parallel 1.66A, Series 830mA
	Primary Winding(s)	Dual
Center Tap No	Secondary Winding(s)	Dual
•	Center Tap	No
Power - Max 20 VA	Power - Max	20 VA
Mounting Type Through Hole	Mounting Type	Through Hole
Termination Style PC Pin	Termination Style	PC Pin
Size / Dimension 57.15mm L x 47.63mm W	Size / Dimension	57.15mm L x 47.63mm W
Height - Seated (Max) 41.28mm	Height - Seated (Max)	41.28mm
Voltage - Isolation 4000Vrms	Voltage - Isolation	4000Vrms
Weight 0.9 lb (408.23g)	Weight	0.9 lb (408.23g)
Report errors?		Report errors?

183H24 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

183H24 Payment Methods





















183H24 Shipping Methods













If you have any question about 183H24, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com