

Heisener.com

### 183J36 Information

Part Number 183J36

Manufacturer Hammond Manufacturing

**Category** Transformers

**Power Transformers** 

**Description** XFRMR LAMINATED 30VA THRU HOLE

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## 183J36 Specifications

Manufacturer Part Number       183J36         Manufacturer       Hammond Manufacturing         Category       Transformers         Package       -         Series       183         Type       Laminated Core         Voltage - Primary       115V, 230V         Voltage - Secondary (Full Load)       Parallel 18V, Series 36V         Current - Output (Max)       Parallel 1.64A, Series 820mA         Primary Winding(s)       Dual         Secondary Winding(s)       Dual         Center Tap       No         Power - Max       30 VA         Mounting Type       Through Hole         Termination Style       PC Pin         Size / Dimension       66.68mm L x 55.55mm W         Height - Seated (Max)       39.70mm         Voltage - Isolation       4000Vrms         Weight       1.2 lbs (544.3g)		
CategoryTransformersPackage-Series183TypeLaminated CoreVoltage - Primary115V, 230VVoltage - Secondary (Full Load)Parallel 18V, Series 36VCurrent - Output (Max)Parallel 1.64A, Series 820mAPrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max30 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension66.68mm L x 55.55mm WHeight - Seated (Max)39.70mmVoltage - Isolation4000VrmsWeight1.2 lbs (544.3g)	Manufacturer Part Number	183J36
Package         -           Series         183           Type         Laminated Core           Voltage - Primary         115V, 230V           Voltage - Secondary (Full Load)         Parallel 18V, Series 36V           Current - Output (Max)         Parallel 1.64A, Series 820mA           Primary Winding(s)         Dual           Secondary Winding(s)         Dual           Center Tap         No           Power - Max         30 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         66.68mm L x 55.55mm W           Height - Seated (Max)         39.70mm           Voltage - Isolation         4000Vrms           Weight         1.2 lbs (544.3g)	Manufacturer	Hammond Manufacturing
Package         -           Series         183           Type         Laminated Core           Voltage - Primary         115V, 230V           Voltage - Secondary (Full Load)         Parallel 18V, Series 36V           Current - Output (Max)         Parallel 1.64A, Series 820mA           Primary Winding(s)         Dual           Secondary Winding(s)         Dual           Center Tap         No           Power - Max         30 VA           Mounting Type         Through Hole           Termination Style         PC Pin           Size / Dimension         66.68mm L x 55.55mm W           Height - Seated (Max)         39.70mm           Voltage - Isolation         4000Vrms           Weight         1.2 lbs (544.3g)	Category	Transformers
Series183TypeLaminated CoreVoltage - Primary115V, 230VVoltage - Secondary (Full Load)Parallel 18V, Series 36VCurrent - Output (Max)Parallel 1.64A, Series 820mAPrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max30 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension66.68mm L x 55.55mm WHeight - Seated (Max)39.70mmVoltage - Isolation4000VrmsWeight1.2 lbs (544.3g)		Power Transformers
Type Laminated Core  Voltage - Primary 115V, 230V  Voltage - Secondary (Full Load) Parallel 18V, Series 36V  Current - Output (Max) Parallel 1.64A, Series 820mA  Primary Winding(s) Dual  Secondary Winding(s) Dual  Center Tap No Power - Max 30 VA  Mounting Type Through Hole  Termination Style PC Pin  Size / Dimension 66.68mm L x 55.55mm W  Height - Seated (Max) 39.70mm  Voltage - Isolation 4000Vrms  Weight 1.2 lbs (544.3g)	Package	-
Voltage - Primary  Voltage - Secondary (Full Load)  Parallel 18V, Series 36V  Current - Output (Max)  Parallel 1.64A, Series 820mA  Primary Winding(s)  Dual  Secondary Winding(s)  Center Tap  No  Power - Max  30 VA  Mounting Type  Through Hole  Termination Style  PC Pin  Size / Dimension  Height - Seated (Max)  Voltage - Isolation  Weight  1.2 lbs (544.3g)	Series	183
Voltage - Secondary (Full Load)  Current - Output (Max)  Parallel 18V, Series 36V  Parallel 1.64A, Series 820mA  Primary Winding(s)  Dual  Secondary Winding(s)  Dual  Center Tap  No  Power - Max  30 VA  Mounting Type  Through Hole  Termination Style  Size / Dimension  66.68mm L x 55.55mm W  Height - Seated (Max)  Voltage - Isolation  Weight  Parallel 18V, Series 36V  Publication	Туре	Laminated Core
Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 30 VA Mounting Type Through Hole Termination Style Size / Dimension Fixed (Max) Voltage - Isolation Weight Parallel 1.64A, Series 820mA Dual Pual Pual Poul Poul No	Voltage - Primary	115V, 230V
Primary Winding(s)  Secondary Winding(s)  Dual  Center Tap  No  Power - Max  30 VA  Mounting Type  Through Hole  Termination Style  PC Pin  Size / Dimension  66.68mm L x 55.55mm W  Height - Seated (Max)  Voltage - Isolation  Weight  Dual  No  1.2 lbs (544.3g)	Voltage - Secondary (Full Load)	Parallel 18V, Series 36V
Secondary Winding(s)DualCenter TapNoPower - Max30 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension66.68mm L x 55.55mm WHeight - Seated (Max)39.70mmVoltage - Isolation4000VrmsWeight1.2 lbs (544.3g)	Current - Output (Max)	Parallel 1.64A, Series 820mA
Center Tap No  Power - Max 30 VA  Mounting Type Through Hole  Termination Style PC Pin  Size / Dimension 66.68mm L x 55.55mm W  Height - Seated (Max) 39.70mm  Voltage - Isolation 4000Vrms  Weight 1.2 lbs (544.3g)	Primary Winding(s)	Dual
Power - Max  Mounting Type  Through Hole  Termination Style  PC Pin  Size / Dimension  66.68mm L x 55.55mm W  Height - Seated (Max)  Voltage - Isolation  4000Vrms  Weight  1.2 lbs (544.3g)	Secondary Winding(s)	Dual
Mounting Type Through Hole  PC Pin  Size / Dimension 66.68mm L x 55.55mm W  Height - Seated (Max) 39.70mm  Voltage - Isolation 4000Vrms  Weight 1.2 lbs (544.3g)	Center Tap	No
Termination Style PC Pin Size / Dimension 66.68mm L x 55.55mm W Height - Seated (Max) 39.70mm Voltage - Isolation 4000Vrms Weight 1.2 lbs (544.3g)	Power - Max	30 VA
Size / Dimension 66.68mm L x 55.55mm W  Height - Seated (Max) 39.70mm  Voltage - Isolation 4000Vrms  Weight 1.2 lbs (544.3g)	Mounting Type	Through Hole
Height - Seated (Max)  Voltage - Isolation  Weight  39.70mm  4000Vrms  1.2 lbs (544.3g)	Termination Style	PC Pin
Voltage - Isolation 4000Vrms Weight 1.2 lbs (544.3g)	Size / Dimension	66.68mm L x 55.55mm W
Weight 1.2 lbs (544.3g)	Height - Seated (Max)	39.70mm
	Voltage - Isolation	4000Vrms
Report errors?	Weight	1.2 lbs (544.3g)
		Report errors?

#### 183J36 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# 183J36 Payment Methods





















## 183J36 Shipping Methods













If you have any question about 183J36, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com