

Heisener.com

185E24 Information

Part Number 185E24

Manufacturer Hammond Manufacturing

Category Transformers

Power Transformers

Description XFRMR LAMINATED 80VA CHAS MOUNT

Package

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









185E24 Specifications

| Manufacturer Part Number Manufacturer Hammond Manufacturing Transformers Power Transformers Package Series 185 Type Laminated Core Voltage - Primary Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual | |
|---|------|
| Category Transformers Power Transformers Package - Series 185 Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual | |
| Power Transformers Package - Series 185 Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 6.6A, Series 3.3A Primary Winding(s) Dual Secondary Winding(s) Dual | |
| Package - Series 185 Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 6.6A, Series 3.3A Primary Winding(s) Dual Secondary Winding(s) Dual | |
| Series 185 Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 6.6A, Series 3.3A Primary Winding(s) Dual Secondary Winding(s) Dual | |
| Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 12V, Series 24V Current - Output (Max) Parallel 6.6A, Series 3.3A Primary Winding(s) Dual Secondary Winding(s) Dual | |
| Voltage - Primary Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Parallel 12V, Series 24V Dual Dual Secondary Winding(s) Dual | |
| Voltage - Secondary (Full Load) Current - Output (Max) Parallel 12V, Series 24V Parallel 6.6A, Series 3.3A Primary Winding(s) Dual Secondary Winding(s) Dual | |
| Current - Output (Max) Primary Winding(s) Pual Secondary Winding(s) Dual Dual | |
| Primary Winding(s) Secondary Winding(s) Dual Dual | |
| Secondary Winding(s) Dual | |
| | |
| C · T | |
| Center Tap No | |
| Power - Max 80 VA | |
| Mounting Type Chassis Mount | |
| Termination Style Solder, Quick Connect | |
| Size / Dimension 63.50mm L x 66.29mm W | |
| Height - Seated (Max) 76.20mm | |
| Voltage - Isolation 4000Vrms | |
| Weight 2.5 lbs (1.1kg) | |
| Report err | ors? |

185E24 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

185E24 Payment Methods



















185E24 Shipping Methods













If you have any question about 185E24, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com