

187D56 Information

Heisener.com

Part Number 187D56

Manufacturer Hammond Manufacturing

Category Transformers

Power Transformers

Description XFRMR LAMINATED 30VA CHAS MOUNT

Package

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









187D56 Specifications

Manufacturer Part Number 187D56 Manufacturer Hammond Manufacturing Category Transformers Package - Series 187 Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) 56V Current - Output (Max) 530mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 30 VA Mounting Type Chassis Mount Termination Style Solder, Quick Connect Size / Dimension 82.55mm L x 52.20mm W Height - Seated (Max) 49.02mm Voltage - Isolation 2000Vrms Weight 1.1 lbs (499g)		
Category Transformers Power Transformers Package - Series 187 Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) 56V Current - Output (Max) 530mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 30 VA Mounting Type Chassis Mount Termination Style Solder, Quick Connect Size / Dimension 82.55mm L x 52.20mm W Height - Seated (Max) 49.02mm Voltage - Isolation 2000Vrms Weight 1.1 lbs (499g)	Manufacturer Part Number	187D56
Package - Series 187 Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) 56V Current - Output (Max) 530mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 30 VA Mounting Type Chassis Mount Termination Style Solder, Quick Connect Size / Dimension 82.55mm L x 52.20mm W Height - Seated (Max) 49.02mm Voltage - Isolation 2000Vrms Weight 1.1 lbs (499g)	Manufacturer	Hammond Manufacturing
Package - 187 Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) 56V Current - Output (Max) 530mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 30 VA Mounting Type Chassis Mount Termination Style Solder, Quick Connect Size / Dimension 82.55mm L x 52.20mm W Height - Seated (Max) 49.02mm Voltage - Isolation 2000Vrms Weight	Category	Transformers
Series 187 Type Laminated Core Voltage - Primary 115 V Voltage - Secondary (Full Load) 56 V Current - Output (Max) 530 mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 30 VA Mounting Type Chassis Mount Termination Style Solder, Quick Connect Size / Dimension 82.55 mm L x 52.20 mm W Height - Seated (Max) 49.02 mm Voltage - Isolation 2000 V rms Weight		Power Transformers
Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) 56V Current - Output (Max) 530mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 30 VA Mounting Type Chassis Mount Termination Style Solder, Quick Connect Size / Dimension 82.55mm L x 52.20mm W Height - Seated (Max) 49.02mm Voltage - Isolation 2000Vrms Weight 1.1 lbs (499g)	Package	-
Voltage - Primary 115V Voltage - Secondary (Full Load) 56V Current - Output (Max) 530mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 30 VA Mounting Type Chassis Mount Termination Style Solder, Quick Connect Size / Dimension 82.55mm L x 52.20mm W Height - Seated (Max) 49.02mm Voltage - Isolation 2000Vrms Weight 1.1 lbs (499g)	Series	187
Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Secondary Winding(s) Secondary Winding(s) Center Tap Yes Power - Max Mounting Type Chassis Mount Termination Style Solder, Quick Connect Size / Dimension Height - Seated (Max) Voltage - Isolation Weight Solv 1.1 lbs (499g)	Type	Laminated Core
Current - Output (Max) Primary Winding(s) Secondary Winding(s) Secondary Winding(s) Center Tap Yes Power - Max Mounting Type Chassis Mount Termination Style Size / Dimension Height - Seated (Max) Voltage - Isolation Weight Single Yes Yes You Yes Solder, Quick Connect 82.55mm L x 52.20mm W 49.02mm Voltage - Isolation 2000Vrms 1.1 lbs (499g)	Voltage - Primary	115V
Primary Winding(s) Secondary Winding(s) Single Center Tap Yes Power - Max 30 VA Mounting Type Chassis Mount Termination Style Size / Dimension Begin to Seated (Max) Voltage - Isolation Weight Single Yes Yes Yes Solder Yes Solder Sold	Voltage - Secondary (Full Load)	56V
Secondary Winding(s)SingleCenter TapYesPower - Max30 VAMounting TypeChassis MountTermination StyleSolder, Quick ConnectSize / Dimension82.55mm L x 52.20mm WHeight - Seated (Max)49.02mmVoltage - Isolation2000VrmsWeight1.1 lbs (499g)	Current - Output (Max)	530mA
Center TapYesPower - Max30 VAMounting TypeChassis MountTermination StyleSolder, Quick ConnectSize / Dimension82.55mm L x 52.20mm WHeight - Seated (Max)49.02mmVoltage - Isolation2000VrmsWeight1.1 lbs (499g)	Primary Winding(s)	Single
Power - Max Mounting Type Chassis Mount Termination Style Solder, Quick Connect Size / Dimension 82.55mm L x 52.20mm W Height - Seated (Max) 49.02mm Voltage - Isolation 2000Vrms Weight 1.1 lbs (499g)	Secondary Winding(s)	Single
Mounting Type Chassis Mount Termination Style Solder, Quick Connect 82.55mm L x 52.20mm W Height - Seated (Max) 49.02mm Voltage - Isolation 2000Vrms Weight 1.1 lbs (499g)	Center Tap	Yes
Termination Style Solder, Quick Connect Size / Dimension 82.55mm L x 52.20mm W Height - Seated (Max) 49.02mm Voltage - Isolation 2000Vrms Weight 1.1 lbs (499g)	Power - Max	30 VA
Size / Dimension82.55mm L x 52.20mm WHeight - Seated (Max)49.02mmVoltage - Isolation2000VrmsWeight1.1 lbs (499g)	Mounting Type	Chassis Mount
Height - Seated (Max) Voltage - Isolation Weight 49.02mm 2000Vrms 1.1 lbs (499g)	Termination Style	Solder, Quick Connect
Voltage - Isolation 2000Vrms Weight 1.1 lbs (499g)	Size / Dimension	82.55mm L x 52.20mm W
Weight 1.1 lbs (499g)	Height - Seated (Max)	49.02mm
	Voltage - Isolation	2000Vrms
Report errors?	Weight	1.1 lbs (499g)
		Report errors?

187D56 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

187D56 Payment Methods





















187D56 Shipping Methods













If you have any question about 187D56, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com