

1896150000 Information

Heisener.com

Part Number 1896150000 **Manufacturer** Weidmuller

Category Connectors, Interconnects

Terminal Blocks - Din Rail, Channel

Description CONN TERM BLK FEED THRU 8-14 AWG

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









1896150000 Specifications

| Manufacturer Part Number 1896150000 Manufacturer Weidmuller Category Connectors, Interconnects Terminal Blocks - Din Rail, Channel Package - Series P Type Feed Through Disconnect Type - Number of Positions 3 Number of Levels 1 Terminal - Width 8.1mm Termination Style Push In, Spring Current - IEC 57A Voltage - IEC 800V Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG 8-14 AWG Wire Gauge or Range - mm² 1.5-10mm² Features - Color Beige | | |
|---|---------------------------------------|-------------------------------------|
| Category Connectors, Interconnects Terminal Blocks - Din Rail, Channel Package - Series P Type Feed Through Disconnect Type - Number of Positions 3 Number of Levels 1 Terminal - Width 8.1mm Termination Style Push In, Spring Current - IEC 57A Voltage - IEC 800V Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG 8-14 AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | Manufacturer Part Number | 1896150000 |
| Package - Series P Type Feed Through Disconnect Type - Number of Positions 3 Number of Levels 1 Terminal - Width 8.1mm Termination Style Push In, Spring Current - IEC 57A Voltage - IEC 800V Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG 8-14 AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | Manufacturer | Weidmuller |
| Package - Series P Type Feed Through Disconnect Type - Number of Positions 3 Number of Levels 1 Terminal - Width 8.1mm Termination Style Push In, Spring Current - IEC 57A Voltage - IEC 800V Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG 8-14 AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | Category | Connectors, Interconnects |
| Series P Type Feed Through Disconnect Type - Number of Positions 3 Number of Levels 1 Terminal - Width 8.1mm Termination Style Push In, Spring Current - IEC 57A Voltage - IEC 800V Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG 8-14 AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | | Terminal Blocks - Din Rail, Channel |
| Type Feed Through Disconnect Type - Number of Positions 3 Number of Levels 1 Terminal - Width 8.1mm Termination Style Push In, Spring Current - IEC 57A Voltage - IEC 800V Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG 8-14 AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | Package | - |
| Disconnect Type - Number of Positions 3 Number of Levels 1 Terminal - Width 8.1mm Termination Style Push In, Spring Current - IEC 57A Voltage - IEC 800V Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG 8-14 AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | Series | P |
| Number of Positions 3 Number of Levels 1 Terminal - Width 8.1mm Termination Style Push In, Spring Current - IEC 57A Voltage - IEC 800V Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG 8-14 AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | Туре | Feed Through |
| Number of Levels1Terminal - Width8.1mmTermination StylePush In, SpringCurrent - IEC57AVoltage - IEC800VCurrent - UL44AVoltage - UL600VWire Gauge or Range - AWG8-14 AWGWire Gauge or Range - mm²1.5-10mm²Features- | Disconnect Type | - |
| Terminal - Width Termination Style Push In, Spring Current - IEC 57A Voltage - IEC 800V Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | Number of Positions | 3 |
| Termination Style Current - IEC 57A Voltage - IEC 800V Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | Number of Levels | 1 |
| Current - IEC 57A Voltage - IEC 800V Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG 8-14 AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | Terminal - Width | 8.1mm |
| Voltage - IEC800VCurrent - UL44AVoltage - UL600VWire Gauge or Range - AWG8-14 AWGWire Gauge or Range - mm²1.5-10mm²Features- | Termination Style | Push In, Spring |
| Current - UL 44A Voltage - UL 600V Wire Gauge or Range - AWG 8-14 AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | Current - IEC | 57A |
| Voltage - UL600VWire Gauge or Range - AWG8-14 AWGWire Gauge or Range - mm²1.5-10mm²Features- | Voltage - IEC | 800V |
| Wire Gauge or Range - AWG Wire Gauge or Range - mm² 1.5-10mm² Features - | Current - UL | 44A |
| Wire Gauge or Range - mm ² Features 1.5-10mm ² - | Voltage - UL | 600V |
| Features - | Wire Gauge or Range - AWG | 8-14 AWG |
| | Wire Gauge or Range - mm ² | 1.5-10mm ² |
| Color Beige | Features | - |
| | Color | Beige |
| Report errors? | | Report errors? |

1896150000 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

1896150000 Payment Methods



















1896150000 Shipping Methods













If you have any question about 1896150000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com