



1CTQC15173F1 Information



For Reference Only

Part Number 1CTQC15173F1

Manufacturer Panasonic Electronic Components

Category Capacitors

Tantalum - Polymer Capacitors

Description CAP TANT POLY 150UF 16V 2917

Package 2917 (7343 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









1CTQC15173F1 Specifications

Manufacturer Part Number ICTQC15173F1 Manufacturer Panasonic Electronic Components Category Capacitors Tantalum - Polymer Capacitors Package 2917 (7343 Metric) Series POSCAP? TQC Capacitance 150μF Tolerance ±20% Voltage - Rated 16V Type Molded ESR (Equivalent Series Resistance) 70 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)		
Category Capacitors Tantalum - Polymer Capacitors Package 2917 (7343 Metric) Series POSCAP? TQC Capacitance 150μF Tolerance ±20% Voltage - Rated 16V Type Molded ESR (Equivalent Series Resistance) 70 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Manufacturer Part Number	1CTQC15173F1
PackageTantalum - Polymer CapacitorsPackage2917 (7343 Metric)SeriesPOSCAP? TQCCapacitance $150\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $16V$ TypeMoldedESR (Equivalent Series Resistance) 70 mOhm Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$ Lifetime @ Temp. $2000 \text{ Hrs } @ 105^{\circ}\text{C}$ Mounting TypeSurface MountPackage / Case $2917 (7343 \text{ Metric})$ Size / Dimension $0.287^{\circ}\text{L} \times 0.169^{\circ}\text{W} (7.30 \text{mm x } 4.30 \text{mm})$ Height - Seated (Max) $0.079^{\circ}\text{(2.00 mm)}$	Manufacturer	Panasonic Electronic Components
Package2917 (7343 Metric)SeriesPOSCAP? TQCCapacitance $150\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $16V$ TypeMoldedESR (Equivalent Series Resistance) 70 mOhm Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$ Lifetime @ Temp. $2000 \text{ Hrs } @ 105^{\circ}\text{C}$ Mounting TypeSurface MountPackage / Case $2917 (7343 \text{ Metric})$ Size / Dimension $0.287^{\circ}\text{L} \times 0.169^{\circ}\text{W} (7.30 \text{mm} \times 4.30 \text{mm})$ Height - Seated (Max) $0.079^{\circ}\text{(2.00 mm)}$	Category	Capacitors
Series POSCAP? TQC Capacitance 150μF Tolerance ±20% Voltage - Rated 16V Type Molded ESR (Equivalent Series Resistance) 70 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)		Tantalum - Polymer Capacitors
Capacitance $150\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $16V$ TypeMoldedESR (Equivalent Series Resistance) 70 mOhm Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$ Lifetime @ Temp. $2000 \text{ Hrs @ }105^{\circ}\text{C}$ Mounting TypeSurface MountPackage / Case $2917 (7343 \text{ Metric})$ Size / Dimension 0.287 " L x 0.169 " W $(7.30 \text{mm x } 4.30 \text{mm})$ Height - Seated (Max) 0.079 " (2.00mm)	Package	2917 (7343 Metric)
Tolerance ±20% Voltage - Rated 16V Type Molded ESR (Equivalent Series Resistance) 70 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Series	POSCAP? TQC
Voltage - Rated Type Molded ESR (Equivalent Series Resistance) Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max)	Capacitance	150μF
Type Molded ESR (Equivalent Series Resistance) 70 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Tolerance	±20%
ESR (Equivalent Series Resistance) Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Voltage - Rated	16V
Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Type	Molded
Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	ESR (Equivalent Series Resistance)	70 mOhm
Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Operating Temperature	-55°C ~ 105°C
Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Lifetime @ Temp.	2000 Hrs @ 105°C
Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.079" (2.00mm)	Mounting Type	Surface Mount
Height - Seated (Max) 0.079" (2.00mm)	Package / Case	2917 (7343 Metric)
	Size / Dimension	0.287" L x 0.169" W (7.30mm x 4.30mm)
T 10 '	Height - Seated (Max)	0.079" (2.00mm)
Lead Spacing -	Lead Spacing	-
Manufacturer Size Code D2	Manufacturer Size Code	D2
Features General Purpose	Features	General Purpose
Report errors?		Report errors?

1CTQC15173F1 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

1CTQC15173F1 Payment Methods



















1CTQC15173F1 Shipping Methods













If you have any question about 1CTQC15173F1, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com