

2-2834006-1

a Quote

2-2834006-1 Information

Heisener.com	Part Number	2-2834006-1	
	Manufacturer	TE Connectivity AMP Connectors	
	Category	Connectors, Interconnects Solid State Lighting Connectors	- 174
	Description	1P MODULAR RELEASABLE POKE-IN CO	्र स
	Package	-	- P
		For the pricing/inventory/lead time, please contact	
For Reference Only		us	
		Website: https://www.heisener.com E-mail: salesdept@heisener.com	Requ

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



2-2834006-1 Specifications

ManufacturerTE Connectivity AMP ConnectorsCategoryConnectors, InterconnectsPackageSolid State Lighting ConnectorsPackage-Series-StyleBoard to Cable/WireConnector TypeReceptacle, Poke-In WireNumber of Positions1Mounting TypeSolderPacturesSolderFeatures-Fastening Type-Fastening TypeSacHousing ColorBlackContact MaterialCoper AlloyContact FinishTinHousing MaterialSin		
CategoryConnectors, InterconnectsBackageSolid State Lighting ConnectorsPackage-Series-StyleBoard to Cable/WireConnector TypeReceptacle, Poke-In WireNumber of Positions1Mounting TypeSurface Mount, Right AnglePitch-Fastening Type-Fastening Type-Fastening Type-Fourse1Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact FinishTinHousing MaterialResinOperating Temperature40°C ~ 125°C	Manufacturer Part Number	2-2834006-1
Solid State Lighting ConnectorsPackage-Series-StyleBoard to Cable/WireConnector TypeReceptacle, Poke-In WireNumber of Positions1Mounting TypeSulface Mount, Right AnglePirchSolderPitch-Fastening Type-Fastening Type-Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact FinishCopper AlloyHousing MaterialResinOperating Temperature-40°C ~ 125°C	Manufacturer	TE Connectivity AMP Connectors
Package-Series-StyleBoard to Cable/WireConnector TypeReceptacle, Poke-In WireNumber of Positions1Mounting TypeSurface Mount, Right AnglePreminationSolderFastening Type-Fastening Type-Foatures-Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyHousing MaterialFesinOperating Temperature-40°C ~ 125°C	Category	Connectors, Interconnects
Series-StyleBoard to Cable/WireConnector TypeReceptacle, Poke-In WireNumber of Positions1Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Fastening Type-Features-Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyHousing MaterialResinOperating Temperature-40°C ~ 125°C		Solid State Lighting Connectors
StyleBoard to Cable/WireConnector TypeReceptacle, Poke-In WireNumber of Positions1Mounting TypeSulface Mount, Right AngleTerminationSolderPitch-Fastening Type-Features-Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyHousing MaterialResinOperating Temperature-40°C ~125°C	Package	-
Connector TypeReceptacle, Poke-In WireNumber of Positions1Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Fastening Type-Features-Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyContact FinishFinHousing MaterialResinOperating Temperature-40°C ~ 125°C	Series	-
Number of Positions1Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Pastening Type-Features-Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyContact FinishFeaturesHousing MaterialResinOperating Temperature-Operating Temperature-	Style	Board to Cable/Wire
Mounting TypeSurface Mount, Right AngleTerminationSolderPitch-Fastening Type-Fastening Type-Features-Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyContact FinishFiniHousing MaterialResinOperating Temperature-40°C ~ 125°C	Connector Type	Receptacle, Poke-In Wire
TerminationSolderPitch-Pitch-Fastening Type-Features-Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyContact FinishTinHousing MaterialResinOperating Temperature-40°C ~ 125°C	Number of Positions	1
Pitch-Fastening Type-Fastening Type-Features-Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyContact FinishFinHousing MaterialResinOperating Temperature-40°C ~ 125°C	Mounting Type	Surface Mount, Right Angle
Fastening Type-Fastening Type-Features-Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyContact FinishTinHousing MaterialResinOperating Temperature-40°C ~125°C	Termination	Solder
Features-Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyContact FinishTinHousing MaterialResinOperating Temperature-40°C ~ 125°C	Pitch	-
Housing ColorBlackWire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyContact FinishTinHousing MaterialResinOperating Temperature-40°C ~ 125°C	Fastening Type	-
Wire Gauge18 AWG, 20 AWG, 22 AWGContact MaterialCopper AlloyContact FinishTinHousing MaterialResinOperating Temperature-40°C ~ 125°C	Features	-
Contact MaterialCopper AlloyContact FinishTinHousing MaterialResinOperating Temperature-40°C ~ 125°C	Housing Color	Black
Contact FinishTinHousing MaterialResinOperating Temperature-40°C ~ 125°C	Wire Gauge	18 AWG, 20 AWG, 22 AWG
Housing MaterialResinOperating Temperature-40°C ~ 125°C	Contact Material	Copper Alloy
Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$	Contact Finish	Tin
	Housing Material	Resin
Report errors?	Operating Temperature	-40°C ~ 125°C
		Report errors?

2-2834006-1 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about 2-2834006-1, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com