

2000310 Information

Part Number 2000310

Manufacturer TE Connectivity Measurement Specialties

Category Sensors, Transducers

Pressure Sensors, Transducers

Description PRESSURE TRANSDUCER MSP SERIES

Package Cylinder, Threaded

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









2000310 Specifications

| Manufacturer Part Number 2000310 Manufacturer TE Connectivity Measurement Specialties Category Sensors, Transducers Package Cylinder, Threaded Series MSP300 Pressure Type - Operating Pressure - Output Type Wheatstone Bridge Output - Accuracy ±1% Voltage - Supply 5V Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style Cable/Wire Leads Maximum Pressure - Operating Temperature -20°C ~ 85°C Package / Case Cylinder, Threaded Supplier Device Package - Report errors? | | |
|--|--------------------------|---|
| CategorySensors, TransducersPackageCylinder, ThreadedSeriesMSP300Pressure Type-Operating Pressure-Output TypeWheatstone BridgeOutput-Accuracy±1%Voltage - Supply5VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeaturesTemperature CompensatedTermination StyleCable/Wire LeadsMaximum Pressure-Operating Temperature-20°C ~ 85°CPackage / CaseCylinder, ThreadedSupplier Device Package- | Manufacturer Part Number | 2000310 |
| Package Cylinder, Threaded Series MSP300 Pressure Type - Operating Pressure Output Type Wheatstone Bridge Output Accuracy ±1% Voltage - Supply 5V Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style Cable/Wire Leads Maximum Pressure Operating Temperature -20°C ~ 85°C Package / Case Supplier Device Package Cylinder, Threaded Cylinder, Threaded Cylinder, Threaded Cylinder, Threaded Cylinder, Threaded Cylinder, Threaded | Manufacturer | TE Connectivity Measurement Specialties |
| PackageCylinder, ThreadedSeriesMSP300Pressure Type-Operating Pressure-Output TypeWheatstone BridgeOutput-Accuracy±1%Voltage - Supply5VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeaturesTemperature CompensatedTermination StyleCable/Wire LeadsMaximum Pressure-Operating Temperature-20°C ~ 85°CPackage / CaseCylinder, ThreadedSupplier Device Package- | Category | Sensors, Transducers |
| SeriesMSP300Pressure Type-Operating Pressure-Output TypeWheatstone BridgeOutput-Accuracy±1%Voltage - Supply5VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeaturesTemperature CompensatedTermination StyleCable/Wire LeadsMaximum Pressure-Operating Temperature-20°C ~ 85°CPackage / CaseCylinder, ThreadedSupplier Device Package- | | Pressure Sensors, Transducers |
| Pressure Type Operating Pressure - Cutput Type Wheatstone Bridge Output - Caccuracy ±1% Voltage - Supply 5V Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style Cable/Wire Leads Maximum Pressure - Coperating Temperature -20°C ~ 85°C Package / Case Cylinder, Threaded Supplier Device Package | Package | Cylinder, Threaded |
| Operating Pressure Output Type Wheatstone Bridge Output - Accuracy ±1% Voltage - Supply 5V Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style Cable/Wire Leads Maximum Pressure Operating Temperature -20°C ~ 85°C Package / Case Supplier Device Package - Cuther Strong Str | Series | MSP300 |
| Output Type Output - Accuracy ±1% Voltage - Supply Fort Size Male - 1/4" (6.35mm) NPT Port Style Features Temperature Compensated Termination Style Cable/Wire Leads Maximum Pressure - Operating Temperature -20°C ~ 85°C Package / Case Supplier Device Package - Wheatstone Bridge - Challer College C | Pressure Type | - |
| Output Accuracy ±1% Voltage - Supply 5V Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style Cable/Wire Leads Maximum Pressure - Operating Temperature -20°C ~ 85°C Package / Case Cylinder, Threaded Supplier Device Package | Operating Pressure | - |
| Accuracy ±1% Voltage - Supply 5V Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style Cable/Wire Leads Maximum Pressure - Operating Temperature -20°C ~ 85°C Package / Case Cylinder, Threaded Supplier Device Package - | Output Type | Wheatstone Bridge |
| Voltage - Supply5VPort SizeMale - 1/4" (6.35mm) NPTPort StyleThreadedFeaturesTemperature CompensatedTermination StyleCable/Wire LeadsMaximum Pressure-Operating Temperature-20°C ~ 85°CPackage / CaseCylinder, ThreadedSupplier Device Package- | Output | - |
| Port Size Male - 1/4" (6.35mm) NPT Port Style Threaded Features Temperature Compensated Termination Style Cable/Wire Leads Maximum Pressure - Operating Temperature -20°C ~ 85°C Package / Case Cylinder, Threaded Supplier Device Package - | Accuracy | ±1% |
| Port Style Threaded Features Temperature Compensated Termination Style Cable/Wire Leads Maximum Pressure - Operating Temperature -20°C ~ 85°C Package / Case Cylinder, Threaded Supplier Device Package - | Voltage - Supply | 5V |
| Features Temperature Compensated Termination Style Cable/Wire Leads Maximum Pressure - Operating Temperature -20°C ~ 85°C Package / Case Cylinder, Threaded Supplier Device Package - | Port Size | Male - 1/4" (6.35mm) NPT |
| Termination Style Cable/Wire Leads Maximum Pressure - Operating Temperature -20°C ~ 85°C Package / Case Cylinder, Threaded Supplier Device Package - | Port Style | Threaded |
| Maximum Pressure-Operating Temperature-20°C ~ 85°CPackage / CaseCylinder, ThreadedSupplier Device Package- | Features | Temperature Compensated |
| Operating Temperature -20°C ~ 85°C Package / Case Cylinder, Threaded Supplier Device Package - | Termination Style | Cable/Wire Leads |
| Package / Case Cylinder, Threaded Supplier Device Package - | Maximum Pressure | - |
| Supplier Device Package - | Operating Temperature | -20°C ~ 85°C |
| | Package / Case | Cylinder, Threaded |
| Report errors? | Supplier Device Package | - |
| | | Report errors? |

2000310 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

2000310 Payment Methods





















2000310 Shipping Methods













If you have any question about 2000310, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com