

200MT Information



For Reference Only

Part Number 200MT Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE CRTRDGE 200A 690VAC/500VDC

Package Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









200MT	Specifications	
4 001911	Specifications	i

Manufacturer Part Number 200MT Manufacturer Eaton Category Circuit Protection Electrical, Specialty Fuses Package Cylindrical, Blade Terminal (Bolt) Series MT Fuse Type Cartridge Current Rating 200A Voltage Rating - AC 690V Voltage Rating - DC 500V Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 1.969" L (38.10mm x 50.00mm)		
CategoryCircuit ProtectionPackageCylindrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesMTFuse TypeCartridgeCurrent Rating200AVoltage Rating - AC690VVoltage Rating - DC500VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Manufacturer Part Number	200MT
Beckage Cylindrical, Blade Terminal (Bolt) Series MT Fuse Type Cartridge Current Rating 200A Voltage Rating - AC 690V Voltage Rating - DC 500V Response Time - Applications Electrical, Industrial Features - Class - Class - Breaking Capacity @ Rated Voltage UVR Operating Temperature - Breaking Capacity @ Rated Voltage Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Bolt)SeriesMTFuse TypeCartridgeCurrent Rating200AVoltage Rating - AC690VVoltage Rating - DC500VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Category	Circuit Protection
Series MT Fuse Type Cartridge Current Rating 200A Voltage Rating - AC 690V Voltage Rating - DC 500V Response Time Applications Electrical, Industrial Features - Class - Class - Class - Hornor State Office Off		Electrical, Specialty Fuses
Fuse TypeCartridgeCurrent Rating200AVoltage Rating - AC690VVoltage Rating - DC500VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating Voltage Rating - AC 690V Voltage Rating - DC 500V Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 200A 690V 69	Series	MT
Voltage Rating - AC Voltage Rating - DC Soov Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 690V 690V 690V 690V 500V 690V	Fuse Type	Cartridge
Voltage Rating - DC Response Time Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Current Rating	200A
Response Time - Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Voltage Rating - AC	690V
Applications Electrical, Industrial Features - Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Voltage Rating - DC	500V
Features - Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Response Time	-
Class - UR Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Applications	Electrical, Industrial
Approvals Operating Temperature - Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension UR - Culture Cylindrical, Blade Terminal (Bolt) 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Features	-
Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Class	-
Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Approvals	UR
Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Breaking Capacity @ Rated Voltage	200kA
Size / Dimension 1.500" Dia x 1.969" L (38.10mm x 50.00mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	1.500" Dia x 1.969" L (38.10mm x 50.00mm)
		Report errors?

200MT Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

200MT Payment Methods





















200MT Shipping Methods













If you have any question about 200MT, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com