

# 208811-2

#### 208811-2 Information

Contract service contractions	Part Number Manufacturer Category Description Package	208811-2 TE Connectivity Aerospace, Defense and Marine Connectors, Interconnects D-Sub, D-Shaped Connectors - Housings CONN D-SUB RCPT 13C3 VERT - For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

## **Certified Quality**


Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### 208811-2 Specifications

Manufacturer Part Number208811-2ManufacturerTE Connectivity Aerospace, Defense and MarineCategoryConnectors, InterconnectsPackage-SeriesAMPLIMTE 109Connector StyleD-Sub, ComboConnector TypeReceptacle for Female ContactsNumber of Positions3 (10 + 3 Coax or Power)Number of Rows3 (DB, B) - 13C3, 13W3Contact TypeSignal and Coax or PowerMounting TypeFee Hanging (In-Line)Flange Feature-Foatures-Shell Material, FinishStel, Tin PlatedShell Finish Thickness200µin (5.08µm)Ingress Protection-		
CategoryConnectors, InterconnectsD-Sub, D-Shaped Connectors - HousingsPackagePackageSeriesAMPLIMITE 109Connector StyleD-Sub, ComboConnector TypeReceptacle for Female ContactsNumber of Positions13 (10 + 3 Coax or Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 13C3, 13W3Contact TypeFree Hanging (In-Line)Flange FeatureHousing/Shell (Unthreaded)Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Manufacturer Part Number	208811-2
D-Sub, D-Shaped Connectors - HousingsPackage-SeriesAMPLIMITE 109Connector StyleD-Sub, ComboConnector TypeReceptacle for Female ContactsNumber of Positions13 (10 + 3 Coax or Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 13C3, 13W3Contact TypeFree Hanging (In-Line)Mounting TypeFree Hanging (In-Line)Flange Feature-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Manufacturer	TE Connectivity Aerospace, Defense and Marine
Package-SeriesAMPLIMITE 109Connector StyleD-Sub, ComboConnector TypeReceptacle for Female ContactsNumber of Positions13 (10 + 3 Coax or Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 13C3, 13W3Contact TypeSignal and Coax or PowerMounting TypeFree Hanging (In-Line)Flange FeatureHousing/Shell (Unthreaded)Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Category	Connectors, Interconnects
SeriesAMPLIMITE 109Connector StyleD-Sub, ComboConnector TypeReceptacle for Female ContactsNumber of Positions13 (10 + 3 Coax or Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 13C3, 13W3Contact TypeSignal and Coax or PowerMounting TypeFree Hanging (In-Line)Flange FeatureHousing/Shell (Unthreaded)Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)		D-Sub, D-Shaped Connectors - Housings
Connector StyleD-Sub, ComboConnector TypeReceptacle for Female ContactsNumber of Positions13 (10 + 3 Coax or Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 13C3, 13W3Contact TypeSignal and Coax or PowerMounting TypeFree Hanging (In-Line)Flange FeatureHousing/Shell (Unthreaded)Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Package	-
Connector TypeReceptacle for Female ContactsNumber of Positions13 (10 + 3 Coax or Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 13C3, 13W3Contact TypeSignal and Coax or PowerMounting TypeFree Hanging (In-Line)Flange FeatureHousing/Shell (Unthreaded)Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Series	AMPLIMITE 109
Number of Positions13 (10 + 3 Coax or Power)Number of Rows2Shell Size, Connector Layout3 (DB, B) - 13C3, 13W3Contact TypeSignal and Coax or PowerMounting TypeFree Hanging (In-Line)Flange FeatureHousing/Shell (Unthreaded)Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Connector Style	D-Sub, Combo
Number of Rows2Shell Size, Connector Layout3 (DB, B) - 13C3, 13W3Contact TypeSignal and Coax or PowerMounting TypeFree Hanging (In-Line)Flange FeatureHousing/Shell (Unthreaded)Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Connector Type	Receptacle for Female Contacts
Shell Size, Connector Layout3 (DB, B) - 13C3, 13W3Contact TypeSignal and Coax or PowerMounting TypeFree Hanging (In-Line)Flange FeatureHousing/Shell (Unthreaded)Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Number of Positions	13 (10 + 3 Coax or Power)
Contact TypeSignal and Coax or PowerMounting TypeFree Hanging (In-Line)Flange FeatureHousing/Shell (Unthreaded)Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Number of Rows	2
Mounting TypeFree Hanging (In-Line)Flange FeatureHousing/Shell (Unthreaded)Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Shell Size, Connector Layout	3 (DB, B) - 13C3, 13W3
Flange FeatureHousing/Shell (Unthreaded)Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Contact Type	Signal and Coax or Power
Features-Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Mounting Type	Free Hanging (In-Line)
Shell Material, FinishSteel, Tin PlatedShell Finish Thickness200µin (5.08µm)	Flange Feature	Housing/Shell (Unthreaded)
Shell Finish Thickness200µin (5.08µm)	Features	-
	Shell Material, Finish	Steel, Tin Plated
Ingress Protection -	Shell Finish Thickness	200µin (5.08µm)
	Ingress Protection	-
Report errors?		Report errors?

#### 208811-2 Guarantees



If you have any question about 208811-2, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com