

214-44-640-01-670800

214-44-640-01-670800 Information

www.heiseusetting	 214-44-640-01-670800 Mill-Max Manufacturing Corp. Connectors, Interconnects Sockets for ICs, Transistors CONN IC DIP SOCKET 40POS TIN - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



214-44-640-01-670800 Specifications

Manufacturer Part Number214-44-640-01-670800ManufacturerMill-Max Manufacturing Corp.CategoryConnectors, InterconnectsSockets for ICs, TransistorsSockets for ICs, TransistorsPackage-Series214TypeDIP, 0.6" (15.24mm) Row SpacingNumber of Positions or Pins (Grid)40 (2 x 20)Pitch - Mating0.100" (2.54mm)Contact Finish Thickness - Mating100 µin (2.54µm)Contact Finish Thickness - Mating100 µin (2.54µm)Mounting TypeSurface MountFeaturesClosed FramePitch - Post0.100" (2.54µm)Pitch - Post0.100" (2.54µm)Contact Finish - PostSolderContact Finish - PostSoldur (2.54µm)Pitch - Post0.100" (2.54µm)Contact Finish - PostSoldur (2.54µm)Contact Finish - Post0.100" (2.54µm)Contact Finish - Post0.100" (2.54µm)Contact Finish - PostSoldur (2.54µm)Contact Finish - Post0.100" (2.54µm)Contact Finish Thickness - Post100 µin (2.54µm)			
CategoryConnectors, InterconnectsCategorySockets for ICs, TransistorsPackage-Series214TypeDIP, 0.6" (15.24mm) Row SpacingNumber of Positions or Pins (Grid)40 (2 x 20)Pitch - Mating0.100" (2.54mm)Contact Finish - Mating100µin (2.54µm)Contact Finish Thickness - Mating100µin (2.54µm)Contact Material - MatingBeryllium CopperMounting TypeSurface MountFeaturesClosed FrameTerminationSolderPitch - Post0.100" (2.54µm)	Manufacturer Part Number	214-44-640-01-670800	
NotesSockets for ICs, TransistorsPackage-Series214TypeDIP, 0.6" (15.24mm) Row SpacingNumber of Positions or Pins (Grid)40 (2 x 20)Pitch - Mating0.100" (2.54mm)Contact Finish - Mating100µin (2.54µm)Contact Finish Thickness - MatingBeryllium CopperContact Material - MatingBeryllium CopperMounting TypeSurface MountFeaturesClosed FrameTerminationSolderPitch - Post0.100" (2.54µm)Contact Finish - PostTin	Manufacturer	Mill-Max Manufacturing Corp.	
Package-Series214TypeDIP, 0.6" (15.24mm) Row SpacingNumber of Positions or Pins (Grid)40 (2 x 20)Pitch - Mating0.100" (2.54mm)Contact Finish - Mating100µin (2.54µm)Contact Finish Thickness - Mating100µin (2.54µm)Contact Material - MatingBeryllium CopperMounting TypeSurface MountFeaturesClosed FramePitch - Post0.100" (2.54µm)Pitch - PostSılderDing - SurgerSılderFinsh - PostTin	Category	Connectors, Interconnects	
Series214TypeDIP, 0.6" (15.24mm) Row SpacingNumber of Positions or Pins (Grid)40 (2 x 20)Pitch - Mating0.100" (2.54mm)Contact Finish - MatingTinContact Finish Thickness - Mating100µin (2.54µm)Contact Finish Thickness - MatingBeryllium CopperMounting TypeSurface MountFeaturesClosed FrameTerminationSolderPitch - Post0.100" (2.54µm)Contact Finish - PostTin		Sockets for ICs, Transistors	
TypeDIP, 0.6" (15.24mm) Row SpacingNumber of Positions or Pins (Grid)40 (2 x 20)Pitch - Mating0.100" (2.54mm)Contact Finish - MatingTinContact Finish Thickness - Mating100µin (2.54µm)Contact Material - MatingBeryllium CopperMounting TypeSurface MountFeaturesClosed FrameTerminationSolderPitch - Post0.100" (2.54µm)Contact Finish - PostTin	Package	-	
Number of Positions or Pins (Grid)40 (2 x 20)Pitch - Mating0.100" (2.54mm)Contact Finish - MatingTinContact Finish Thickness - Mating100µin (2.54µm)Contact Material - MatingBeryllium CopperMounting TypeSurface MountFeaturesClosed FrameTerminationSolderPitch - Post0.100" (2.54mm)Contact Finish - PostTin	Series	214	
Pitch - Mating0.100" (2.54mm)Contact Finish - MatingTinContact Finish Thickness - Mating100µin (2.54µm)Contact Material - MatingBeryllium CopperMounting TypeSurface MountFeaturesClosed FrameTerminationSolderPitch - Post0.100" (2.54mm)Contact Finish - PostTin	Туре	DIP, 0.6" (15.24mm) Row Spacing	
Contact Finish - MatingTinContact Finish Thickness - Mating100µin (2.54µm)Contact Material - MatingBeryllium CopperMounting TypeSurface MountFeaturesClosed FrameTerminationSolderPitch - Post0.100" (2.54mm)Contact Finish - PostTin	Number of Positions or Pins (Grid)	40 (2 x 20)	
Contact Finish Thickness - Mating100µin (2.54µm)Contact Material - MatingBeryllium CopperMounting TypeSurface MountFeaturesClosed FrameTerminationSolderPitch - Post0.100" (2.54mm)Contact Finish - PostTin	Pitch - Mating	0.100" (2.54mm)	
Contact Material - MatingBeryllium CopperMounting TypeSurface MountFeaturesClosed FrameTerminationSolderPitch - Post0.100" (2.54mm)Contact Finish - PostTin	Contact Finish - Mating	Tin	
Mounting TypeSurface MountFeaturesClosed FrameTerminationSolderPitch - Post0.100" (2.54mm)Contact Finish - PostTin	Contact Finish Thickness - Mating	100µin (2.54µm)	
FeaturesClosed FrameTerminationSolderPitch - Post0.100" (2.54mm)Contact Finish - PostTin	Contact Material - Mating	Beryllium Copper	
TerminationSolderPitch - Post0.100" (2.54mm)Contact Finish - PostTin	Mounting Type	Surface Mount	
Pitch - Post0.100" (2.54mm)Contact Finish - PostTin	Features	Closed Frame	
Contact Finish - Post Tin	Termination	Solder	
	Pitch - Post	0.100" (2.54mm)	
Contact Finish Thickness - Post 200µin (5.08µm)	Contact Finish - Post	Tin	
	Contact Finish Thickness - Post	200µin (5.08µm)	
Contact Material - Post Brass Alloy	Contact Material - Post	Brass Alloy	
Housing Material Polycyclohexylenedimethylene Terephthalate (PCT), Polyester	Housing Material	Polycyclohexylenedimethylene Terephthalate (PCT), Polyester	
Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$	Operating Temperature	-55°C ~ 125°C	
Report errors			Report errors?

214-44-640-01-670800 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

214-44-640-01-670800 Payment Methods



If you have any question about 214-44-640-01-670800, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com