

# 2220J0160272JFT

#### 2220J0160272JFT Information

Heisener.com	Part Number Manufacturer Category Description Package	2220J0160272JFT Knowles Syfer Capacitors Ceramic Capacitors CAP CER 2700PF 16V C0G/NP0 2220 2220 (5750 Metric) For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



## 2220J0160272JFT Specifications

Manufacturer Part Number2220J0160272JFTManufacturer AumoreKnowles SyferCategoryCapacitorsCaramic CapacitorsCeramic CapacitorsPackage2220 (5750 Metric)Package-Capacitance2700pFColerance±5%Voltage - Rated16VPerenting Temperature-55°C ~ 125°CPerenting TemperaturesHigh TemperaturePackage-ApplicationsHigh ReliabilityFailure Rate-Failure Rate-Failure Rate-Failure Rate-Failure Rate-Failure Rate-Failure Rate-Failure Rate-Failure Rate-Failure Rate-Mounting TypeSurface Mount, MLCC
CategoryCapacitorsCeramic CapacitorsPackage2220 (5750 Metric)Package-Capacitance-Capacitance2700pFFolerance±5%Voltage - Rated16VCog, NP0-Operating Temperature-55°C ~ 125°CFeaturesHigh TemperatureRatings-ApplicationsHigh ReliabilityFailure Rate-
Ceramic CapacitorsPackage2220 (5750 Metric)Series-Capacitance2700pFColerance±5%Voltage - Rated16VTemperature CoefficientCOG, NP0Operating Temperature-55°C ~ 125°CFeaturesHigh TemperatureRatings-ApplicationsHigh ReliabilityFailure Rate-
Package2220 (5750 Metric)Series-Capacitance2700pFFolerance±5%Voltage - Rated16VFemperature CoefficientCOG, NPOOperating Temperature-55°C ~ 125°CPactanceHigh TemperatureRatings-ApplicationsHigh ReliabilityFailure Rate-
Series-Capacitance2700pFColerance±5%Voltage - Rated16VFemperature CoefficientCOG, NPOOperating Temperature-55°C ~ 125°CFeaturesHigh TemperatureRatings-ApplicationsHigh ReliabilityFeature Rate-
Capacitance2700pFFolerance±5%Voltage - Rated16VFemperature CoefficientCOG, NPOOperating Temperature-55°C ~ 125°CFeaturesHigh TemperatureRatings-ApplicationsHigh ReliabilityFailure Rate-
Folerance±5%Voltage - Rated16VTemperature CoefficientCOG, NPOOperating Temperature-55°C ~ 125°CFeaturesHigh TemperatureRatings-ApplicationsHigh ReliabilityFailure Rate-
Voltage - Rated16VCemperature CoefficientCOG, NPOOperating Temperature-55°C ~ 125°CFeaturesHigh TemperatureRatings-ApplicationsHigh ReliabilityFailure Rate-
Femperature CoefficientCOG, NPOOperating Temperature-55°C ~ 125°CFeaturesHigh TemperatureRatings-ApplicationsHigh ReliabilityFailure Rate-
Deperating Temperature-55°C ~ 125°CFeaturesHigh TemperatureRatings-ApplicationsHigh ReliabilityFailure Rate-
FeaturesHigh TemperatureRatings-ApplicationsHigh ReliabilityFailure Rate-
Ratings-ApplicationsHigh ReliabilityFailure Rate-
Applications High Reliability   Failure Rate -
Failure Rate -
Mounting Type Surface Mount, MLCC
Package / Case 2220 (5750 Metric)
Size / Dimension     0.224" L x 0.197" W (5.70mm x 5.00mm)
Height - Seated (Max) -
Chickness (Max)     0.098" (2.50mm)
Lead Spacing -
Lead Style -
Report errors?

#### 2220J0160272JFT Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE UARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

### 2220J0160272JFT Payment Methods



If you have any question about 2220J0160272JFT, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com