



24LC04B-I/STG Information



For Reference Only

Part Number 24LC04B-I/STG

Manufacturer Microchip Technology

Category Integrated Circuits (ICs)

Memory

Description IC EEPROM 4KBIT 400KHZ 8TSSOP **Package** 8-TSSOP (0.173", 4.40mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









24LC04B-I/STG Specifications

Manufacturer Part Number24LC04B-I/STGManufacturerMicrochip TechnologyCategoryIntegrated Circuits (ICs)Package8-TSSOP (0.173", 4.40mm Width)Series-Memory TypeNon-VolatileMemory FormatEEPROMTechnologyEEPROMMemory Size4Kb (256 x 8 x 2)Memory Interface12CClock Frequency400kHzWrite Cycle Time - Word, Page5msAccess Time900nsVoltage - Supply2.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case8-TSSOP (0.173", 4.40mm Width)Supplier Device Package8-TSSOP	*	
Category Integrated Circuits (ICs) Memory Package 8-TSSOP (0.173", 4.40mm Width) Series - Memory Type Non-Volatile Memory Format EEPROM Technology EEPROM Memory Size 4Kb (256 x 8 x 2) Memory Interface I2C Clock Frequency 400kHz Write Cycle Time - Word, Page 5ms Access Time 900ns Voltage - Supply 2.5 V ~ 5.5 V Operating Temperature -40°C ~ 85°C (TA) Mounting Type Surface Mount Package / Case 8-TSSOP (0.173", 4.40mm Width) Supplier Device Package 8-TSSOP	Manufacturer Part Number	24LC04B-I/STG
Package8-TSSOP $(0.173", 4.40 \text{mm Width})$ Series-Memory TypeNon-VolatileMemory FormatEEPROMTechnologyEEPROMMemory Size $4Kb (256 \times 8 \times 2)$ Memory InterfaceI2CClock Frequency $400kHz$ Write Cycle Time - Word, Page $5ms$ Access Time $900ns$ Voltage - Supply $2.5 \text{ V} \sim 5.5 \text{ V}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ (TA)Mounting TypeSurface MountPackage / Case 8-TSSOP (0.173", 4.40mm Width)Supplier Device Package 8-TSSOP	Manufacturer	Microchip Technology
Package 8-TSSOP (0.173", 4.40mm Width) Series - Memory Type Non-Volatile Memory Format EEPROM Technology EEPROM Memory Size 4Kb (256 x 8 x 2) Memory Interface I2C Clock Frequency 400kHz Write Cycle Time - Word, Page 5ms Access Time 900ns Voltage - Supply 2.5 V ~ 5.5 V Operating Temperature -40°C ~ 85°C (TA) Mounting Type Surface Mount Package / Case 8-TSSOP (0.173", 4.40mm Width) Supplier Device Package	Category	Integrated Circuits (ICs)
Series - Memory Type Non-Volatile Memory Format EEPROM Technology EEPROM Memory Size 4Kb (256 x 8 x 2) Memory Interface I2C Clock Frequency 400kHz Write Cycle Time - Word, Page 5ms Access Time 900ns Voltage - Supply 2.5 V ~ 5.5 V Operating Temperature -40°C ~ 85°C (TA) Mounting Type Surface Mount Package / Case 8-TSSOP (0.173", 4.40mm Width) Supplier Device Package		Memory
Memory TypeNon-VolatileMemory FormatEEPROMTechnologyEEPROMMemory Size4Kb (256 x 8 x 2)Memory InterfaceI2CClock Frequency400kHzWrite Cycle Time - Word, Page5msAccess Time900nsVoltage - Supply2.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case8-TSSOP (0.173", 4.40mm Width)Supplier Device Package8-TSSOP	Package	8-TSSOP (0.173", 4.40mm Width)
Memory FormatEEPROMTechnologyEEPROMMemory Size4Kb (256 x 8 x 2)Memory InterfaceI2CClock Frequency400kHzWrite Cycle Time - Word, Page5msAccess Time900nsVoltage - Supply2.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case8-TSSOP (0.173", 4.40mm Width)Supplier Device Package8-TSSOP	Series	-
Technology Memory Size 4Kb (256 x 8 x 2) Memory Interface 12C Clock Frequency 400kHz Write Cycle Time - Word, Page Access Time 900ns Voltage - Supply Operating Temperature 40°C ~ 85°C (TA) Mounting Type Surface Mount Package / Case 8-TSSOP EEPROM 4Kb (256 x 8 x 2) 4Kb (256 x 8 x 2) 4Volk Z 400kHz 5ms 400kHz 400kHz 5ms 400kHz 5ms 400kHz 400kHz 400kHz 5ms 400kHz 400kHz 5ms 400kHz 5ms 400kHz 400kHz 400kHz 5ms 400kHz 5ms 400kHz 400kHz 5ms 400kHz 5ms 400kHz 400kHz 5ms 400kHz 5ms 400kHz 400kHz 400kHz 400kHz 5ms 400kHz 400kHz 5ms 400kHz 400kHz 400kHz 5ms 400kHz 5ms 400kHz 400kHz 400kHz 5ms 400kHz 400kH	Memory Type	Non-Volatile
Memory Size4Kb (256 x 8 x 2)Memory InterfaceI2CClock Frequency400kHzWrite Cycle Time - Word, Page5msAccess Time900nsVoltage - Supply2.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case8-TSSOP (0.173", 4.40mm Width)Supplier Device Package8-TSSOP	Memory Format	EEPROM
Memory InterfaceI2CClock Frequency400kHzWrite Cycle Time - Word, Page5msAccess Time900nsVoltage - Supply2.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case8-TSSOP (0.173", 4.40mm Width)Supplier Device Package8-TSSOP	Technology	EEPROM
Clock Frequency 400kHz Write Cycle Time - Word, Page 5ms Access Time 900ns Voltage - Supply 2.5 V ~ 5.5 V Operating Temperature -40°C ~ 85°C (TA) Mounting Type Surface Mount Package / Case 8-TSSOP (0.173", 4.40mm Width) Supplier Device Package	Memory Size	4Kb (256 x 8 x 2)
Write Cycle Time - Word, Page Access Time 900ns Voltage - Supply 2.5 V ~ 5.5 V Operating Temperature -40°C ~ 85°C (TA) Mounting Type Surface Mount Package / Case 8-TSSOP (0.173", 4.40mm Width) Supplier Device Package	Memory Interface	I2C
Access Time $900ns$ Voltage - Supply $2.5 \text{ V} \sim 5.5 \text{ V}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ (TA)Mounting TypeSurface MountPackage / Case 8-TSSOP (0.173° , 4.40mm Width)Supplier Device Package 8-TSSOP	Clock Frequency	400kHz
Voltage - Supply $2.5 \text{ V} \sim 5.5 \text{ V}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C (TA)}$ Mounting Type Surface Mount Package / Case $8\text{-TSSOP (0.173", 4.40mm Width)}$ Supplier Device Package 8-TSSOP	Write Cycle Time - Word, Page	5ms
Operating Temperature -40°C ~ 85°C (TA) Mounting Type Surface Mount Package / Case 8-TSSOP (0.173", 4.40mm Width) Supplier Device Package 8-TSSOP	Access Time	900ns
Mounting Type Surface Mount Package / Case 8-TSSOP (0.173", 4.40mm Width) Supplier Device Package 8-TSSOP	Voltage - Supply	2.5 V ~ 5.5 V
Package / Case 8-TSSOP (0.173", 4.40mm Width) Supplier Device Package 8-TSSOP	Operating Temperature	-40°C ~ 85°C (TA)
Supplier Device Package 8-TSSOP	Mounting Type	Surface Mount
	Package / Case	8-TSSOP (0.173", 4.40mm Width)
Report errors?	Supplier Device Package	8-TSSOP
		Report errors?

24LC04B-I/STG Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

24LC04B-I/STG Payment Methods



















24LC04B-I/STG Shipping Methods













If you have any question about 24LC04B-I/STG, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com