

# 250NHG1BI

### **250NHG1BI Information**

Heisener.com	Part Number Manufacturer Category Description Package	250NHG1BI Eaton Circuit Protection Electrical, Specialty Fuses FUSE 250A 500V GL/GG SIZE 1 Rectangular, Blade For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### **250NHG1BI Specifications**

Series*Fuse Type-Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Approvals-		
Circuit Protection   Electrical, Specialty Fuses   Package Rectangular, Blade   Series *   Fuse Type -   Fuse Type -   Current Rating -   Voltage Rating - AC -   Voltage Rating - DC -   Applications -   Applications -   Fastures -   Operating Temperature -   Operating Temperature -   Approxals -   Operating Temperature -   Mounting Type -   Package / Case -   Ster / Dimension -	Manufacturer Part Number	250NHG1BI
Electrical, Specialty FusesPackageRectangular, BladeSeries*Fuse Type-Fuse Type-Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, BladeSize / Dimension2,953" L x 2,047" W x 2,165" H (75,00mm x 55,00mm)	Manufacturer	Eaton
PackageRectangular, BladeSeries*Fuse Type-Fuse Type-Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Operating Temperature-Operating Capacity @ Rated Voltage-Mounting Type-Package / CaseRectangular, BladeSize / Dimension2953" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)	Category	Circuit Protection
Series*Fuse Type-Curren Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Hounting TypeHolderPackage / CaseRectangulant BladeSize / Dimension2,533" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)		Electrical, Specialty Fuses
States File   Fuse Type -   Current Rating -   Voltage Rating - AC -   Voltage Rating - DC -   Response Time -   Applications -   Features -   Class -   Approvals -   Operating Temperature -   Breaking Capacity @ Rated Voltage -   Mounting Type Holder   Package / Case Rectangular, Blade   Size / Dimension 2.953" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)	Package	Rectangular, Blade
Current Rating-Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting Type-Package / Case-Size / Dimension-Size / Dimension </td <td>Series</td> <td>*</td>	Series	*
Voltage Rating - AC-Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangulandeSize / Dimension2.953" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)	Fuse Type	-
Voltage Rating - DC-Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular BladeSize / Dimension2.953" L x 2.047" W x 2.165" H (75.00m x 55.00mm)	Current Rating	-
Response Time-Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, BladeSize / Dimension2953" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)	Voltage Rating - AC	-
Applications-Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, BladeSize / Dimension2,953" L x 2,047" W x 2,165" H (75,00mm x 55,00mm)	Voltage Rating - DC	-
Features-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, BladeSize / Dimension2,953" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)	Response Time	-
Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, BladeSize / Dimension2,953" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)	Applications	-
Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, BladeSize / Dimension2,953" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)	Features	-
Operating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, BladeSize / Dimension2.953" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)	Class	-
Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, BladeSize / Dimension2.953" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)	Approvals	-
Mounting TypeHolderPackage / CaseRectangular, BladeSize / Dimension2.953" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)	Operating Temperature	-
Package / CaseRectangular, BladeSize / Dimension2.953" L x 2.047" W x 2.165" H (75.00mm x 55.00mm)	Breaking Capacity @ Rated Voltage	-
Size / Dimension 2.953" L x 2.047" W x 2.165" H (75.00mm x 52.00mm x 55.00mm)	Mounting Type	Holder
	Package / Case	Rectangular, Blade
Report errors?	Size / Dimension	2.953" L x 2.047" W x 2.165" H (75.00mm x 52.00mm x 55.00mm)
		Report errors?

#### **250NHG1BI Guarantees**



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

### 

If you have any question about 250NHG1BI, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com