

Heisener.com

261G6 Information

Part Number 261G6

Manufacturer Hammond Manufacturing

Category Transformers

Power Transformers

Description XFRMR LAMINATED 45VA CHAS MOUNT

Package

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









261G6 Specifications

Manufacturer Part Number 261G6 Manufacturer Hammond Manufacturing Category Transformers Power Transformers Power Transformers Package - Series 261 Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) 250V, 6.3V Current - Output (Max) 130mA, 2A Primary Winding(s) Single Secondary Winding(s) Dual Center Tap Yes Power - Max 45 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 101.60mm L x 57.15mm W	•	
Category Transformers Package - Series 261 Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) 250V, 6.3V Current - Output (Max) 130mA, 2A Primary Winding(s) Single Secondary Winding(s) Dual Center Tap Yes Power - Max 45 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 101.60mm L x 57.15mm W	Manufacturer Part Number	261G6
Package - Series 261 Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) 250V, 6.3V Current - Output (Max) 130mA, 2A Primary Winding(s) Single Secondary Winding(s) Dual Center Tap Yes Power - Max 45 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 101.60mm L x 57.15mm W	Manufacturer	Hammond Manufacturing
Package - Series 261 Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) 250V, 6.3V Current - Output (Max) 130mA, 2A Primary Winding(s) Single Secondary Winding(s) Dual Center Tap Yes Power - Max 45 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 101.60mm L x 57.15mm W	Category	Transformers
Series Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) Current - Output (Max) 130mA, 2A Primary Winding(s) Secondary Winding(s) Dual Center Tap Yes Power - Max Mounting Type Chassis Mount Termination Style Size / Dimension 250V, 6.3V 260W 250V, 6.3V 260W 260W		Power Transformers
Type Laminated Core Voltage - Primary 115V Voltage - Secondary (Full Load) 250V, 6.3V Current - Output (Max) 130mA, 2A Primary Winding(s) Single Secondary Winding(s) Dual Center Tap Yes Power - Max 45 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 101.60mm L x 57.15mm W	Package	-
Voltage - Primary Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Secondary Winding(s) Secondary Winding(s) Center Tap Yes Power - Max Mounting Type Chassis Mount Termination Style Size / Dimension 101.60mm L x 57.15mm W	Series	261
Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Secondary Winding(s) Center Tap Yes Power - Max Mounting Type Chassis Mount Termination Style Size / Dimension 250V, 6.3V 130mA, 2A Single Single Yes Chassis Mount Wire Leads 101.60mm L x 57.15mm W	Туре	Laminated Core
Current - Output (Max) Primary Winding(s) Secondary Winding(s) Center Tap Yes Power - Max Mounting Type Chassis Mount Termination Style Size / Dimension 130mA, 2A Single Dual Yes Chassis Mount Wire Leads 101.60mm L x 57.15mm W	Voltage - Primary	115V
Primary Winding(s) Secondary Winding(s) Dual Center Tap Yes Power - Max Mounting Type Chassis Mount Termination Style Size / Dimension Single Dual Yes Yes View Hounting Type Chassis Mount Wire Leads 101.60mm L x 57.15mm W	Voltage - Secondary (Full Load)	250V, 6.3V
Secondary Winding(s) Center Tap Yes Power - Max 45 VA Mounting Type Chassis Mount Termination Style Size / Dimension Dual Yes 45 VA Wire Leads 101.60mm L x 57.15mm W	Current - Output (Max)	130mA, 2A
Center TapYesPower - Max45 VAMounting TypeChassis MountTermination StyleWire LeadsSize / Dimension101.60mm L x 57.15mm W	Primary Winding(s)	Single
Power - Max Mounting Type Chassis Mount Termination Style Size / Dimension 45 VA Wire Leads 101.60mm L x 57.15mm W	Secondary Winding(s)	Dual
Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 101.60mm L x 57.15mm W	Center Tap	Yes
Termination Style Wire Leads Size / Dimension 101.60mm L x 57.15mm W	Power - Max	45 VA
Size / Dimension 101.60mm L x 57.15mm W	Mounting Type	Chassis Mount
	Termination Style	Wire Leads
W'14 G + 104)	Size / Dimension	101.60mm L x 57.15mm W
Height - Seated (Max) 66.80mm	Height - Seated (Max)	66.80mm
Voltage - Isolation -	Voltage - Isolation	-
Weight 2 lbs (907.2g)	Weight	2 lbs (907.2g)
Report errors		Report errors?

261G6 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

261G6 Payment Methods





















261G6 Shipping Methods













If you have any question about 261G6, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com