

2834339 Information



For Reference Only

Part Number 2834339

Manufacturer Phoenix Contact

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE SPDT 12A 24V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









2834339 Specifications

Manufacturer Part Number 2834339 Manufacturer Phoenix Contact Category Relays Power Relays, Over 2 Amps Package - Series PR1 Relay Type General Purpose with Socket Coil Type Non Latching Coil Current 26mA Coil Voltage 24VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 12A Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time 12ms Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Screw Terminal		
CategoryRelaysPackage-SeriesPR1Relay TypeGeneral Purpose with SocketCoil TypeNon LatchingCoil Current26mACoil Voltage24VACContact FormSPDT (1 Form C)Contact Rating (Current)12ASwitching Voltage250VAC, 250VDC - MaxTurn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time12msRelease Time14msFeaturesLED Indicator, VaristorMounting TypeDIN RailTermination StyleScrew Terminal	Manufacturer Part Number	2834339
Package - Series PR1 Relay Type General Purpose with Socket Coil Type Non Latching Coil Current 26mA Coil Voltage 24VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 12A Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time 12ms Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Server Mann Server	Manufacturer	Phoenix Contact
Package-SeriesPR1Relay TypeGeneral Purpose with SocketCoil TypeNon LatchingCoil Current26mACoil Voltage24VACContact FormSPDT (1 Form C)Contact Rating (Current)12ASwitching Voltage250VAC, 250VDC - MaxTurn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time12msRelease Time14msFeaturesLED Indicator, VaristorMounting TypeDIN RailTermination StyleScrew Terminal	Category	Relays
SeriesPR1Relay TypeGeneral Purpose with SocketCoil TypeNon LatchingCoil Current26mACoil Voltage24VACContact FormSPDT (1 Form C)Contact Rating (Current)12ASwitching Voltage250VAC, 250VDC - MaxTurn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time12msRelease Time14msFeaturesLED Indicator, VaristorMounting TypeDIN RailTermination StyleScrew Terminal		Power Relays, Over 2 Amps
Relay Type General Purpose with Socket Coil Type Non Latching Coil Current 26mA Coil Voltage 24VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 12A Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time 12ms Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Server Terminal	Package	-
Coil TypeNon LatchingCoil Current26mACoil Voltage24VACContact FormSPDT (1 Form C)Contact Rating (Current)12ASwitching Voltage250VAC, 250VDC - MaxTurn On Voltage (Max)-Turn Off Voltage (Min)-Operate Time12msRelease Time14msFeaturesLED Indicator, VaristorMounting TypeDIN RailTermination StyleScrew Terminal	Series	PR1
Coil Current 26mA Coil Voltage 24VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 12A Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time 12ms Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Screw Terminal	Relay Type	General Purpose with Socket
Coil Voltage 24VAC Contact Form SPDT (1 Form C) Contact Rating (Current) 12A Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time 12ms Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Screw Terminal	Coil Type	Non Latching
Contact Form SPDT (1 Form C) Contact Rating (Current) 12A Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time 12ms Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Screw Terminal	Coil Current	26mA
Contact Rating (Current) Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) - Turn Off Voltage (Min) Operate Time 12ms Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style 12A 250VAC, 250VDC - Max - LED Indicator, Varistor DIN Rail Screw Terminal	Coil Voltage	24VAC
Switching Voltage 250VAC, 250VDC - Max Turn On Voltage (Max) - Turn Off Voltage (Min) - Operate Time 12ms Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Screw Terminal	Contact Form	SPDT (1 Form C)
Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time 12ms Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Screw Terminal	Contact Rating (Current)	12A
Turn Off Voltage (Min) Operate Time 12ms Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Screw Terminal	Switching Voltage	250VAC, 250VDC - Max
Operate Time 12ms Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Screw Terminal	Turn On Voltage (Max)	-
Release Time 14ms Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Screw Terminal	Turn Off Voltage (Min)	-
Features LED Indicator, Varistor Mounting Type DIN Rail Termination Style Screw Terminal	Operate Time	12ms
Mounting Type DIN Rail Termination Style Screw Terminal	Release Time	14ms
Termination Style Screw Terminal	Features	LED Indicator, Varistor
	Mounting Type	DIN Rail
Report errors?	Termination Style	Screw Terminal
		Report errors?

2834339 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

2834339 Payment Methods



















2834339 Shipping Methods













If you have any question about 2834339, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com