

293606-1 Information



For Reference Only

Part Number 293606-1

Manufacturer TE Connectivity AMP Connectors

Category Connectors, Interconnects

Solid State Lighting Connectors

Description CONN SSL PLUG HSG 3POS CRIMP

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









293606-1 Specifications

Manufacturer Part Number 293606-1 Manufacturer TE Connectivity AMP Connectors Category Connectors, Interconnects Solid State Lighting Connectors Package - Series Nector M Style Cable/Wire to Cable/Wire Connector Type Plug Housing for Socket Contact Number of Positions 3 Mounting Type Panel Mount Termination Crimp Pitch - Fastening Type - Features Keyed Housing Color Natural Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature -40°C ~ 85°C		
Category Connectors, Interconnects Solid State Lighting Connectors Package - Series Nector M Style Cable/Wire to Cable/Wire Connector Type Plug Housing for Socket Contact Number of Positions 3 Mounting Type Panel Mount Termination Crimp Pitch - Fastening Type - Features Keyed Housing Color Natural Wire Gauge Contact Material Contact Finish - Housing Material Operating Temperature - 40°C ~ 85°C	Manufacturer Part Number	293606-1
Solid State Lighting Connectors Package - Series Nector M Style Cable/Wire to Cable/Wire Connector Type Plug Housing for Socket Contact Number of Positions 3 Mounting Type Panel Mount Termination Crimp Pitch - Fastening Type - Features Keyed Housing Color Natural Wire Gauge - Contact Material Contact Finish - Housing Material Operating Temperature Series Series Nector M Nector	Manufacturer	TE Connectivity AMP Connectors
Package - Nector M Style Cable/Wire to Cable/Wire Connector Type Plug Housing for Socket Contact Number of Positions 3 Mounting Type Panel Mount Termination Crimp Pitch - Cable/Wire Fastening Type - Keyed Housing Color Natural Wire Gauge - Contact Material Contact Finish - Contact Material Operating Temperature - 40°C ~ 85°C	Category	Connectors, Interconnects
Series Nector M Style Cable/Wire to Cable/Wire Connector Type Plug Housing for Socket Contact Number of Positions 3 Mounting Type Panel Mount Termination Crimp Pitch - Fastening Type - Features Keyed Housing Color Natural Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature		Solid State Lighting Connectors
Style Cable/Wire to Cable/Wire Connector Type Plug Housing for Socket Contact Number of Positions 3 Mounting Type Panel Mount Termination Crimp Pitch - Fastening Type - Features Keyed Housing Color Natural Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature - Cable/Wire to Cable/Wire Plug Housing for Socket Contact Sevent Contact August Contact Cable/Wire to Cable/Wire Plug Housing for Socket Contact August Contact Sevent Contact August Contact Cable/Wire to Cable/Wire Plug Housing for Socket Contact August Contact Crimp - Contact Finish - Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature	Package	-
Connector Type Number of Positions 3 Mounting Type Panel Mount Termination Crimp Pitch Fastening Type Features Keyed Housing Color Natural Wire Gauge Contact Material Contact Finish Housing Material Operating Temperature Plug Housing for Socket Contact Annual Panel Mount Crimp Panel Mount Crimp Crimp Reader Contact Material Contact Finish Housing Material Operating Temperature -40°C ~ 85°C	Series	Nector M
Number of Positions3Mounting TypePanel MountTerminationCrimpPitch-Fastening Type-FeaturesKeyedHousing ColorNaturalWire Gauge-Contact Material-Contact Finish-Housing MaterialPolyamide (PA), Nylon, Glass FilledOperating Temperature-40°C ~ 85°C	Style	Cable/Wire to Cable/Wire
Mounting TypePanel MountTerminationCrimpPitch-Fastening Type-FeaturesKeyedHousing ColorNaturalWire Gauge-Contact Material-Contact Finish-Housing MaterialPolyamide (PA), Nylon, Glass FilledOperating Temperature-40°C ~ 85°C	Connector Type	Plug Housing for Socket Contact
Termination Crimp Pitch - Fastening Type - Features Keyed Housing Color Natural Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature -40°C ~ 85°C	Number of Positions	3
Pitch - Fastening Type - Features Keyed Housing Color Natural Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature -40°C ~ 85°C	Mounting Type	Panel Mount
Fastening Type Features Keyed Housing Color Natural Wire Gauge - Contact Material Contact Finish Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature - One So C	Termination	Crimp
Features Keyed Housing Color Natural Wire Gauge Contact Material Contact Finish Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature -40°C ~ 85°C	Pitch	-
Housing Color Wire Gauge Contact Material Contact Finish Housing Material Operating Temperature Natural Natural Polyamide (PA), Nylon, Glass Filled -40°C ~ 85°C	Fastening Type	-
Wire Gauge - Contact Material - Contact Finish - Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature -40°C ~ 85°C	Features	Keyed
Contact Material - Contact Finish - Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature -40°C ~ 85°C	Housing Color	Natural
Contact Finish - Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Wire Gauge	-
Housing Material Polyamide (PA), Nylon, Glass Filled Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Contact Material	-
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Contact Finish	-
	Housing Material	Polyamide (PA), Nylon, Glass Filled
Report errors?	Operating Temperature	-40°C ~ 85°C
		Report errors?

293606-1 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

293606-1 Payment Methods





















293606-1 Shipping Methods













If you have any question about 293606-1, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com