



2DA31PBRP Information

Heisener.com

Part Number 2DA31PBRP Manufacturer ITT Cannon, LLC

Category Connectors, Interconnects

D-Sub Connectors

Description CONN D-SUB PLUG 31POS R/A

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









2DA31PBRP Specifications

Manufacturer Part Number 2DA31PBRP Manufacturer ITT Cannon, LLC Category Connectors, Interconnects Package - Series Micro, 2D Connector Style D-Sub, Double Density Connector Type Plug, Male Pins Number of Positions 31 Number of Rows 3 Shell Size, Connector Layout 2 (DA, A) Double Density Contact Type Signal Mounting Type Through Hole, Right Angle Flange Feature Mating Side, Female Screwlock (4-40) Features - Shell Material, Finish Steel, Yellow Chromate Plated Cadmium Contact Finish Gold Contact Finish Thickness - Ingress Protection - Material Flammability Rating - Report errors?		
CategoryConnectors, InterconnectsPackage-SeriesMicro, 2DConnector StyleD-Sub, Double DensityConnector TypePlug, Male PinsNumber of Positions31Number of Rows3Shell Size, Connector Layout2 (DA, A) Double DensityContact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)TerminationSolderFeatures-Shell Material, FinishSteel, Yellow Chromate Plated CadmiumContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Manufacturer Part Number	2DA31PBRP
Package Series Micro, 2D Connector Style Connector Type Plug, Male Pins Number of Positions Number of Rows Shell Size, Connector Layout Contact Type Signal Mounting Type Through Hole, Right Angle Flange Feature Mating Side, Female Screwlock (4-40) Termination Solder Features Shell Material, Finish Contact Finish Contact Finish Contact Finish Thickness Ingress Protection Material Flammability Rating D-Sub Connectors Micro, 2D D-Sub, Double Density D-Sub, Double Density Signal Micro, 2D D-Sub, Double Density Signal Signal Material Flammability Rating D-Sub, Double Density Signal Signal Signal Material Flammability Rating - Solder Features - Shell Material, Finish Steel, Yellow Chromate Plated Cadmium Gold Contact Finish Thickness - Ingress Protection - Material Flammability Rating -	Manufacturer	ITT Cannon, LLC
Package-SeriesMicro, 2DConnector StyleD-Sub, Double DensityConnector TypePlug, Male PinsNumber of Positions31Number of Rows3Shell Size, Connector Layout2 (DA, A) Double DensityContact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)TerminationSolderFeatures-Shell Material, FinishSteel, Yellow Chromate Plated CadmiumContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Category	Connectors, Interconnects
SeriesMicro, 2DConnector StyleD-Sub, Double DensityConnector TypePlug, Male PinsNumber of Positions31Number of Rows3Shell Size, Connector Layout2 (DA, A) Double DensityContact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)TerminationSolderFeatures-Shell Material, FinishSteel, Yellow Chromate Plated CadmiumContact Finish Thickness-Ingress Protection-Material Flammability Rating-		D-Sub Connectors
Connector StyleD-Sub, Double DensityConnector TypePlug, Male PinsNumber of Positions31Number of Rows3Shell Size, Connector Layout2 (DA, A) Double DensityContact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)TerminationSolderFeatures-Shell Material, FinishSteel, Yellow Chromate Plated CadmiumContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Package	-
Connector Type Plug, Male Pins Number of Positions 31 Number of Rows 3 Shell Size, Connector Layout 2 (DA, A) Double Density Contact Type Signal Mounting Type Through Hole, Right Angle Flange Feature Mating Side, Female Screwlock (4-40) Termination Solder Features - Shell Material, Finish Steel, Yellow Chromate Plated Cadmium Contact Finish Thickness - Ingress Protection - Material Flammability Rating -	Series	Micro, 2D
Number of Positions31Number of Rows3Shell Size, Connector Layout2 (DA, A) Double DensityContact TypeSignalMounting TypeThrough Hole, Right AngleFlange FeatureMating Side, Female Screwlock (4-40)TerminationSolderFeatures-Shell Material, FinishSteel, Yellow Chromate Plated CadmiumContact FinishGoldContact Finish Thickness-Ingress Protection-Material Flammability Rating-	Connector Style	D-Sub, Double Density
Number of Rows Shell Size, Connector Layout Contact Type Signal Mounting Type Through Hole, Right Angle Flange Feature Mating Side, Female Screwlock (4-40) Termination Solder Features - Shell Material, Finish Steel, Yellow Chromate Plated Cadmium Contact Finish Thickness - Ingress Protection Material Flammability Rating - A Double Density 2 (DA, A) Double Density Signal A Double Density Signal Angle Fartures Solder - Solder - Ingress Protection Adterial Flammability Rating	Connector Type	Plug, Male Pins
Shell Size, Connector Layout Contact Type Signal Mounting Type Through Hole, Right Angle Flange Feature Mating Side, Female Screwlock (4-40) Termination Solder Features - Shell Material, Finish Steel, Yellow Chromate Plated Cadmium Contact Finish Thickness - Ingress Protection Material Flammability Rating - 2 (DA, A) Double Density 2 (DA, A) D	Number of Positions	31
Contact Type Signal Mounting Type Through Hole, Right Angle Flange Feature Mating Side, Female Screwlock (4-40) Termination Solder Features - Shell Material, Finish Steel, Yellow Chromate Plated Cadmium Contact Finish Thickness - Ingress Protection - Material Flammability Rating -	Number of Rows	3
Mounting Type Through Hole, Right Angle Mating Feature Mating Side, Female Screwlock (4-40) Termination Solder Features - Shell Material, Finish Steel, Yellow Chromate Plated Cadmium Contact Finish Gold Contact Finish Thickness - Ingress Protection - Material Flammability Rating -	Shell Size, Connector Layout	2 (DA, A) Double Density
Flange Feature Mating Side, Female Screwlock (4-40) Termination Solder Features - Shell Material, Finish Steel, Yellow Chromate Plated Cadmium Contact Finish Gold Contact Finish Thickness - Ingress Protection - Material Flammability Rating -	Contact Type	Signal
Termination Solder Features - Shell Material, Finish Steel, Yellow Chromate Plated Cadmium Contact Finish Gold Contact Finish Thickness - Ingress Protection - Material Flammability Rating -	Mounting Type	Through Hole, Right Angle
Features - Shell Material, Finish Steel, Yellow Chromate Plated Cadmium Contact Finish Gold Contact Finish Thickness - Ingress Protection - Material Flammability Rating -	Flange Feature	Mating Side, Female Screwlock (4-40)
Shell Material, Finish Contact Finish Gold Contact Finish Thickness Ingress Protection Material Flammability Rating	Termination	Solder
Contact Finish Contact Finish Thickness - Ingress Protection Material Flammability Rating	Features	-
Contact Finish Thickness - Ingress Protection - Material Flammability Rating -	Shell Material, Finish	Steel, Yellow Chromate Plated Cadmium
Ingress Protection - Material Flammability Rating -	Contact Finish	Gold
Material Flammability Rating -	Contact Finish Thickness	-
·	Ingress Protection	-
Report errors?	Material Flammability Rating	-
		Report errors?

2DA31PBRP Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

2DA31PBRP Payment Methods



















2DA31PBRP Shipping Methods













If you have any question about 2DA31PBRP, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com