



2SEPC1000MX Information



For Reference Only

Part Number 2SEPC1000MX

Manufacturer Panasonic Electronic Components

Category Capacitors

Aluminum - Polymer Capacitors

Description CAP ALUM POLY 1000UF 2.5V T/H

Package Radial, Car

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









2SEPC1000MX Specifications

Manufacturer Part Number2SEPC1000MXManufacturerPanasonic Electronic ComponentsCategoryCapacitorsPackageRadial, CanSeriesOS-CON?, SEPCTypePolymerCapacitance1000μFTolerance±20%Voltage - Rated2.5VESR (Equivalent Series Resistance)7 mOhmLifetime @ Temp.5000 Hrs @ 105°COperating Temperature-55°C ~ 105°C
Category Capacitors Aluminum - Polymer Capacitors Package Radial, Can Series OS-CON?, SEPC Type Polymer Capacitance 1000µF Tolerance ±20% Voltage - Rated 2.5V ESR (Equivalent Series Resistance) 7 mOhm Lifetime @ Temp. 5000 Hrs @ 105°C Operating Temperature -55°C ~ 105°C
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
PackageRadial, CanSeriesOS-CON?, SEPCTypePolymerCapacitance $1000\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $2.5V$ ESR (Equivalent Series Resistance) 7 mOhm Lifetime @ Temp. $5000 \text{ Hrs } @ 105 °C$ Operating Temperature $-55 °C ~ 105 °C$
Series OS-CON?, SEPC Type Polymer Capacitance $1000\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $2.5V$ ESR (Equivalent Series Resistance) 7 mOhm Lifetime @ Temp. $5000 \text{ Hrs } @ 105^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$
Type Polymer Capacitance $1000\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $2.5V$ ESR (Equivalent Series Resistance) 7 mOhm Lifetime @ Temp. $5000 \text{ Hrs } @ 105^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$
Capacitance $1000\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $2.5V$ ESR (Equivalent Series Resistance) 7 mOhm Lifetime @ Temp. $5000 \text{ Hrs } @ 105 ^{\circ}\text{C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 105 ^{\circ}\text{C}$
Tolerance $\pm 20\%$ Voltage - Rated 2.5V ESR (Equivalent Series Resistance) 7 mOhm Lifetime @ Temp. $5000 \text{ Hrs } @ 105^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$
Voltage - Rated $2.5V$ ESR (Equivalent Series Resistance) 7 mOhm Lifetime @ Temp. $5000 \text{ Hrs } @ 105^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$
ESR (Equivalent Series Resistance) Lifetime @ Temp. 5000 Hrs @ 105°C Operating Temperature -55°C ~ 105°C
Lifetime @ Temp. $5000 \text{Hrs} \text{@} 105^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$
Operating Temperature $-55^{\circ}\text{C} \sim 105^{\circ}\text{C}$
Applications General Purpose
Ripple Current - Low Frequency 305mA @ 120Hz
Ripple Current - High Frequency 6.1A @ 100kHz
Impedance -
Lead Spacing 0.138" (3.50mm)
Size / Dimension 0.315" Dia (8.00mm)
Height - Seated (Max) 0.354" (9.00mm)
Surface Mount Land Size -
Mounting Type Through Hole
Package / Case Radial, Can
Report errors?

2SEPC1000MX Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

2SEPC1000MX Payment Methods



















2SEPC1000MX Shipping Methods













If you have any question about 2SEPC1000MX, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com