

## 3020-01099-0 Information



For Reference Only

Part Number 3020-01099-0

Manufacturer Murata Power Solutions Inc.

**Category** Resistors

**Chassis Mount Resistors** 

**Description** RES CHAS MNT 0.0005 OHM .25% 5W

Package Rectangular Case

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **3020-01099-0 Specifications**

Manufacturer Part Number3020-01099-0ManufacturerMurata Power Solutions Inc.CategoryResistorsChassis Mount ResistorsPackageRectangular CaseSeriesDMSResistance500 μOhmsTolerance±0.25%Power (Watts)5WCompositionMetal ElementTemperature Coefficient±15ppm/°COperating Temperature-40°C ~ 60°CFeaturesCurrent SenseCoating, Housing Type-Mounting FeatureFlanges
CategoryResistorsPackageRectangular CaseSeriesDMSResistance500 μOhmsTolerance±0.25%Power (Watts)5WCompositionMetal ElementTemperature Coefficient±15ppm/°COperating Temperature-40°C ~ 60°CFeaturesCurrent SenseCoating, Housing Type-
Chassis Mount ResistorsPackageRectangular CaseSeriesDMSResistance500 μOhmsTolerance $\pm 0.25\%$ Power (Watts)5WCompositionMetal ElementTemperature Coefficient $\pm 15 \text{ppm/°C}$ Operating Temperature $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$ FeaturesCurrent SenseCoating, Housing Type $-$
PackageRectangular CaseSeriesDMSResistance $500  \mu \text{Ohms}$ Tolerance $\pm 0.25\%$ Power (Watts) $5W$ CompositionMetal ElementTemperature Coefficient $\pm 15  \text{ppm/°C}$ Operating Temperature $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$ FeaturesCurrent SenseCoating, Housing Type $-$
SeriesDMSResistance $500  \mu \text{Ohms}$ Tolerance $\pm 0.25\%$ Power (Watts) $5W$ CompositionMetal ElementTemperature Coefficient $\pm 15 \text{ppm/°C}$ Operating Temperature $-40  ^{\circ}\text{C}  \sim  60  ^{\circ}\text{C}$ FeaturesCurrent SenseCoating, Housing Type $-$
Resistance500 μOhmsTolerance $\pm 0.25\%$ Power (Watts)5WCompositionMetal ElementTemperature Coefficient $\pm 15 \text{ppm/°C}$ Operating Temperature $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$ FeaturesCurrent SenseCoating, Housing Type $-$
Tolerance $\pm 0.25\%$ Power (Watts) $5W$ Composition Metal Element  Temperature Coefficient $\pm 15 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$ Features Current Sense  Coating, Housing Type $-$
Power (Watts) 5W Composition Metal Element $\pm 15 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-40 \text{ °C} \sim 60 \text{ °C}$ Features Current Sense Coating, Housing Type $-40 \text{ °C} \sim 60 \text{ °C}$
CompositionMetal ElementTemperature Coefficient $\pm 15 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$ FeaturesCurrent SenseCoating, Housing Type-
Temperature Coefficient $\pm 15 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$ Features Current Sense  Coating, Housing Type -
Operating Temperature $-40^{\circ}\text{C} \sim 60^{\circ}\text{C}$ FeaturesCurrent SenseCoating, Housing Type-
Features Current Sense Coating, Housing Type -
Coating, Housing Type -
Mounting Feature Flanges
-
Size / Dimension 2.000" L x 1.248" W (50.80mm x 31.70mm)
Height - Seated (Max) 1.680" (42.70mm)
Lead Style -
Package / Case Rectangular Case
Failure Rate -
Report errors?

#### 3020-01099-0 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **3020-01099-0 Payment Methods**



















## **3020-01099-0 Shipping Methods**













If you have any question about 3020-01099-0, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com