

3031607

3031607 Information

Heisener.com Gidal terves satt ter	Part Number Manufacturer Category Description Package	3031607 Phoenix Contact Connectors, Interconnects Terminal Blocks - Din Rail, Channel CONN TERM BLK FEED THRU 12-28AWG - For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality


Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



3031607 Specifications

Manufacturer Part Number 3031607 Manufacturer Phoenix Contact Category Connectors, Interconnects Terminal Blocks - Din Rail, Channel Terminal Blocks - Din Rail, Channel Package - Steries CLIPLINE STTB Type Feed Through Disconnect Type - Number of Positions 4 Number of Levels 2; Connected Terminal Nidth 5.2mm Current - IEC 22A Voltage - IEC SolvV Current - UL 20A Voltage - IEC 300V Vire Gauge or Range - AWG 12-28 AWG Wire Gauge or Range - AWG ICM Vire Gauge or Range - AWG LED Color Gray		
CategoryConnectors, Interconnects Terminal Blocks - Din Rail, ChannelPackage-Package-SeriesCLIPLINE STTBTypeFeed ThroughDisconnect Type-Number of Positions4Number of Levels2; ConnectedTerminal - Width5.2mmTermination StylePosh In, SpringCurrent - LEC22AVoltage - LEC500VVoltage - LEC300VWire Gauge or Range - AWG1024 SMGWire Gauge or Range - AWG1024 SMGVire Gauge or Range - SmallLEDFeaturesLEDColorGray	Manufacturer Part Number	3031607
Terminal Blocks - Din Rail, ChannelPackage-SeriesCLIPLINE STTBTypeFeed ThroughDisconnect Type-Number of Positions4Number of Levels2; ConnectedTerminal - Width5.2mmCurrent - IEC22AVoltage - IEC500VCurrent - UL0AVier Gauge or Range - AWG12.28 AWGWire Gauge or Range - AWGLEDColorGray	Manufacturer	Phoenix Contact
Package-SeriesCLIPLINE STTBTypeFeed ThroughDisconnect Type-Number of Positions4Number of Levels2; ConnectedTerminal - Width5.2mmCurrent - IEC22AVoltage - IEC500VCurrent - UL04Voltage or Range - AMG30VWire Gauge or Range - AMG1.228 AMGFeaturesLEDColorStandardFeaturesStandardFeaturesColorColorStandardFeaturesStandardColorStandardColorStandardFeaturesStandardColorStandardColorStandardColorStandardColorStandard <td< td=""><td>Category</td><td>Connectors, Interconnects</td></td<>	Category	Connectors, Interconnects
SeriesCLIPLINE STTBTypeFeed ThroughDisconnect Type-Number of Positions4Number of Levels2; ConnectedTerminal - Width5.2mmTermination StylePush In, SpringCurrent - IEC22AVoltage - IEC500VCurrent - UL300VWite Gauge or Range - AWG1.228 AWGWire Gauge or Range - and ParticeIEDColorGray		Terminal Blocks - Din Rail, Channel
TypeFeed ThroughDisconnect Type-Number of Positions4Number of Levels2; ConnectedTerminal - Width5.2mmTermination StylePush In, SpringCurrent - IEC22AVoltage - IEC500VCurrent - UL04Voltage or Range - AWG12-28 AWGWire Gauge or Range - AMG0.84mm²FeaturesLEDColorGray	Package	-
Disconnect Type-Number of Positions4Number of Levels2; ConnectedTerminal - Width5.2mmTermination StylePush In, SpringCurrent - IEC22AVoltage - IEC500VCurrent - UL20AVoltage - UL300VWire Gauge or Range - AWG1.2-28 AWGWire Gauge or Range - mm²0.08-4mm²FeaturesLEDColorGray	Series	CLIPLINE STTB
Number of Positions4Number of Levels2; ConnectedTerminal - Width5.2mmTermination StylePush In, SpringCurrent - IEC22AVoltage - IEC500VCurrent - UL20AVoltage - UL300VWire Gauge or Range - AWG12-28 AWGWire Gauge or Range - mar²0.08-4mm²FeaturesLEDColorGray	Туре	Feed Through
Number of Levels2; ConnectedTerminal - Width5.2mmTermination StylePush In, SpringCurrent - IEC22AVoltage - IEC500VCurrent - UL00AVoltage - UL300VWire Gauge or Range - AWG12-28 AWGWire Gauge or Range - mm²0.08-4mm²FeaturesLEDColorGray	Disconnect Type	-
Terminal - Width5.2mmTermination StylePush In, SpringCurrent - IEC22AVoltage - IEC500VCurrent - UL20AVoltage - UL300VWire Gauge or Range - AWG12-28 AWGWire Gauge or Range - mm²0.08-4mm²FeaturesLEDColorGray	Number of Positions	4
Termination StylePush In, SpringCurrent - IEC22AVoltage - IEC500VCurrent - UL20AVoltage - UL300VWire Gauge or Range - AWG12-28 AWGWire Gauge or Range - mm²0.08-4mm²FeaturesLEDColorGray	Number of Levels	2; Connected
Current - IEC22AVoltage - IEC500VCurrent - UL20AVoltage - UL300VWire Gauge or Range - AWG12-28 AWGWire Gauge or Range - mm²0.08-4mm²FeaturesLEDColorGray	Terminal - Width	5.2mm
Voltage - IEC500VCurrent - UL20AVoltage - UL300VWire Gauge or Range - AWG12-28 AWGWire Gauge or Range - mm²0.08-4mm²FeaturesLEDColorGray	Termination Style	Push In, Spring
Current - UL20AVoltage - UL300VWire Gauge or Range - AWG12-28 AWGWire Gauge or Range - mm²0.08-4mm²FeaturesLEDColorGray	Current - IEC	22A
Voltage - UL300VWire Gauge or Range - AWG12-28 AWGWire Gauge or Range - mm²0.08-4mm²FeaturesLEDColorGray	Voltage - IEC	500V
Wire Gauge or Range - AWG12-28 AWGWire Gauge or Range - mm²0.08-4mm²FeaturesLEDColorGray	Current - UL	20A
Wire Gauge or Range - mm²0.08-4mm²FeaturesLEDColorGray	Voltage - UL	300V
Features LED Color Gray	Wire Gauge or Range - AWG	12-28 AWG
Color Gray	Wire Gauge or Range - mm ²	0.08-4mm ²
	Features	LED
Report errors?	Color	Gray
		Report errors?

3031607 Guarantees



If you have any question about 3031607, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com