

# 3050280

### **3050280 Information**

Contract territors and there	Part Number Manufacturer Category Description Package	3050280 Phoenix Contact Connectors, Interconnects Terminal Blocks - Din Rail, Channel CONN TERM BLK FEED THRU 16-24AWG - For the pricing/inventory/lead time, please contact	
For Reference Only	or Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

## **Certified Quality**


Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



### **3050280** Specifications

Manufacturer Part Number3050280ManufacturerPhoenix ContactCategoryConnectors, InterconnectsPackage-PackageCIPLINE QTTCBUSeriesCLIPLINE QTTCBUTypeFeed ThroughDisconnect Type-Number of Positions4Number of Levels5.2mmTerminalion StyleIDC, ScrewCurrent - IEC105Voltage - IEC500VVoltage - UL300VWire Gauge or Range - AWG16-24 AWGWire Gauge or Range - mm²FerdemageVentore16-25 - Smm²		
CategoryConnectors, InterconnectsTerminal Blocks - Din Rail, ChannelPackage-SeriesCLIPLINE QTTCBUTypeFeed ThroughDisconnect Type-Number of Positions4Number of Levels2Terminal - Width5.2nmCurrent - IECIDC, ScrewVoltage - IEC500VVoltage - UL04Voltage - UL04Wire Gauge or Range - AWG30VWire Gauge or Range - Rame0.25.15mm2	Manufacturer Part Number	3050280
Terminal Blocks - Din Rail, ChannelPackage-SeriesCLIPLINE QTTCBUTypeFeed ThroughDisconnect Type-Number of Positions4Number of Levels2Terminal - Width5.2mmCurrent - IECIDC, ScrewVoltage - IEC500VCurrent - UL0AVoltage - UL300VWire Gauge or Range - AWG0.25-1.5mm²	Manufacturer	Phoenix Contact
Package-SeriesCLIPLINE QTTCBUTypeFeed ThroughDisconnect Type-Number of Positions4Number of Levels2Terminal - Width5.2mmTermination StyleIDC, ScrewCurrent - IEC7.5AVoltage - IEC500VVoltage - UL00AWire Gauge or Range - AWG16-24 AWGWire Gauge or Range - mm²0.25-1.5mm²	Category	Connectors, Interconnects
SeriesCLIPLINE QTTCBUTypeFeed ThroughDisconnect Type-Number of Positions4Number of Positions2Terminal - Width5.2mmTermination StyleIDC, ScrewCurrent - IEC7.5AVoltage - IEC500VCurrent - UL04Voltage - UL300VWire Gauge or Range - AWG0.25-1.5mm²		Terminal Blocks - Din Rail, Channel
TypeFeed ThroughDisconnect Type-Number of Positions4Number of Levels2Terminal - Width5.2mmTermination StyleIDC, ScrewCurrent - IEC17.5AVoltage - IEC500VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG0.25-1.5mm²	Package	-
Disconnect Type-Disconnect Type-Number of Positions4Number of Levels2Terminal - Width5.2mmTermination StyleIDC, ScrewCurrent - IEC17.5AVoltage - IEC500VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG16-24 AWGWire Gauge or Range - mm²0.25-1.5mm²	Series	CLIPLINE QTTCBU
Number of Positions4Number of Levels2Terminal - Width5.2mmTermination StyleIDC, ScrewCurrent - IEC17.5AVoltage - IEC500VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG16-24 AWGWire Gauge or Range - mm²0.25-1.5mm²	Туре	Feed Through
Number of Levels2Terminal - Width5.2mmTermination StyleIDC, ScrewCurrent - IEC17.5AVoltage - IEC500VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG16-24 AWGWire Gauge or Range - amm20.25-1.5mm2	Disconnect Type	-
Terminal - Width5.2mmTermination StyleIDC, ScrewCurrent - IEC17.5AVoltage - IEC500VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG16-24 AWGWire Gauge or Range - amm20.25-1.5mm2	Number of Positions	4
Termination StyleIDC, ScrewCurrent - IEC17.5AVoltage - IEC500VCurrent - UL10AVoltage - UL300VWire Gauge or Range - AWG16-24 AWGWire Gauge or Range - mm²0.25-1.5mm²	Number of Levels	2
Current - IEC 17.5A   Voltage - IEC 500V   Current - UL 10A   Voltage - UL 300V   Wire Gauge or Range - AWG 16-24 AWG   Wire Gauge or Range - mm² 0.25-1.5mm²	Terminal - Width	5.2mm
Voltage - IEC 500V   Current - UL 10A   Voltage - UL 300V   Wire Gauge or Range - AWG 16-24 AWG   Wire Gauge or Range - mm² 0.25-1.5mm²	Termination Style	IDC, Screw
Current - UL10AVoltage - UL300VWire Gauge or Range - AWG16-24 AWGWire Gauge or Range - mm²0.25-1.5mm²	Current - IEC	17.5A
Voltage - UL300VWire Gauge or Range - AWG16-24 AWGWire Gauge or Range - mm²0.25-1.5mm²	Voltage - IEC	500V
Wire Gauge or Range - AWG16-24 AWGWire Gauge or Range - mm²0.25-1.5mm²	Current - UL	10A
Wire Gauge or Range - mm <sup>2</sup> 0.25-1.5mm <sup>2</sup>	Voltage - UL	300V
	Wire Gauge or Range - AWG	16-24 AWG
Fastures	Wire Gauge or Range - mm <sup>2</sup>	0.25-1.5mm <sup>2</sup>
	Features	-
Color Blue	Color	Blue
Report errors?		Report errors?

#### 3050280 Guarantees



If you have any question about 3050280, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com