



### 3100-20V6999CL Information

Heisener.com

Part Number 3100-20V6999CL

Manufacturer TE Connectivity Potter & Brumfield Relays

Category

Power Relays, Over 2 Amps

**Description** RELAY CONTACTOR DPST 30A 277V

**Package** 

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# 3100-20V6999CL Specifications

Manufacturer Part Number         3100-20V6999CL           Manufacturer         TE Connectivity Potter & Brumfield Relays           Category         Relays           Power Relays, Over 2 Amps           Package         -           Series         3100, Products Unlimited           Relay Type         Contactor           Coil Type         Non Latching           Coil Current         -           Coil Voltage         277VAC           Contact Form         DPST-NO (2 Form X)           Contact Rating (Current)         30A           Switching Voltage         600VAC - Max           Turn On Voltage (Max)         221 VAC           Turn Off Voltage (Min)         50 VAC           Operate Time         -           Release Time         -           Features         Insulation - Class B           Mounting Type         Chassis Mount           Termination Style         Screw Terminal, Quick Connect - 0.250" (6.3mm)		
Category         Relays           Power Relays, Over 2 Amps           Package         -           Series         3100, Products Unlimited           Relay Type         Contactor           Coil Type         Non Latching           Coil Current         -           Coil Voltage         277VAC           Contact Form         DPST-NO (2 Form X)           Contact Rating (Current)         30A           Switching Voltage         600VAC - Max           Turn On Voltage (Max)         221 VAC           Turn Off Voltage (Min)         50 VAC           Operate Time         -           Release Time         -           Features         Insulation - Class B           Mounting Type         Chassis Mount           Termination Style         Screw Terminal, Quick Connect - 0.250" (6.3mm)	Manufacturer Part Number	3100-20V6999CL
Package         -           Series         3100, Products Unlimited           Relay Type         Contactor           Coil Type         Non Latching           Coil Current         -           Coil Voltage         277VAC           Contact Form         DPST-NO (2 Form X)           Contact Rating (Current)         30A           Switching Voltage         600VAC - Max           Turn On Voltage (Max)         221 VAC           Turn Off Voltage (Min)         50 VAC           Operate Time         -           Release Time         -           Features         Insulation - Class B           Mounting Type         Chassis Mount           Termination Style         Screw Terminal, Quick Connect - 0.250" (6.3mm)	Manufacturer	TE Connectivity Potter & Brumfield Relays
Package         -           Series         3100, Products Unlimited           Relay Type         Contactor           Coil Type         Non Latching           Coil Current         -           Coil Voltage         277VAC           Contact Form         DPST-NO (2 Form X)           Contact Rating (Current)         30A           Switching Voltage         600VAC - Max           Turn On Voltage (Max)         221 VAC           Turn Off Voltage (Min)         50 VAC           Operate Time         -           Release Time         -           Features         Insulation - Class B           Mounting Type         Chassis Mount           Termination Style         Screw Terminal, Quick Connect - 0.250" (6.3mm)	Category	Relays
Series3100, Products UnlimitedRelay TypeContactorCoil TypeNon LatchingCoil Current-Coil Voltage277VACContact FormDPST-NO (2 Form X)Contact Rating (Current)30ASwitching Voltage600VAC - MaxTurn On Voltage (Max)221 VACTurn Off Voltage (Min)50 VACOperate Time-Release Time-FeaturesInsulation - Class BMounting TypeChassis MountTermination StyleScrew Terminal, Quick Connect - 0.250" (6.3mm)		Power Relays, Over 2 Amps
Relay Type Contactor Coil Type Non Latching Coil Current - Coil Voltage 277VAC Contact Form DPST-NO (2 Form X) Contact Rating (Current) 30A Switching Voltage 600VAC - Max Turn On Voltage (Max) 221 VAC Turn Off Voltage (Min) 50 VAC Operate Time - Release Time - Release Time - Features Insulation - Class B Mounting Type Chassis Mount Termination Style Sorew Terminal, Quick Connect - 0.250" (6.3mm)	Package	-
Coil TypeNon LatchingCoil Current-Coil Voltage277VACContact FormDPST-NO (2 Form X)Contact Rating (Current)30ASwitching Voltage600VAC - MaxTurn On Voltage (Max)221 VACTurn Off Voltage (Min)50 VACOperate Time-Release Time-FeaturesInsulation - Class BMounting TypeChassis MountTermination StyleScrew Terminal, Quick Connect - 0.250" (6.3mm)	Series	3100, Products Unlimited
Coil Current - 277VAC Contact Form DPST-NO (2 Form X) Contact Rating (Current) 30A Switching Voltage 600VAC - Max Turn On Voltage (Max) 221 VAC Turn Off Voltage (Min) 50 VAC Operate Time - Release Time - Features Insulation - Class B Mounting Type Chassis Mount Termination Style Screw Terminal, Quick Connect - 0.250" (6.3mm)	Relay Type	Contactor
Coil Voltage 277VAC Contact Form DPST-NO (2 Form X) Contact Rating (Current) 30A Switching Voltage 600VAC - Max Turn On Voltage (Max) 221 VAC Turn Off Voltage (Min) 50 VAC Operate Time - Release Time - Features Insulation - Class B Mounting Type Chassis Mount Termination Style Some Some Some Some Some Some Some Som	Coil Type	Non Latching
Contact Form DPST-NO (2 Form X)  Contact Rating (Current) 30A  Switching Voltage 600VAC - Max  Turn On Voltage (Max) 221 VAC  Turn Off Voltage (Min) 50 VAC  Operate Time -  Release Time -  Features Insulation - Class B  Mounting Type Chassis Mount  Termination Style Screw Terminal, Quick Connect - 0.250" (6.3mm)	Coil Current	-
Contact Rating (Current)  Switching Voltage  600VAC - Max  Turn On Voltage (Max)  221 VAC  Turn Off Voltage (Min)  50 VAC  Operate Time  - Release Time  - Features  Insulation - Class B  Mounting Type  Chassis Mount  Termination Style  Screw Terminal, Quick Connect - 0.250" (6.3mm)	Coil Voltage	277VAC
Switching Voltage 600VAC - Max  Turn On Voltage (Max) 221 VAC  Turn Off Voltage (Min) 50 VAC  Operate Time -  Release Time -  Features Insulation - Class B  Mounting Type Chassis Mount  Termination Style Screw Terminal, Quick Connect - 0.250" (6.3mm)	Contact Form	DPST-NO (2 Form X)
Turn On Voltage (Max)  221 VAC  Turn Off Voltage (Min)  50 VAC  Operate Time  - Release Time  - Features  Insulation - Class B  Mounting Type  Chassis Mount  Termination Style  Screw Terminal, Quick Connect - 0.250" (6.3mm)	Contact Rating (Current)	30A
Turn Off Voltage (Min)  50 VAC  Operate Time  - Release Time  - Features  Insulation - Class B  Mounting Type  Chassis Mount  Termination Style  Screw Terminal, Quick Connect - 0.250" (6.3mm)	Switching Voltage	600VAC - Max
Operate Time - Release Time - Insulation - Class B Mounting Type Chassis Mount Termination Style Screw Terminal, Quick Connect - 0.250" (6.3mm)	Turn On Voltage (Max)	221 VAC
Release Time - Features Insulation - Class B Mounting Type Chassis Mount Termination Style Screw Terminal, Quick Connect - 0.250" (6.3mm)	Turn Off Voltage (Min)	50 VAC
Features Insulation - Class B  Mounting Type Chassis Mount  Termination Style Screw Terminal, Quick Connect - 0.250" (6.3mm)	Operate Time	-
Mounting Type Chassis Mount  Termination Style Screw Terminal, Quick Connect - 0.250" (6.3mm)	Release Time	-
Termination Style Screw Terminal, Quick Connect - 0.250" (6.3mm)	Features	Insulation - Class B
	Mounting Type	Chassis Mount
Report errors?	Termination Style	Screw Terminal, Quick Connect - 0.250" (6.3mm)
		Report errors?

### 3100-20V6999CL Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 3100-20V6999CL Payment Methods





















## 3100-20V6999CL Shipping Methods













If you have any question about 3100-20V6999CL, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com