

315NH2G-690 Information

Heisener.com

Part Number 315NH2G-690

Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE SQ 315A 690VAC RECTANGULAR

Package Rectangular, Blade

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









315NH2G-690 Specifications

Manufacturer Part Number 315NH2G-690 Manufacturer Eaton Category Circuit Protection Package Rectangular, Blade Series - Fuse Type Square Current Rating 315A Voltage Rating - AC 690V Voltage Rating - DC - Response Time Fast Applications Electrical, Industrial Features Indicating Class NH Approvals CE, VDE Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Rectangular, Blade Size / Dimension 2 677" Lx 2 008" Wx 2 480" H (68 00mm x 51 00mm x 63 00mm)		
CategoryCircuit ProtectionPackageRectangular, BladeSeries-Fuse TypeSquareCurrent Rating315AVoltage Rating - AC690VVoltage Rating - DC-Response TimeFastApplicationsElectrical, IndustrialFeaturesIndicatingClassNHApprovalsCE, VDEOperating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, Blade	Manufacturer Part Number	315NH2G-690
Bectangular, Blade Series - Fuse Type Square Current Rating Voltage Rating - AC Voltage Rating - DC Response Time Fast Applications Electrical, Industrial Features Indicating Class NH Approvals Operating Temperature Breaking Capacity @ Rated Voltage Package / Case Rectangular, Blade Electrical, Specialty Fuses Rectangular, Blade Electrical, Industrial Features Indicating Class NH Approvals Operating Temperature Breaking Capacity @ Rated Voltage Rectangular, Blade	Manufacturer	Eaton
PackageRectangular, BladeSeries-Fuse TypeSquareCurrent Rating315AVoltage Rating - AC690VVoltage Rating - DC-Response TimeFastApplicationsElectrical, IndustrialFeaturesIndicatingClassNHApprovalsCE, VDEOperating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, Blade	Category	Circuit Protection
Series-Fuse TypeSquareCurrent Rating315AVoltage Rating - AC690VVoltage Rating - DC-Response TimeFastApplicationsElectrical, IndustrialFeaturesIndicatingClassNHApprovalsCE, VDEOperating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, Blade		Electrical, Specialty Fuses
Fuse Type Square Current Rating 315A Voltage Rating - AC 690V Voltage Rating - DC - Response Time Fast Applications Electrical, Industrial Features Indicating Class NH Approvals CE, VDE Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Rectangular, Blade	Package	Rectangular, Blade
Current Rating315AVoltage Rating - AC690VVoltage Rating - DC-Response TimeFastApplicationsElectrical, IndustrialFeaturesIndicatingClassNHApprovalsCE, VDEOperating Temperature-Breaking Capacity @ Rated Voltage-Mounting TypeHolderPackage / CaseRectangular, Blade	Series	-
Voltage Rating - AC Voltage Rating - DC Response Time Fast Applications Electrical, Industrial Features Indicating Class NH Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case 690V 690V CE, VDE Fast Fast Fast Clevrical, Industrial Fast Fa	Fuse Type	Square
Voltage Rating - DC Response Time Fast Applications Electrical, Industrial Features Indicating Class NH Approvals CE, VDE Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Holder Package / Case Rectangular, Blade	Current Rating	315A
Response Time Fast Applications Electrical, Industrial Features Indicating Class NH Approvals CE, VDE Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Rectangular, Blade	Voltage Rating - AC	690V
Applications Electrical, Industrial Features Indicating Class NH Approvals CE, VDE Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Rectangular, Blade	Voltage Rating - DC	-
Features Indicating Class NH Approvals CE, VDE Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Rectangular, Blade	Response Time	Fast
Class NH Approvals CE, VDE Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Rectangular, Blade	Applications	Electrical, Industrial
Approvals CE, VDE Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Rectangular, Blade	Features	Indicating
Operating Temperature - Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Rectangular, Blade	Class	NH
Breaking Capacity @ Rated Voltage - Mounting Type Holder Package / Case Rectangular, Blade	Approvals	CE, VDE
Mounting Type Holder Package / Case Rectangular, Blade	Operating Temperature	-
Package / Case Rectangular, Blade	Breaking Capacity @ Rated Voltage	-
	Mounting Type	Holder
Size / Dimension 2.677" L v. 2.008" W v. 2.480" H (68.00mm v. 51.00mm v. 63.00mm)	Package / Case	Rectangular, Blade
2.077 L \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Size / Dimension	2.677" L x 2.008" W x 2.480" H (68.00mm x 51.00mm x 63.00mm)
Report errors?		Report errors?

315NH2G-690 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

315NH2G-690 Payment Methods



















315NH2G-690 Shipping Methods













If you have any question about 315NH2G-690, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com