

3270137 Information

www.com

For Reference Only

Part Number 3270137

Manufacturer Phoenix Contact

Category Connectors, Interconnects Terminal Blocks - Specialized

Description TERM BLK MARSHALLING 32POS 8.3MM

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









3270137 Specifications

Manufacturer Part Number 3270137 Manufacturer Phoenix Contact Category Connectors, Interconnects Terminal Blocks - Specialized Package - Series CLIPLINE PT Type Marshalling Connector Mounting Type DIN Rail Number of Positions 32 Number of Levels 8 Terminal - Width 8.3mm Termination Style Push In, Spring Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 14-26 AWG Wire Gauge or Range - mm² 0.14-2.5mm² Features - Housing Color Gray		
Category Connectors, Interconnects Terminal Blocks - Specialized Package - Series CLIPLINE PT Type Marshalling Connector Mounting Type DIN Rail Number of Positions 32 Number of Levels 8 Terminal - Width 8.3mm Termination Style Push In, Spring Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 14-26 AWG Wire Gauge or Range - mm² 0.14-2.5mm² Features -	Manufacturer Part Number	3270137
Package Series CLIPLINE PT Type Marshalling Connector Mounting Type DIN Rail Number of Positions 32 Number of Levels 8 Terminal - Width 8.3mm Termination Style Push In, Spring Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features - CLIPLINE PT Marshall Blocks - Specialized - Specialized 10N Marshalling Connector Marshalling Connector Marshalling Connector 8 8 CLIPLINE PT Marshalling Connector 10N Rail 8.3mm Push In, Spring 10A 10A 10A 10A 10A 10A 10A 10A 10A 10	Manufacturer	Phoenix Contact
Package - CLIPLINE PT Type Marshalling Connector Mounting Type DIN Rail Number of Positions 32 Number of Levels 8 Terminal - Width 8.3mm Termination Style Push In, Spring Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 14-26 AWG Wire Gauge or Range - mm² 0.14-2.5mm² Features - CLIPLINE PT Marshalling Connector Bas A 2	Category	Connectors, Interconnects
Series CLIPLINE PT Type Marshalling Connector Mounting Type DIN Rail Number of Positions 32 Number of Levels 8 Terminal - Width 8.3mm Termination Style Push In, Spring Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 14-26 AWG Wire Gauge or Range - mm² 0.14-2.5mm² Features -		Terminal Blocks - Specialized
Type Marshalling Connector Mounting Type DIN Rail Number of Positions 32 Number of Levels 8 Terminal - Width 8.3mm Termination Style Push In, Spring Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 14-26 AWG Wire Gauge or Range - mm² 0.14-2.5mm² Features - Carrent - Gauge or Range - Marshalling Connector Marshalling Connector 10A 8.3mm 10A 8.3mm 10A 10A 10A 10A 10A 10A 10A 1	Package	-
Mounting Type Number of Positions 32 Number of Levels 8 Terminal - Width 8.3mm Termination Style Push In, Spring Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features DIN Rail 32 8 8 14-26 AWG 0.14-2.5mm² Features	Series	CLIPLINE PT
Number of Positions 32 Number of Levels 8 Terminal - Width 8.3mm Termination Style Push In, Spring Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 14-26 AWG Wire Gauge or Range - mm² 0.14-2.5mm² Features -	Туре	Marshalling Connector
Number of Levels Terminal - Width 8.3mm Termination Style Push In, Spring Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features - 8 On 14-2.5mm² Features	Mounting Type	DIN Rail
Terminal - Width Remination Style Push In, Spring Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features - 8.3mm Push In, Spring 8A 250V 250V 250V 10A 10A 10A 10A 10-26 AWG 14-26 AWG	Number of Positions	32
Termination Style Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - mm² Features Push In, Spring 8A 10A 250V 10A 10A 10A 10A 14-26 AWG 14-25 AWG 14-25 AWG	Number of Levels	8
Current - IEC 8A Voltage - IEC 250V Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 14-26 AWG Wire Gauge or Range - mm² 0.14-2.5mm² Features -	Terminal - Width	8.3mm
Voltage - IEC Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG Wire Gauge or Range - mm² 0.14-2.5mm² Features -	Termination Style	Push In, Spring
Current - UL 10A Voltage - UL 300V Wire Gauge or Range - AWG 14-26 AWG Wire Gauge or Range - mm² 0.14-2.5mm² Features -	Current - IEC	8A
Voltage - UL300VWire Gauge or Range - AWG14-26 AWGWire Gauge or Range - mm²0.14-2.5mm²Features-	Voltage - IEC	250V
Wire Gauge or Range - AWG Wire Gauge or Range - mm² O.14-2.5mm² Features -	Current - UL	10A
Wire Gauge or Range - mm ² Features 0.14-2.5mm ² -	Voltage - UL	300V
Features -	Wire Gauge or Range - AWG	14-26 AWG
	Wire Gauge or Range - mm ²	0.14-2.5mm ²
Housing Color Gray	Features	-
	Housing Color	Gray
Report errors?		Report errors?

3270137 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

3270137 Payment Methods



















3270137 Shipping Methods













If you have any question about 3270137, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com